

1 Introduction

2 Installation

3 Functions in common

4 Cash book

5 Simple accounting

6 Double-entry accounting

7 Multi-currency accounting

8 Other

9 Instructions for Labels

10 Error Messages

11 Short-cut Keys

12 Index

The information given in this document is subject to change without prior notification and represents no obligation on the part of Banana.ch SA. The program described in this manual is supplied by virtue of the user's license and the conditions of distribution. The program can be used and copied only in accordance with these conditions.

All rights are reserved. No part of this manual may be reproduced, memorized in a filing system, or transmitted by any form electronic, mechanical, photocopy, recording or other means without prior authorization on the part of Banana.ch SA.

Banana Accounting offers a unique data certification system patented under US Patent N° 7,020,640.

© Copyright Banana.ch SA, Lugano (Switzerland) 1989/2008.
All rights reserved.

Banana® and **Banana Accounting®** are registered trademarks of Banana.ch SA, Lugano (Switzerland).
Windows®, Microsoft®, Word® and Excel® are registered trademarks of Microsoft Corporation.

CONTENTS

1 Introduction	9
1.1 Cash book	9
1.2 Simple accounting	10
1.3 Double-entry accounting	11
1.4 Multi currency accounting	11
1.5 Labels	12
1.6 Other	12
2 Software installation	13
2.1 How to install the software	13
2.2 Notes on installation	13
2.3 Notes on using more than one language	13
2.4 Installation on a network	14
2.5 Other information	14
3 Functions in common	15
3.1 How to begin	15
3.2 The Structure of Banana Accounting	16
3.3 Work rapidly	19
3.4 Groupings	21
3.5 File Menu	23
3.5.1 Create a new file	24
3.5.2 New blank file	24
3.5.3 Open a file	26
3.5.4 Save a file	27
3.5.5 Automatic save	27
3.5.6 Close a file	28
3.5.7 Compatibility with previous versions	28
3.5.8 File and accounting properties	28
3.5.9 Export file in MS Excel	37
3.5.10 Export file in Html	42
3.5.11 Export file in Xml	45
3.5.12 Printing	47
3.5.13 Print setup	47
3.5.14 Print	51
3.5.15 Send file via Email	52
3.6 Edit the data	52
3.7 Edit Menu	54
3.7.1 The Undo/Redo commands	54

3.7.2 Insert rows	55
3.7.3 Add rows	55
3.7.4 Duplicate rows	56
3.7.5 Copy rows	56
3.7.6 Delete rows	56
3.7.7 Paste rows	56
3.7.8 The memorized text table	56
3.7.9 Protect and unprotect rows	57
3.8 Data Menu	58
3.8.1 Search	58
3.8.2 Replace	59
3.8.3 Go to	60
3.8.4 Extract rows	60
3.8.5 Selections table	62
3.8.6 Sort rows	63
3.8.7 Export rows	64
3.8.8 Export rows in MS Excel	64
3.8.9 Export rows in Html	65
3.8.10 Export rows in Xml	65
3.8.11 Export rows in txt	67
3.8.12 Using copy/paste	67
3.8.13 Import rows	67
3.8.14 DDE connection	69
3.8.15 Set up fields	69
3.8.16 Edit attributes	71
3.8.17 Edit date, hour and number format	73
3.8.18 Edit data	74
3.8.19 Add a field	76
3.8.20 Delete a field	76
3.8.21 Page format	76
3.8.22 Select field view	76
3.9 Format Menu	78
3.9.1 Default style	78
3.9.2 This style as default	78
3.9.3 Calculate row height	79
3.9.4 Calculate all row heights	79
3.9.5 Page break	79
3.10 Tools Menu	80
3.10.1 File Info	80
3.10.2 Add new functionalities	80
3.10.3 Convert to new file	80
3.10.4 Merge file	80
3.10.5 Program options	81
3.11 Cash1/Simple1/Account1 Menu	84
3.11.1 Account/Category cards	84
3.11.2 Account/Category cards characteristics	84

3.11.3 Journal by period	90
3.11.4 Recalculate balance and totals/Recalculate group totals (F9)	92
3.11.5 Recheck accounting (Shift + F9)	93
3.11.6 Search for transaction differences	93
3.11.7 Enhanced statement	93
3.11.8 Calculate balance by period	96
3.11.9 VAT/Sales tax Report	97
3.11.10 VAT Report table	100
3.11.11 Import to accounting	102
3.11.12 Import Cash book	105
3.11.13 Import Simple accounting transactions	107
3.11.14 Import Double-entry accounting transactions	109
3.11.15 Import bank customer's statement (MT 940)	109
3.11.16 Import Receipt/payment transactions	110
3.11.17 Import Text file with column headers	111
3.11.18 Import accounts	111
3.11.19 Import exchange rates	112
3.12 Cash2/Simple2/Account2 Menu	113
3.12.1 Sort transactions by date	113
3.12.2 Show expiry dates	113
3.12.3 Recurring transactions	114
3.12.4 Add link...	115
3.12.5 Open link	115
3.12.6 Remove link	115
3.12.7 Lock transactions...	115
3.12.8 Other methods	120
3.12.9 Unlock transactions...	120
3.12.10 Create New Year	120
3.12.11 Update opening balances	121
3.13 Window Menu	121
3.13.1 New window	122
3.13.2 Hide current table	122
3.13.3 Tile horizontally	122
3.13.4 Cascade	122
3.13.5 Arrange icons	122
3.13.6 Next window	123
3.13.7 Previous window	123
3.13.8 Warning messages	123
3.13.9 Message window	123
3.13.10 Clear messages	123
3.14 Help Menu	124
3.14.1 Index	124
3.14.2 Banana.ch home page	124
3.14.3 Online support	124
3.14.4 Check for updates	124
3.14.5 Registration	124
3.14.6 Buy license	124

3.14.7 Insert license key	125
3.14.8 Copyright and Info...	127
3.15 Currency2	127
3.15.1 Currency2 for Cash book and Simple accounting	128
3.15.2 Currency2 for Double-entry accounting	129
3.16 VAT/Sales tax	130
3.16.1 Select accounting with VAT/Sales tax	130
3.16.2 VAT Codes table	131
3.16.3 Connect a VAT code to an account or a category	134
3.16.4 Transactions with VAT/Sales tax	135
3.16.5 Reverse VAT/Sales tax transactions	138
3.16.6 Discounts and Reductions	138
3.16.7 VAT/Sales tax not completely deductible	138
3.16.8 VAT/Sales tax paid in cash at moment of import	139
3.16.9 VAT/Sales tax Report	139
3.16.10 VAT/Sales tax Report	139
3.16.11 Credit card transactions	140
3.17 Centers of cost and profit	141
3.17.1 How to create cost centers	141
3.17.2 How to enter cost centers	142
 4 Cash book	 144
4.1 Cash book tables	144
4.2 Accounts table	145
4.3 Categories table	146
4.4 Transactions table	147
4.5 Creating a Cash book file by using an existing template	148
4.6 Creating a new Cash book file	149
4.7 Insert transactions	152
4.7.1 Transactions with a second currency (Currency2)	152
4.7.2 Transactions with VAT/Sales tax	154
4.7.3 Transactions with cost centers	155
4.8 Link to Double-entry accounting	155
 5 Simple accounting	 157
5.1 Simple accounting tables	157
5.2 Accounts table	158
5.3 Categories table	159
5.4 Transactions table	161
5.5 Create a Simple accounting file starting from an existing template	161
5.6 Create a new Simple accounting file	162
5.7 Input transactions	165

5.7.1 Input cash withdrawal/deposit transfers	165
5.7.2 Input transactions with VAT/Sales tax	166
5.7.3 View amounts in currency2	166
6 Double-entry accounting	167
6.1 Create a new accounting	167
6.2 Accounts table	168
6.3 Create a Chart of accounts starting from an existing template	170
6.4 Create a new Chart of accounts	172
6.5 Transactions table	176
6.5.1 Accounting transactions	176
6.5.2 Simple transactions	177
6.5.3 Compound transactions	177
6.6 Totals table	178
6.7 VAT Codes table	179
6.8 Accounting functions	179
6.8.1 Balance by period	179
6.8.2 Accounts with a balance only	179
6.8.3 Close current year	179
6.8.4 Create New Year	179
6.8.5 Enhanced balance sheet	181
6.8.6 Balance by classes	188
7 Multi-currency accounting	191
7.1 Foreign exchange rate table	191
7.2 Operating multi-currency accounting	193
7.2.1 Transactions with foreign currency	194
7.2.2 Transactions between one account in basic currency and one in a foreign currency	194
7.2.3 Transactions between two accounts with different currencies, neither of them the basic currency	196
7.2.4 Enter exchange rate differences	197
7.2.5 Closing a multi-currency accounting	198
8 Accounting report and Exchange rate history	199
8.1 Accounting report	199
8.1.1 Create an Accounting report file	199
8.1.2 The columns of an Accounting Report	200
8.1.3 Create the desired grouping layout	201
8.1.4 Link the accounting report to the accounting file	202
8.1.5 Calculate the External accounting report	202
8.1.6 Calculated external accounting report	204
8.2 Exchange rate history	204

9 Instructions for labels	206
9.1 Create a new label file	206
9.2 The Print label 1... and Print label 2... commands	207
9.2.1 Print merge	212
10 Error Messages	214
11 Short-cut Keys	215

1 Introduction

The Banana Accounting 5.0 software gives the opportunity to manage accounts according to different requirements, beginning with the Cash book and concluding with Double-entry accounting.

This guide is made up of various sections, the first of which is dedicated to “functions in common”, which has been included to avoid useless repetition of functions and subjects common to the Cash book, Simple accounting and Double-entry accounting.


1.1 Cash book

The Cash book is ideal for managing income and expenses for a single account like petty cash, post office current account and bank current account.

Various setups are possible:

- Cash book
- Cash book with VAT/Sales tax
- Cash book with second currency
- Cash book with second currency and VAT/Sales tax

To simplify getting started, in the **Create new file** window, (File menu, New) various templates are available; just open one, edit the Accounts and Categories Table and save the file with a name.



1.2 Simple accounting

Simple accounting is ideal for small businesses, clubs and associations. It is based on the Income and Expense columns and, unlike the Cash book, it can manage more accounts (for example, petty cash, bank accounts, post accounts, debits, etc.). Data entry is initially done in the Accounts table, where estate accounts are defined and in the Categories table, where income and expense accounts are defined. In the Transactions table, accounting entries are made.

Various setups are possible:

- Simple accounting
- Simple accounting with VAT/Sales tax
- Simple accounting with second currency
- Simple accounting with second currency and VAT/Sales tax

Along with the selected set up, there are templates that can be selected, edited and saved for personalized accounting.

1.3 Double-entry accounting

Setting up accounts using the Double-entry method is, without doubt, traditionally the most commonly used by professional accountants and by firms that need to present a balance sheet and profit and loss statement. It offers updated balance sheets, and it is recognized by tax authorities. It is based on the Debit and Credit columns and therefore it would be better to have some knowledge of how professional book-keeping works. In double-entry accounting, there are four series of accounts:

- Assets
- Liabilities
- Expenses
- Income

Beside this, for the off balance accounts, two series of accounts are available:

- Off balance assets
- Off balance liabilities

Double-entry accounting is ideal for those who need an accounting system with the most detailed reports about their company management.

Various setups are possible:

- Double-entry
- Double-entry with VAT/Sales tax

For each setup several chart of accounts templates are available which can be edited and saved.

1.4 Multi currency accounting

Multi currency accounting is recommended for those who need to manage Double-entry accounting with accounts in different foreign currencies.

Various setups are possible:

- Double-entry with foreign currencies
- Double-entry with foreign currencies and VAT/Sales tax

1.5 Labels

The labels application allows the user to create a database from which it is possible to print labels and pull up lists or data in a fast and simple way.

1.6 Other

The Other option contains specific accounting functions such as the accounting external report and the exchange rates history.

2 Software installation

2.1 How to install the software

Software installation is entirely automatic. It is based on normal Windows program installation standards and requires no technical knowledge:

- Insert the CD in the CD-drive and await the installation automatic start-up.
- Should the automatic start-up not initiate, activate it by double-clicking on the **setup.exe** file.

From this moment onwards, the installation will proceed automatically according to Windows standards.

The installation program will check whether the software has been previously installed; in this case the user will need to either confirm or select another directory for the installation.

2.2 Notes on installation

The installation does not alter main or system files and installs no component in the Windows system directory.

The installation program unzips and copies template and program files onto the user's hard disk.

At the same time an uninstall program is also installed.

This uninstall program will take care of removing all the files that have previously been installed at any time they are no longer necessary.

2.3 Notes on using more than one language

All the multilingual components are copied to the sub-directory LangDll. These are files with the same name, but with a different extension to indicate the language. The software automatically displays the available languages.

To add a language not yet installed, simply copy the language file into the LangDll directory and restart the program.

To remove a language, simply cancel the language file that is to be removed. The software should not be in use while removing a language.

Startup language

In the startup, the program checks the language setup in Windows and, if it is available, uses that one. If the language is not available, it will show the choice of available languages to be used for the start-up. The language can always be changed using **Program options**, in the **Tools** menu.

2.4 Installation on a network

The program can be installed on a network in two ways:

- Execute the installation procedure on the server.
- Install the program on a local computer and copy all the contents of the folder where the program was installed on the server.

To execute the program on the local computer, a link must be created with the file from the Banana50.exe program.

2.5 Other information


On the www.banana.ch internet site, the most recent versions of the manuals, patch, and online lessons that help with interactive learning can be found.

3 Functions in common

Under the title of Functions in common, all characteristics, structural and functional, which are similar to the Cash book, Simple Accounting and Double-entry accounting are going to be dealt with.

3.1 How to begin

Start the program and select the **New** command from the **File** menu:



From the window that appears it is possible to select:

- Setup for the desired type of accounting (Cash book, Simple accounting, Double-entry accounting ...)
- The kind of accounting (with or without VAT/Sales tax, with one or more currencies...)
- The appropriate template or example for the circumstances.

Note: the templates only show charts of accounts or lists of default categories, whereas there are some sample transactions shown on the examples.

Once the file has been created, the user can begin working on his/her accounting:

- **Adjust the Chart of accounts:** on the **Accounts table** (or on the **Categories table** for the Cash book and Simple Accounting) the user can add or edit the Chart of accounts however it is desired.
- **Save the file with a name:** normally the name of the company and the current year are used.
- **Insert transactions:** go to the **Transactions table** and input the accounting transactions.

Important: always make back-ups of personal accounting file.

3.2 The Structure of Banana Accounting

The screenshot shows the 'Banana - [Double-entry with VAT/Sales tax - 1]' window. The 'Accounts' table is displayed with columns: Group, Account, Description, BClass, Gr, Opening USD, and Balance USD. The table lists various assets and their balances.

Group	Account	Description	BClass	Gr	Opening USD	Balance USD
2		ASSETS				
3	1000	Cash	1	1	1'000.00	9'270.00
4	1010	Post office current account	1	1	2'500.00	2'150.00
5	1020	Bank 1	1	1	35'000.00	33'200.00
6	1100	Clients	1	1		
7	10	Total Clients		1	1'000.00	1'000.00
8	1150	Prepaid taxes	1	1		
9	1170	Recoverable VAT (previous)	1	1		140.17
10	1200	Inventory	1	1		
11	1300	Transitory assets	1	1		
12	1310	Machinery and appliances	1	1		

Below the table, the 'Base' section shows a summary of the accounts:

Transaction	Budget	Previous	Period	Other	Print
1	Total Assets				
1	Total ASSETS				


This is the '1000' account that will be added to the '1' group

3/87

When an accounting file is opened, a window opens showing the following elements:

Menubar

Commands grouped together by menu are contained in the menubar. The menubar changes according to the accounting setup selected.



Toolbar

The toolbar grants rapid access to the most frequently used windows and commands.

Simply move the mouse to the desired icon and wait a second to get a description of its meaning.



Text input area

The text input area is situated right below the toolbar. Text must be inserted in this area.

To edit an existing cell, click with the mouse on the area and proceed to edit, or hit the **F2** key.

If the smart fill function is enabled (Program options command, from the Tools menu), a list of texts and values shows up in the lower part of the information window and, by hitting the **right arrow** key, the user can immediately select the needed text or value, without having to type the whole text.



Tables

Each accounting file is made up of many tables. There are main and auxiliary tables. The tables vary according to the kind of accounting selected.



In order to move from one table to another, click on the name of the desired table or use the **Ctrl+PgUp** and **Ctrl+PgDn** keys.

Columns

These are the vertical elements on each table. Their arrangement can be personalized. The column headers also vary according to the type of accounting selected.

	Date	Doc	Description	Debit A/C	Credit	Amount
1						

In order to view the entire heading of each column (on two lines), double click on the first top left cell.

	Account	Description	Period Opening 01.01.2007	Debit Per. .01.2005\31.03.20
1				

Views

Each table can have more than one view, positioned on the bar at the bottom. The Views represent various ways of visualizing the fields of a table.

The Views are very useful when it is necessary to see the accounting data in a different way (adding or deleting columns for example), without altering the basic set up. The user can move from one view to another with a simple click of the mouse on the name of the desired view.

Base	Transaction	Budget	Previous	Period	Other	Print
-------------	-------------	--------	----------	--------	-------	-------

Information window

This is a window without a title, positioned in the lower part of the screen, where useful information about the table or the active cell be found. It is also used to signal error messages in red.

This window can also become a selection window, for example, when typing a text, the program shows all the texts beginning with the typed characters. If the user double-clicks on the selected text, this text will be automatically carried into the active cell.

F6 Key = import row values with similar text

3400	Office supplies	2'500.00	2'500.00
1000	Cash	-2'500.00	-3'950.00
2/13		CAPS	NUM SCRL OVR

Note: through the **Program options** command, from the **Tools** menu, the number of rows shown in the information window can be edited.

3.3 Work rapidly

Many options have been developed so the user can work rapidly. The list below illustrates those most frequently used.

Copy from above – F4 key

When starting an empty entry row, this key will copy the content of the preceding line. The function can also be activated from the **Edit** menu or by hitting the following icon .

Execute command – F6 key

While inputting transactions, this key will increase the date automatically according to the date in the previous cell.

Add line+transaction – Shift+F6 keys

This option allows the user to add a new row and pick up the transaction from the preceding line, all at the same time.

Pick up lines with the same text - Smart Fill

The program memorizes the data previously inserted. When entering a new text (for example, when inserting a description or an account), by typing in just a few characters, all the texts that begin with the same letters will appear in the lower information window. Press the **right arrow** key to get into the list and select the desired description. Then press **Enter** to confirm.

Accounts		Transactions		Totals	VAT Codes		A
	Date	Doc	Doc.Prot	Description	Debit A/C	Credit	
11	21.01.2007	50	125				
12							

Process:	Complete VAT Cost Centers	Expiry Date	Lock				
----------	---------------------------	-------------	------	--	--	--	--

Payment electricity	
Payment phone	
Purchase goods by Company Smith	
Salaries January	
Withdrawal from bank account	

11/12	CAP3	NUM	SCRL	OVR
-------	------	-----	------	-----

Pick up memorized text – F6 key

When there are transactions to make that repeat themselves during the year, it is possible to save them in the Memorized text table. When the text is needed again, the user can pick them up in the Transactions table by hitting the **F6** key (see para. [3.7.8](#) and further).

Cut, Copy and Paste – Ctrl+X, Ctrl+C and Ctrl+V

It is possible to cut, copy and paste cells, rows or selected text just as it is possible to do with any normal Windows program:

- Select the line or the area of data to be cut or copied
- In the **Edit** menu, select the **Cut** or **Copy** command
- Move to the row or the area where the information should be entered
- From the **Edit** menu, select **Paste**

The user can also cut, copy and paste by using the following icons



or press **Ctrl+C** to cut, **Ctrl+C** to copy and **Ctrl+V** to paste.

Automatically create a New Year

In the **Cash2** menu (Cash book), **Simple2** (Simple accounting) or **Account2** (Double-entry accounting), by clicking on the **Create New Year** command, the program uses all of last year's accounts and inserts the opening balances. The user must however save the new file with a new name. When entering new transactions, the list of texts used during the previous year is still available when using Smart fill.

Calculate totals – F9

The program automatically recalculates the totals after every operation.

Recheck the accounting - Shift+F9

From the **Cash1** (Cash book), **Simple1** (Simple accounting) or **Account1** (Double-entry accounting) menus, by selecting **Recheck accounting**, or simply by hitting the **Shift+F9** keys, the entire accounting will be recalculated and rechecked in order to verify that there are no errors or omissions. The program resets the balances to zero, recalculates them and verifies the entire accounting (entry by entry) just as though all the transactions were rewritten by hand. It also recalculates the percentages of VAT/Sales tax (except where transactions have been locked). If there are many errors, click on **Don't warn**; the messages will then be saved in the message window and can be viewed later.

3.4 Groupings

When an example must be edited in order to personalize it, or when a new blank file is started, the user must understand the grouping system in order for the program to sum up all the amounts from the various accounts and/or categories correctly. These groupings also serve to sum up the amounts of the VAT/Sales tax codes correctly.

Accounts		Transactions		Totals		VAT Codes		A	
	Group	Account	Description	BClass	Gr	Opening	Balance		
1			BALANCE						
2									
3		1000	Cash	1	1				
4		1010	Post office current account	1	1				
5		1020	Bank current account	1	1				
6		1040	Clients	1	1				
7		1050	Warehouse	1	1				
8		1060	Appliances	1	1				
9		1070	Furniture	1	1				
10	1		Total ASSETS		D1				
Home		Transaction Budget		Previous	Period	Other	Print	Z	
1		Total Assets							
1		Total ASSETS							
This is the "1000" account that will be added to the "1" group									
3/58									
CAPS NUM SCRL OVR									

In the image above various columns can be seen that will differ according to the type of accounting being worked on.

In order to sum up correctly, it is necessary for the program to have, in the Group column of the row in which the total should be shown (row 10, Total ASSETS in the example), the same number or code that is shown in the Gr column of the rows to be added up (number 1 in the example).

The numbers or codes in the Group, Account/Category and Gr columns can be chosen by the user and formed either by numbers, letters or a combination of both. The only numbers that must remain fixed are those in the BClass column: 1 for Assets, 2 for Liabilities, 3 for Expenses and 4 for Receipts.

When adding values, the program will correctly add the amounts to the Total Assets:


Accounts		Transactions		Totals		VAT Codes		A
	Group	Account	Description	BClass	Gr	Opening	Balance	
1			BALANCE					
2								
3		1000	Cash	1	1	1'500.00	1'500.00	
4		1010	Post office current account	1	1	600.00	600.00	
5		1020	Bank current account	1	1	2'400.00	2'400.00	
6		1040	Clients	1	1	500.00	500.00	
7		1050	Warehouse	1	1	2'580.00	2'580.00	
8		1060	Appliances	1	1	980.00	980.00	
9		1070	Furnitures	1	1	4'500.00	4'500.00	
10	1		Total ASSETS		D1	13'060.00	13'060.00	
Base		Transaction	Budget	Previous	Period	Other	Print	◀ ▶ Z
1	Total Assets							
1	Total ASSETS							
This is the '1000' account that will be added to the '1' group								
3/58						CAPS	NUM	SCRL OVR

This system of totaling functions on more than one level.


***Note:** for a more detailed explanation about groupings, consult the individual chapters for the various types of accounting.*

3.5 File Menu

In the File menu, there are the main commands to use when managing documents. The user can open more than one file at the same time.



3.5.1 Create a new file




- Open the **File** menu
- Select the **New** command
- Select the desired file type
- Confirm by clicking on **OK**

It is usually easier to select an example/template that has already been set up and adapt it to the user's needs. That way, the program creates a new file from the template. All the data and setup (language, decimal points) from the template file are copied.

Once any necessary alterations have been made, the user must save the file to a new name (**Save as...**).

3.5.2 New blank file

When a new, blank file is created, some parameters must be input:



Language

The desired language of the headers of the table fields must be selected.

Decimal points for amounts

In order to avoid accounting differences, the number of decimal points for the amounts is fixed for each file. Two decimal points are normally used, but there are currencies where decimal points are not required so 0 needs to be inserted.

Decimal points for amounts in foreign currency (multi-currency only)

If using multi-currency accounting, then it is necessary to define the number of decimal points for the amounts in the foreign currency as well.

Rounding type

The amounts are rounded up or down to the closest whole number. In the case of exactly half (for example: 100.5 / 101.5 / 102.5 / 103.5) the following systems are being used:

- **Banking (Half at even)** is being rounded up or down towards the nearest even number (100 / 102 / 102 / 104).

- **Commercial/Arithmetic (Half up)** is being rounded up to the next whole number (101 / 102 / 103 / 104). In accounting, this is the system most used.
- **Compatible version 4.** A minor precision is being used, which in very special cases, can bring forth a different rounding.

Address fields in accounts table

When this option is activated, the **Address** view is created in the Accounts table. In this view, the user can enter the addresses of clients, suppliers and members.

Just as soon as these values have been confirmed, a new file is created using the parameters inserted.


The user can thus create different accounting files, in different languages, and with different decimal points. In order to change the language or the decimal points once the accounting file has been created, the accounting type must be converted by selecting **Convert to new file** in the **Tools** menu.

3.5.3 Open a file

To open an existing file, the user needs to use the **Open** command from the **File** menu and proceed with the following sequence of operations:

- Open the **File** menu
- Select the **Open** command
- Select the folder where the file was saved
- Double-click to open the file

If there are two or more files open at the same time, the user can pass from one to the other by clicking on the appropriate icons in the

toolbar, or by using the short-cut keys **Ctrl+F6** .

If the file has been protected by a **password**, then it must be given at the moment the file is opened.

3.5.4 Save a file

In order to save the inserted data, it is necessary to save the file before closing it.

It is advisable to periodically save files while working in order to avoid unnecessary loss of data. It is also recommended that back-up copies are regularly made on a CD or in other folders.

The **Save** and **Save as** commands in the **File** menu both have the function of saving a file, with some differences:

The **Save as** command is used when the user:

- Saves a file to disk for the first time.
- Gives a new name to an already existing file
- Changes the file's destination to another folder
- Saves the file onto another disk (e.g. Save on a CD)

***Important:** do not cancel the **Save as** or **Save** operations while they are in progress because of possible interference with the saving operation and then loss of part of the data.*

To save a file:

- Open the **File** menu
- Select the **Save as** command
- Insert the desired file name
- Confirm by clicking on **OK**

The **Save** command is used to save to disk any changes on an already existing file. In this way the updated file substitutes the existing one. The file name remains unchanged.

A file can also be saved by selecting the following icon from the toolbar .

3.5.5 Automatic save

In the dialog window that appears when selecting **Program options**, from the **Tools** menu, there are two options: **Autosave (in minutes)** and **Create back-up copy**. It is advisable to activate both of these options right from the start since they will ensure, in the first case, data

automatically saved in temporary files (autobackup + file name) at each interval of time depending on the user and, in the second case, that the program creates a .bak copy.

3.5.6 Close a file

- Open the **File** menu
- Select the **Close** command.

If some changes have been made on a file and the user wants to close it, the user will be asked whether he/she wants to save the changes or not.

3.5.7 Compatibility with previous versions

The current version of the program is compatible with the 2.02, 3.0 and 4.0 versions.

When a file created using an earlier version is selected, the data will be converted automatically. When saving the file, the user will be informed that conversion has taken place.

3.5.8 File and accounting properties

The **File and accounting properties** command, activated from the **File** menu, enables to define the basic data of one's own accounting:

The dialog window that opens shows the following tabs:

Accounting Tab

In this tab the user can input the data from his/her work file. The fields vary according to the type of accounting selected:

The screenshot shows a window titled "File and accounting properties" with a standard Windows-style title bar (blue with a close button). Below the title bar is a tabbed interface with the following tabs: "Accounting", "Options", "Address", "Foreign currency", "VAT/Sales tax", "Other", "Password", and "Texts". The "Accounting" tab is currently selected. The main area of the dialog contains five labeled input fields:

- "Header left": An empty text box.
- "Header right": An empty text box.
- "Opening date": A date field containing "01.01.2007".
- "Closing date": A date field containing "31.12.2007".
- "Basic currency": A dropdown menu showing "USD".

At the bottom right of the dialog are three buttons: "OK", "Cancel", and "Help".

Left and right headers

These are the two empty cells at the top where any desired text can be inserted which will be used as a header for print-outs (left and right).

Opening date

The opening date is the date when the accounting begins. It can also be left blank. If a date prior to the opening date is inserted when entries are made, the program will give an error message.

Closing date

This is the closing date of the accounting. It can also be left blank. If a date greater than the closing date is inserted when entries are made, the program will give an error message.

Basic currency

The code of the currency in which the accounting is being handled. When the code of the basic currency is being changed, the program changes the column headers for the amounts in basic currency using the new code.

Options Tab

The screenshot shows a Windows-style dialog box titled "File and accounting properties" with a blue title bar and a close button (X) in the top right corner. The dialog has several tabs: "Accounting", "Options" (which is selected), "Address", "Foreign currency", "VAT/Sales tax", "Other", "Password", and "Texts". The "Options" tab contains the following elements:

- A checkbox labeled "Transaction date required" which is currently unchecked.
- A checkbox labeled "Recalculate totals manually (F9)" which is currently unchecked.
- A section titled "File from previous year" containing:
 - A text input field.
 - A checkbox labeled "Smart fill with transactions from previous year" which is currently unchecked.
 - A "Browse" button.
- A checkbox labeled "Records (+/-) cost centers according to the category" which is currently unchecked.

At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

Transaction date required

If this option is activated and then a transaction is entered without a date, there will be an error message.

Recalculate totals manually (F9)

If this option is activated, the program will not automatically recalculate the principal groups of the accounting file, but the user needs to use the F9 key.

File from previous year

By using the **Browse** button, the user can select a file from the previous year.


If the **Smart fill with transactions from previous year** cell is activated, the program keeps the transactions from the previous year in memory, and offers them as Smart Fill while the user inputs new entries.

Records (+/-) cost centers according to the category

This function is active only for Simple accounting and Cash book. By activating this box, the amount is entered in the cost center (positive or negative) according to the category.

If, instead, this option is not active, in order to enter a negative value, it is necessary to enter a minus sign before the cost center (-CC).

Address Tab



The screenshot shows a dialog box titled "File and accounting properties" with a close button (X) in the top right corner. The dialog has several tabs: "Accounting", "Options", "Address", "Foreign currency", "VAT/Sales tax", "Other", "Password", and "Texts". The "Address" tab is currently selected. The form contains the following fields:

- Company:
- Name:
- Address 1:
- Address 2:
- Zip / City:
- State / Country:
- Web / Email:
- Phone / Fax:
- Fiscal number:
- VAT/Sales tax number:

At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

In this tab data about the company or the individual whose accounting is being handled can be inserted.

Foreign currency Tab

The screenshot shows a dialog box titled "File and accounting properties" with a close button (X) in the top right corner. The dialog has several tabs: Accounting, Options, Address, Foreign currency (selected), VAT/Sales tax, Other, Password, and Texts. The "Foreign currency" tab contains the following fields and options:


- "Account for exchange rate profit" with a dropdown menu showing "4600 Exchange rate differences".
- "Account for exchange rate loss" with a dropdown menu showing "4600 Exchange rate differences".
- "Currency2" with an empty dropdown menu.
- A checked checkbox labeled "Exchange rate valid even from basic currency".

At the bottom of the dialog are three buttons: OK, Cancel, and Help.

This tab is only available in Double-entry accounting with foreign currencies. It presents the fields for the Exchange rate profit and loss accounts and for Currency2.

Note: for further details see the chapter on multi-currency accounting (chapter 7). For the Cash book and for Simple accounting, the Foreign Currency section is substituted by the section called Currency2, see chapter on Currency2 (para. 3.15)

VAT/Sales tax Tab



The screenshot shows a dialog box titled "File and accounting properties" with a blue header bar and a red close button. The "VAT/Sales tax" tab is selected, showing a tab bar with "Accounting", "Options", "Address", "Foreign currency", "VAT/Sales tax", "Other", "Password", and "Texts". The main area contains four settings: "VAT/Sales tax rounding" with a text input field, "Cost center 1 (CC1)" with a dropdown menu showing "Use transaction amount", "Cost center 2 (CC2)" with a dropdown menu showing "Use amount inclusive VAT/Sales tax", and "Cost center 3 (CC3)" with a dropdown menu showing "Use amount without VAT/Sales tax". At the bottom are "OK", "Cancel", and "Help" buttons.

This tab only appears if an accounting with VAT/Sales tax is selected.

VAT/Sales tax rounding


This is where the user inserts how the VAT/Sales tax amounts should be rounded; if, for example, the user inputs 0.05, the VAT/Sales tax amounts will round to multiples of 0.05.

Cost Centers 1, 2, 3

For each Cost Center the user can select whether he/she wants to use the transaction amount, the amount inclusive VAT/Sales tax or the amount without VAT/Sales tax.

Note: If one of these parameters is modified, the accounting must be recalculated. For more details on VAT/Sales tax, see paragraph [3.16](#)

Other Tab




Current language

There are some file texts that the program generates automatically, (e.g. the lines of the Totals table, the transactions on the account card, and the printout of the Enhanced balance sheet); in this tab, the user can indicate the language for these texts (usually the same as the creation language).

Creation language

This is the language chosen and selected when the user creates an accounting file; this language is used for the column headers. If the user wants to change the creation language, then it is necessary to convert the file to a new one using the **Convert to new file** command in the **Tools** menu.

Password Tab



The screenshot shows a dialog box titled "File and accounting properties" with a standard Windows-style title bar (blue with a red close button). The dialog has several tabs: "Accounting", "Options", "Address", "Foreign currency", "VAT/Sales tax", "Other", "Password", and "Texts". The "Password" tab is currently selected. Inside the dialog, there are three text input fields arranged vertically. The first field is labeled "Old password", the second "New password", and the third "Confirm new password". At the bottom of the dialog, there are three buttons: "OK", "Cancel", and "Help".

The files can be protected by using a password. In this tab, the user can insert a new password by keying it in twice, the second time for confirmation.

If the user wants to change an existing password, before entering the new password, he/she must first enter the old one.

Note: using a password does not give a high level of protection. In order to render the data truly inaccessible to third parties, it is necessary to have the appropriate cryptographic software.

Text Tab

The screenshot shows a dialog box titled "File and accounting properties" with a close button (X) in the top right corner. It has several tabs: Accounting, Options, Address, Foreign currency, VAT/Sales tax, Other, Password, and Texts. The "Texts" tab is selected. Inside the dialog, there are two input fields: "Key" with the text "Address" and "Value" with the text "515 St. Vincent Ave.". Below these fields are four buttons: "Modify", "Add", "Value = Key", and "Remove". At the bottom of the dialog is a table with two columns. The first row is "Accountant name" with the value "John Smith". The second row is "Address" with the value "515 St. Vincent Ave.". Below the table is a large empty text area. At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

Key	Value
Address	515 St. Vincent Ave.

Accountant name	John Smith
Address	515 St. Vincent Ave.

In this tab, freely input any data regarding the accounting file.

Key

In this field, input the reference text (e.g.: Address).

Value

In this field, it is necessary to input the value related to the key (e.g.: 515 St. Vincent Ave.).

Modify

This button saves all changes made to the key and/or to the value.

Value=Key

This button copies to the Value field the same text as in the Key field.

Add

This button saves the new inserted data.

Remove

This button removes the selected Key.

3.5.9 Export file in MS Excel

The user can export his/her own accounting file in a format compatible to Excel.

Base Tab

Export file in MS Excel Xml

Base | Include | Period | VAT/Sales tax

File name Browse

☐ Display file immediately

Options

- ☒ Create cell names
- ☒ Create table names
- ☒ Use names Xml (English)
- ☒ Protect tables

OK Cancel Help

File Name

In this area it is necessary to insert the name of the new file that the program will create to export the data. If, however, an existing file is selected by using the Browse button, the program will overwrite it with the new data.

Display file immediately

As soon as the MS Excel file has been created, the software to view it will be launched. In this way, the result of the export can be seen immediately.

Options

Create cell names

This option will automatically give a name to each cell as the file is exported. For example, the cell that contains the balance for account 1000 will receive the name: "Accounts_1000_Balance" in Excel. This means the user can univocally identify each cell independently from its position on the sheet and thus create Excel reports that don't have to be corrected if the account plan is changed. The user thus saves having to manually carry forward any accounting data to Excel. However, inserting the names of the cells does slow down the opening of the Excel file.

Create table names

With this option, the program will automatically give a name to the whole area of the cells belonging to a table, at the moment the file is exported. For example, the area formed by the cells belonging to the Accounts table will be identified by the name DB_Accounts. This option is necessary if, when creating reports in Excel, database functions are used.

Use names Xml (English)

The cell names can either be defined in their original accounting language, or with their English name. In the original language, the names will be understandable to someone who speaks that language, but they will not be universally understood like a name in English would be. By selecting this option the user would have, for example, "Accounts_1000_Balance" instead of "Conti_1000_Saldo".

Protect tables

The entire content of cells is locked when selecting this option so that it is only possible to edit the format. This prevents the possibility of making any unintentional changes to the exported data. The user can remove this protection at any time by using the appropriate command in Excel.

Include Tab

Export file in MS Excel

Base Include Period VAT/Sales tax

☒ Recheck accounting

Include

☒ File info table ☒ Transactions table

☒ Totals table ☐ All account forms

☒ Accounts table ☒ VAT/Sales tax report

☒ Exchange rate table

Periods

☒ Accounts balances 1 Month

☒ VAT/Sales tax report 3 Months (Quarter)

☒ Create periods for the whole year

Max number of periods 24

OK Cancel Help

Recheck accounting

By ticking this box, the accounting will be rechecked before it is exported.

Include

By ticking the different boxes, the user can export in MS Excel Xml the various tables and/or all the account cards and the VAT/Sales tax Report.

Periods

This function lets the user export the accounting data subdivided by periods with the account balances and/or the VAT/Sales tax Reports.

Create periods for the whole year

By selecting this function, the partial balances for the whole year will be exported, and not only the ones of the specified accounting period or the selected export period.

Period Tab

The screenshot shows a dialog box titled "Export file in MS Excel" with a standard Windows XP-style title bar (blue with a close button). The dialog has four tabs: "Base", "Include", "Period", and "VAT/Sales tax". The "Period" tab is currently selected. Inside the dialog, there are two radio buttons. The first is selected and is labeled "All 03.01.2007\01.02.2007". The second is unselected and is labeled "Period selected". Below these, there are two text input fields. The first is labeled "Start date (inclusive)" and contains the text "03.01.2007". The second is labeled "End date (inclusive)" and contains the text "01.02.2007". At the bottom of the dialog, there are three buttons: "OK", "Cancel", and "Help".

In this section, indicate the period of the data to export.

All

If this option is selected, the entire accounting period is included.

Period selected

If a specified period is desired, indicate the start and end dates.

VAT/Sales tax Tab

The screenshot shows a dialog box titled "Export file in MS Excel" with a blue title bar and a close button (X) in the top right corner. The dialog has four tabs: "Base", "Include", "Period", and "VAT/Sales tax". The "VAT/Sales tax" tab is currently selected. Inside the dialog, there are several options with checkboxes:

- ☐ Include transactions
- ☐ Include totals by Account
- ☒ Include totals by Code
- ☒ Include totals by Percentage
- ☐ Use own (Group, Gr) grouping scheme

Below these options is a label "Sort transactions by" followed by a dropdown menu showing "Date".

At the bottom, there is a section titled "Partial report" which contains a label "Code or group" and a text input field. Below the input field are two checkboxes:

- ☐ Only code specified
- ☐ Only group specified

At the very bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

The VAT/Sales tax tab for exporting files in MS Excel format is equal to the VAT/Sales tax Report command, which will be covered in para. [3.11.9](#).

3.5.10 Export file in Html

Exporting the accounting file in Html format enables the user to file the accounting and log on to it after many years, even if the program is no longer installed.

The data filed in Html format are like print-outs. The totals are static, they are not recalculated. It is only necessary to have a browser like Mozilla or MS Explorer to view the data on screen and print it on paper.

Base Tab

The screenshot shows a Windows-style dialog box titled "Export file in Html" with a blue title bar and a red close button. The dialog has five tabs: "Base", "Include", "Period", "Html Options", and "VAT/Sales tax". The "Base" tab is selected. Inside the dialog, there is a "File name" label followed by a text input field and a "Browse" button. Below this is a checked checkbox labeled "Display file immediately". Underneath is a section titled "Table creation options" which contains three labels: "Header 1", "Header 2", and "Header 3", each followed by a text input field. At the bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

File Name

In this area, the user must insert the name of the new Html file that the program will create to export the data. If however the user selects an

existing file through the Browse button, the program will overwrite it with the new data.

Display file immediately

As soon as the Html file has been created, the software to view it will be launched. In this way, the result of the export can be seen immediately. It is best to remember that browsers like Mozilla and MS Explorer use a cache mechanism for files. When the export is made for a second time, it is possible that the user will see the previous version until the browser Reload button is pressed.

*Table creation options***Headers 1, 2 and 3**

These are the table headers.


Include Tab

The description for the Include tab is the same as the description already given for exporting the file in MS Excel Xml format (para. [3.5.9.](#))

Period Tab

The description for the Period tab is the same as the description already given for exporting the file in MS Excel Xml format (para. [3.5.9.](#))

Html Options Tab



Use style sheet CSS

Selecting this cell will allow the user to connect a style sheet to the exported file. By default the program will automatically use its own style sheets and incorporate it into the document.

Use predefined style sheet

The program's default style sheet will be used.

Deactivating the cell will automatically activate the External style sheet option. The user can then select the name of a personal style sheet.

External style sheet

Include style sheet within html file

When data is sent in Html format, the style sheet file must also be sent. To avoid sending two separate files the user can incorporate the style sheet to the Html accounting file by activating this cell.

Selecting the cells will allow the program to file the data with various graphic options:

Export visible columns only

Table with border

Columns with headers

Preserve page breaks within the table

If there are page breaks on the original accounting file, these will be carried over in the export as well.

VAT/Sales tax Tab

The VAT/Sales tax tab for exporting files in Html format is the same as the one referring to the VAT/Sales tax Report command, which will be covered in para. [3.11.9](#).

3.5.11 Export file in Xml

Like the Html format, exporting in Xml format also allows the user to file his/her own accounting file with the possibility to access it after many years, even if the program is no longer installed.

Base Tab

Export file in Xml

Base | Include | Period | VAT/Sales tax

File name Browse

☒ Display file immediately

Stylesheet XSLT Browse

Options

☐ Export visible columns only

☐ Include view list

OK Cancel Help

File Name

Display file immediately

These descriptions are the same as the ones for the Export file in Html window (para. [3.5.10](#)).

Style sheet XSLT

In this area, the user can select the style sheet according to which the program should organize the graphic display of the accounting data. Thanks to the style sheets, the user can input his/her own data and conform to the print-outs required by the authorities. On the www.banana.ch various examples and further information on style sheets are available.

Options

It is possible to choose to export visible columns only and/or to export visible columns along with the view list.

Include Tab

The description for the Include Tab is the same as the description already given for exporting the file in MS Excel Xml format (para. [3.5.9.](#))

Period Tab

The description for the Period Tab is the same as the description already given for exporting the file in MS Excel Xml format (para. [3.5.9.](#))

VAT/Sales tax Tab

The VAT/Sales tax tab for exporting files in Xml format is the same as the one referring to the VAT/Sales tax Report command, which will be covered in para. [3.11.9.](#)

3.5.12 Printing

Files can be subdivided into different pages by selecting the **Page break** command from the **Format** menu.

Details for the page to be printed, for example, margins, headers, grid, page and row numbers, etc. can be defined in the **Page setup** window, from the **File** menu.

To print the currently active table, proceed in two different ways:

- o Click on the **Print** icon on the Toolbar
- o Select the **Print** command from the **File** menu.

The user can print a single page, a number of pages of choice or just some preselected rows.

3.5.13 Print setup

Using the **Page setup** command from the **File** menu, a window will pop up where various printing options for the active table and the current view can be chosen (for each table it is necessary to repeat

these steps). Before printing, it is advisable to preview the page to see whether the details input for the page setup are correct.

Page Setup [Base]

Header left: Base

Header right:

Margins:

Left	1.00 cm	Right	1.00 cm
Top	1.00 cm	Bottom	1.00 cm

Include in printout:

☒ File header	☒ Page numbers
☒ Table header	☐ Print time
☒ Autotext	☐ Print date
☒ Column headers	☐ Row numbers
☒ Large font	☐ Grid

Zoom:

Zoom %: 100

☒ Reduce to page width

☒ Print Landscape

OK Cancel ?

Header left

This is where the title for the current view is shown. The title can be edited to appear at the top left of the printed page.

Header right

It is possible to insert a different text that will be printed at the top right-hand side of the page.

Margins

It is possible to input the page margins here. Measurements are in centimeters.

Include in print

File Header

This will be the text inserted in the **File and Accounting properties** found in the **File** menu.

Table Header

This is the text input in the **Page setup** window in the **File** menu (Header left and right).

Auto text

This is the text automatically attributed to the table by the program. This text cannot be edited by the user. For example, if the cash account card is being printed, then “Account Card: CASH” will be printed.

Column headers

These are the headers for the various table columns.

Large font

The program prints the headers using a slightly larger font.

Page numbers

Activate this option to request that the pages be numbered.

Print time

Activate this option to include the hour when the page was printed.

Print date

Activate this option to include the date when the page was printed.

Row number

Activate this option if a progressive number is to be given to each row.

Grid

The grid can be printed just as it is viewed on screen.

Zoom

Zoom %

This allows the increase or decrease, on a percentage basis, of the size of the font to be printed.

Reduce to page width

If some columns exceed the width of the page, the program reduces (reduces the zoom) the printing so that all the columns will be printed correctly on the page.

Print landscape

To print in landscape format which makes the page read horizontal.

3.5.14 Print

If the **Print** command in the **File** menu is used, the content of the table will be printed.

Print [X]

WSOLE/EPSON AL-C3000 Advanced, IP_172.16.0.81

Pages

From [] To []

Start pages numbering [1]

Copies

Copies [1]

Zoom

% [100] ☒ Reduce to page width

☐ Selected rows only

☐ All black and white

[Preview] [Print]

[Page setup...] [Cancel]

[Printer setup...] [?]

Pages

Input the desired page numbers to print, or leave blank to print everything. With the **Start pages numbering** option it is possible to start the page numbering from a number different than one.

Copies

Input the desired number of copies to print.

Zoom

Allows to increase or decrease, on a percentage basis, the size of the font to be printed.

Reduce to page width

When there are texts that exceed the printing margins, the size of the material to be printed will be reduced so that it fits the total width of the page, if this option is being activated.

Selected rows only

If some rows are selected from a table, this option is automatically activated and only the selected rows will be printed.

All black and white

This option makes the print come out in black and white.

Preview

The screen will show a print preview if this button is activated.

Page Setup

This option allows the page definition to be edited for the active view. It is here where the user can define whether the page(s) should be printed horizontally or vertically.

Printer Setup

The button pulls up the Printer Setup window from Windows. The selections are only valid for the current working session. Permanent alterations need to be input using the Windows control panel. Horizontal or vertical printing needs to be input under **Page Setup** and is only valid for each view.

3.5.15 Send file via Email

By choosing this command from the **File** menu, the accounting file can be sent via email.

An electronic mail message will be created automatically and the accounting file will then be sent as an attachment.

3.6 Edit the data

There are various ways of working on a table:

- Select a cell and manually overwrite it with new data. If the previous data have not been cancelled, they will be cancelled automatically as the new texts are entered.
- Select a cell or an area of cells and, by using the **cut/paste** function from the **Edit** menu, insert the new data. In this way the user only works on the visible cells and the data on the protected columns will not be edited.
- From the **Edit** menu, select the option necessary (e.g. copy rows, cancel rows, duplicate rows, add rows, etc.). When using this command, the alterations will affect both the visible and the protected fields.

Edit long texts

If the inserted text is too long to be viewed in the text input area (the area below the toolbar), press **Shift+F2** to see a dialog window with the entire content of the cell, thus simplifying the editing work. Press the **OK** button or hit **Enter** to close the window and confirm the alterations.

If the size of the cell isn't large enough to contain all of the text, either increase the horizontal size of the column or activate the **Calculate row height** command from the **Format** menu. It will automatically recalculate the vertical size of the cell so that the content can be viewed.

3.7 Edit Menu

Edit	Data	Format	Tools	Account
Undo: Edit basic data				Ctrl+Z
No redo				
Cut				Ctrl+X
Copy				Ctrl+C
Paste				Ctrl+V
Copy from above				F4
Execute command				F6
Insert rows...				Ctrl+ +
Add rows...				Ctrl+Enter
Duplicate rows				
Copy rows...				Ctrl+Shift+C
Delete rows...				Ctrl+ -
Paste rows				Ctrl+Shift+V
Memorized text table				
Protect rows...				
Unprotect rows...				

3.7.1 The Undo/Redo commands

Any operation can normally be deleted or, if deleted, it can be restored. The number of operations to be restored can be customized by selecting **Program options** from the **Tools** menu. The maximum number of operations that can be cancelled is 100.

Important: *the higher the number requested the more memory necessary.*

For each file, the program keeps a list of all the changes in the order they were made. The undo/redo functions work in the same order, but the user needs to always work on the same table. If, for example, a change in the Transactions table has been made and the user moves to the Accounts table, the user won't be able to cancel an operation on the Transactions table from there. First, it is necessary to return to the

Transactions table and then execute the Undo operation function; this rule also applies to the Redo operation.

There are, however, operations that concern the entire file (e.g. changes made to the basic data) that can be cancelled no matter what table the user is in.

The Undo Command

This command allows the user to set an incorrect operation right, eliminating the effects of the last operation.

From the **Edit** menu, select the **Undo** command, or use the shortcut keys **Ctrl+Z**.

The Redo Command

This command allows the user to restore an operation just cancelled. From the **Edit** menu, select the **Redo** command, or use the shortcut keys **Ctrl+Y**.

The user can also undo and redo operations using the following icons



***Note:** the **Cut**, **Copy**, **Paste**, **Copy from above** and **Execute command** commands have already been looked at in the paragraph **Work Rapidly** (para. [3.3](#)).*

3.7.2 Insert rows

This command allows the user to insert blank rows above the selected row.

- Move the cursor below the row where additional rows need to be inserted
- From the **Edit** menu, select the **Insert rows** command
- In the window that appears, key in the number of rows to insert
- Confirm by clicking on **OK**

3.7.3 Add rows

This command allows the user to insert blank rows below the selected row.

- Move the cursor above the row where additional rows need to be inserted

- From the **Edit** menu, select the **Add rows** command
- In the window that appears, key in the number of rows to insert
- Confirm by clicking on **OK**

It is also possible to add rows by using the shortcut keys **Ctrl+Enter** or by clicking on the following icon .

3.7.4 Duplicate rows

This command allows the user to duplicate the selected row:

- Move cursor to the row to be duplicated
- From the **Edit** menu, select the **Duplicate rows** command.

3.7.5 Copy rows

- Select the row or the rows with the data to be copied
- From the **Edit** menu, select the **Copy rows** command
- Move to the place where the row or the rows need to be inserted
- From the **Edit** menu, select the **Paste rows** command.

The shortcut keys are: **Ctrl+Shift+C**

3.7.6 Delete rows

This command allows the user to delete rows by:

- Selecting the rows to be deleted
- From the **Edit** menu, select the **Delete rows** command

3.7.7 Paste rows

This command is similar to the cut/paste functions; however, the shortcut to activate it is **Ctrl+Shift+V**.

3.7.8 The memorized text table

This is a table where the user can memorize transaction rows (or other) that are frequently used, and then recall them when it is necessary on the table in which the user is working. For the use of this function, consult para. [3.12.3](#).

3.7.9 Protect and unprotect rows


Using the **Protect rows** command, from the **Edit** menu, the user activates row protection to avoid making any changes by mistake. The protected rows cannot be edited until, by using the **Unprotect rows** command, the protection is being removed.

To put protection into effect:

- Select the desired row(s) to protect
- From the **Edit** menu, select the **Protect rows** command
- Confirm the number of rows to be protected by clicking on **OK**.


Protected rows have light grey row numbers. In order to edit them again, first remove the protection by the **Unprotect rows** command in the **Edit** menu.

3.8 Data Menu



3.8.1 Search

By selecting the **Search** command (shortcut: Shift+F3), a dialog window will pop up allowing the input of the search information. Dates should be inserted in the format of year, month, day, without leaving any spaces between the numbers (e.g. 25 July 2006 becomes 20060725).



Whole words only

If this box is activated, the program will find whole words only. For example, if the word being searched is Tot, it will not find Totals.

Upper=lower case

If this box is activated, the program will not distinguish between words written with capital letters and those written with small letters.

Selected area only


If this box is activated, the program will only search the information in the selected area.

In order to begin the search, click on the **Find** button. The first piece of information corresponding to the request will be selected. To continue the search and find the next piece of information, select the **Search next** command from the **Data** menu, or else use the **F3** key.

3.8.2 Replace

The **Replace** command enables the user to search for information posted in the **Search text** area and replace it with text keyed into the **Replace with** area.

Dates have to be input using the `yyyymmdd` format (with a 0 preceding the days or months with only one number). For example: 20060725 indicates 25th July, 2006.



The **Whole words only**, **Upper=lower case** and **Selected area only** options work in exactly the same way as described in the Search paragraph.

Find

This key begins the search of the data one by one. If the data in search is not present, the “Text not found” message will appear.

Replace all

This key will replace the desired data throughout the whole document at once.

3.8.3 Go to


Select the **Go to...** command from the **Data** menu to open a window allowing the user to move to a desired row.

***Note:** when a selection table is active (for example, an account card), by using the **Go to original row** command, the program automatically takes the user to the corresponding row of the Transactions table.*

3.8.4 Extract rows

If, for example, DATE is selected as the field, > (greater) as the condition and 19/4/2007 as the limit of comparison, the software will

copy in the Selections table the rows with a date greater than 19th April, 2007.

A screenshot of a 'Data extraction' dialog box. The dialog has a blue title bar with the text 'Data extraction' and a red close button. Inside, there is a checkbox labeled 'All rows'. Below it is a 'Selection' section containing two dropdown menus: 'Field' (set to 'Date') and 'Condition' (set to '= Equal'). Below these is a text box labeled 'Comparison text' containing '15.01.2007'. At the bottom of the 'Selection' section are two checkboxes: 'Upper = lower case' and 'Invert result'. At the very bottom of the dialog are three buttons: 'Ok', 'Cancel', and a help button with a question mark.

All rows

If this option is activated, all the rows in the current table will be copied to the Selections table. This command is used, for example, to sort the data using different criteria without, however, eliminating the previous order in the Transactions table.

Selection

Field

This is a list of all table fields rows can be extracted from (e.g. The Transactions table has a list that contains the names Date, Doc, AccCredit, AccDebit, Amount, etc.).

Condition

This list contains all the conditions needed in order to select the rows to extract: = equal to, < less than, > greater than, <> different, <= less or equal, >= greater or equal, contains text, does not contain the text, blank, not blank.

Comparison text

In this field, insert text to be compared to the condition. For example, the condition is (=) equal to, and the user inserts as comparison text 15.01.2007, the program will extract all entries made on January 15th 2007.

The text is a date if the field selected is a Date, a numerical value if the field is an Amount, a word if the field is a Description.

Upper = lower case

If this option is activated, the program will extract information without differentiating whether the font is upper-case or lower-case.

Invert result

If this option is activated, the program will select rows using the opposite criteria desired in the condition field. For example, if selecting, as a condition, all the rows with a date > 01/03/2007 and activating the Invert result cell, the program will extract all the rows with a date <= 01/03/2007.

3.8.5 Selections table

This is a table that serves as a temporary container where the user can copy, view, and sort rows freely, according to current needs.

To copy rows to the Selection table, it is possible to proceed in two ways:

- Open the **Data** menu and click on **Extract rows** (see previous paragraph)
- Double click on the cell containing a type of information. The user is then immediately transferred to the **Selection** table where all the rows that contain the same information can be found.

For example, if in the Date column on the Transactions table, the user double clicks on 30.01.2006, a table with the title **Selections** (Transactions) will automatically be opened and all the rows containing that date will be copied into this table.


The title of the Selections table recalls the sequence of the executed operations. It is also possible to make a selection from the Selections table itself.

In order to go back from the information on the Selections table to the information on the main table, double-click on the row number of the Selections table.

3.8.6 Sort rows

The rows on the table can be sorted according to the content of the fields. First of all, define the fields to use as a sorting key.

- Open the **Data** menu
- Select the **Sort rows** command



First key, Second key, Third key

There are three areas where the keys can be input and each one contains a list of field names from the current table. Choose how to sort each key. If the columns only contain numbers, then choose the Number option.

Sort selected rows only


This option is only available when rows have been pre-selected. If activated, only the selected rows will be sorted.

3.8.7 Export rows

Unlike the **Export file** commands in Excel Xml, Html or Xml format that export the whole file, the **Export rows** command only exports the active table rows.

3.8.8 Export rows in MS Excel

The **Export rows in MS Excel** command (in the **Data** menu) allows the user to export data from the current table in the MS Excel Xml format.



Export selection only

This function is automatically activated when rows to be exported have been selected in a table.

For a description of this window, please refer to the Export file in MS Excel (para. [3.5.9](#)).

3.8.9 Export rows in Html

The user can export data from the current table in Html format. This format also exports any graphic characteristics so that the file can be easily recovered with a browser. The export takes place in the form of a table. The width of the export columns is based on the width of the columns as they appear in the active table.

Base tab

For a description of the Base tab, please refer to the one given for the **Export file in Html** command (para. [3.5.10](#)).

Html Options tab

For a description of the Options tab, please refer to the one given for the **Export file in Html** command (para. [3.5.10](#)).

3.8.10 Export rows in Xml

The user can export data from the current table in Xml format, which is an international standard for data sharing. This format exports the accounting data of the table so that they can be easily recovered with a database.

Base Tab


The screenshot shows a dialog box titled "Export rows in Xml" with a blue title bar and a red close button. The "Base" tab is selected. Inside the dialog, there is a checkbox for "Export selection only" which is unchecked. Below it is a "File name" text field with a "Browse" button to its right. Underneath the file name field is a checked checkbox for "Display file immediately". Below that is a "Stylesheet XSLT" text field with another "Browse" button to its right. At the bottom of the main content area is an "Options" section containing two unchecked checkboxes: "Export visible columns only" and "Include view list". At the very bottom of the dialog are three buttons: "OK", "Cancel", and "Help".

Export selection only

This function is automatically activated when rows to be exported have been previously selected in a table.

For a description of this window, please refer to the one given for the **Export file in Xml** command – Base tab (para. [3.5.11](#))

3.8.11 Export rows in txt



Unicode (Utf-8)

By activating this box, all data will be exported in a format readable by Unicode programs.


3.8.12 Using copy/paste

Using the **Copy/Paste** commands, the user can export some areas or an entire table to other applications. The data is copied onto the clipboard, either in text or in Html format.

3.8.13 Import rows

The user can import data from other programs into the tables as long as they can be transformed into one of the formats listed in the **Format** area.

Using the **Browse** button, select the file from which to extract the data. By clicking on the **OK** button, confirm the options selected.



Import rows

Browse

File name

Format: Text (*.TXT)

☐ Import using clipboard data

☐ Autocomplete values

☒ Fields header

☒ Unicode (Utf-8)

OK Cancel ?

File name

In this section, input the name of an existing file.

Format

This area contains the list of formats with which it is possible to import the data to the table. These include: ASCII format, Text, CSV.

Import data from clipboard

By selecting this box, the user can import data from the Windows clipboard.

Autocomplete values

It is advisable to select this function when it is necessary to import rows from a less complex accounting file into a more complex one. In this case, in the imported rows, some columns will stay blank. By selecting this function, the program will automatically complete the missing values with those from the current accounting.

Fields header

By selecting this box, not only data, but field headers will be included in the import.

Unicode (Utf-8)

By selecting this box, all the data will be imported in a format readable by Unicode programs.

3.8.14 DDE connection


Using the DDE connection, it is possible to set a connection between one cell on a table and, for example, an Excel spreadsheet.

The user can even create macros and programs to pick up data from the accounting file.

***Note:** the DDE connection offers substantial possibilities. Full documentation and up-to-date examples can be found on the www.banana.ch website.*

3.8.15 Set up fields

The tables can be altered. Fields can be added, headers can be changed, and column sizes and the order in which they are shown can be altered. In the dialog window that pops up pressing the **Set up fields** command from the **Data** menu, the fields from the current table are listed with the keys to edit their attributes alongside. The title of the window carries the name of the view being edited.



The fields are listed in the order in which they appear on the table being used. The visible fields are marked with an asterisk.

The buttons beneath the field area serve to alter the order in which they appear. If, for example, on the Accounts table the user wants the Budget field to be the first column, just select the field and click on the **UP** button until the field name reaches the top of the list.

The **DOWN** button works in the opposite way, making the field names fall towards the bottom of the list.

Edit attributes

This function opens a window where the user can input attributes to alter the protection, the visibility, the field header, the width of a column, and align the text.

Edit data

This function is used to alter the data of the fields input by the user, such as the type, size, maximum and minimum values. The system fields created by the program cannot be altered.

Add a field

This button adds new fields (columns) to the current table.

Delete a field

This function is used to delete a field (column) from the list. A system field, however, cannot be deleted.

Page format

This button is used to edit the format of the page.

***Note:** each **View** has its own page format.*

UP

This button allows the user to move the selected field towards the left of the table.

DOWN

This button allows the user to move the selected field towards the right of the table.

***Note:** for the Cash book and Simple accounting, the field list varies*

3.8.16 Edit attributes

Each field has its own attributes for each individual View. The editing of an attribute is valid for only one View. In order to alter an attribute for all the views, repeat the operation in each View.

To change the field attributes:

- Open the **Data** menu
- Select the **Set up fields** command
- Click on the **Edit attributes** button

The characteristics of the columns that can be edited are explained below, as well as the options and the buttons:

Display columns

Field name: Date

Field name Xml: Date

Header: Date

Header2:

Description: Date

Format:

Width: 2.00 cm

Column Style: Default style

Alignment: Left

☐ Wrap text

☐ Protected

☒ Visible

OK Cancel ?

Field name

This is the name of the active field and it is automatically inserted by the program. It cannot be modified.

Field name Xml

This is the name of the active field in the Xml format and it is automatically inserted by the program. It cannot be modified.

Header

This is the header for the column.

Header 2

This header is used by the program for only a few fields (e.g. Amount column).

Description

This is the description of the field.

Format

This is the format to show numbers, date and time (para. [3.8.17](#)).

Width

This section defines the horizontal size of the column.

Column Style

This is a drop-down menu that indicates the style to be used (Format, menu, para. [3.9](#)). This style has priority over the style of the row.

Alignment

The user can choose whether to align the text right, left or center in this drop-down menu.

Wrap text

This option allows the user to view the input text on more than one line.

Protected

This option allows the user to protect the entire column so that no data can be input or edited.

Visible

This option allows the user to make column visible.

3.8.17 Edit date, hour and number format

When the format is modified, the way the date, time and numbers are shown, changes.

If no specific format is specified, the default Windows format will be used (date, time and numbers indicated on the control panel).

In the Format area of the **Set up fields/Edit attributes** command (Data menu) the user can use other formats. Types of formats, with some examples, are listed below:

Format date	Examples for date
d mm yy	1 01 07
dd m yy	01 1 07
ddd mmm yyyy	Fri Jan 2007
dddd mmmm yyyy	Friday January 2007
The letter “d” (day) indicates the day, the “m” (month) indicates the month, and the “y” (year) indicates the year.	


Format time	Examples for time
hh:mm:ss:iii	04:04:36:089
h:m:ss:ii	4:4:36:89
Naturally the user can also invert the order of the elements making up the date or the time as desired (e.g.: mm dd yyyy).	
As far as the separators are concerned, the user can choose between all of those available on the keyboard (for example: #, @, -, /, ., etc.).	

Format numbers	Example for numbers
0.	259
0.00	258.85
0.000	258.848
The number of decimal spaces in a number field can be edited according to the user’s needs. Actual calculations are made using all the inserted decimal numbers. Rounding is only done for what is shown on screen.	

3.8.18 Edit data

It is possible to edit field data previously inserted by the user (system fields cannot be edited):

- Open the **Data** menu
- Select the **Set up fields** command
- Click on the **Edit Data** button.



Basic field data

Field name VAT Number

Field name Xml VAT Number

Data type Text

Max length 256

Min length

Max value

Min value

Decimal points U

Field number 4U96

☐ All caps

OK Cancel ?

Field name

The program automatically inserts the name of the added field.

Field name Xml

This is the field name for Xml format.

Data type

The user can choose from the following types of default data: Text, Number, Amount, Date, Time, True/False.

Max and Min length

These are the maximum and minimum field lengths.

Max and Min value

The user can insert maximum and minimum values here (numbers and letters).

Decimal points

The user can define the number of decimal points for the field here.

All caps

By activating this option, the field data will all be converted into capital letters.

3.8.19 Add a field

Click on the **Add a field** button in the **View** window, (Data menu, Set up fields command) to insert the desired characteristics for a new field added to a table. The descriptions for the fields are the same as given in para. [3.8.18](#).

3.8.20 Delete a field


Use this command to delete a field created by the user.
System fields used by the software cannot be deleted.

3.8.21 Page format

This command activates the Page Setup window, already covered in para. [3.5.13](#).

3.8.22 Select field view

Using the **Select field view** command from the **Data** menu, a window appears where all the views present in the active table are listed, with the view currently in use highlighted.

**Visible**

Activate this option to make a view visible in the bar at the bottom of the screen.

System

When this box is selected, it means that the view is a system view created by the program and that it cannot be eliminated.

Select view

Click on this button to select a View from the list. The active view is marked with an asterisk.

Add

To add a view to the list, click on this button and specify its name. Once it has been added the user can alter the field attributes.


Page format

This button opens a window that allows the user to edit the format of the page linked to the view.

Delete

This button deletes a view from the list. System views cannot be eliminated.

3.9 Format Menu



The commands from this menu allow the user to choose the desired style for one or more rows at the same time:

- Highlight the desired row(s) to be changed
- Select the desired style from the **Format** menu

3.9.1 Default style

There is a default style for the whole file. When a new row is added, the default style is used.

3.9.2 This style as default

To change the default style:

- Attribute the desired style to a row
- Select the **This style as default** command from the **Format** menu

All the rows with the original default style will then be shown in the new default style.

3.9.3 Calculate row height

When the text for a row is very long, the **Calculate row height** command from the **Format** menu allows the user to view it completely, adapting the height of the row.

Activate this function on condition that, in the field attributes (Data menu, Set up fields command – Edit attributes button), the **Wrap text** option has been selected.

3.9.4 Calculate all row heights

This command operates in the same way as the previous command except that it works on all the rows in a table instead of only one.

3.9.5 Page break

At any point in a file, the user can insert a page break


To insert a page break:

- Place the cursor on the first row where the new page is to be created
- Open the **Format** menu
- Select the **Page break** command

To remove a page break:

- Place the cursor on the row with the page break
- Open the **Format** menu
- Select the **Page break** command again

3.10 Tools Menu



3.10.1 File Info

When the **File Info** command is selected, a table with all the statistical and informative data related to the file appears. It has complete information on the number of rows, errors, and warnings.

Included in this data are the control numbers (Hash) which allow the user to verify whether the accounting has been altered in any way at all. The statistics have been created mainly to simplify the auditor's task of rechecking the accounting.

3.10.2 Add new functionalities

This command allows the user to insert the Address view in the Accounts table, in which the addresses of clients, suppliers and members can be created.

3.10.3 Convert to new file

This command converts an existing file with established settings to another with different characteristics. In the case of converting a file with more options into one that has fewer options, a part of the data will be lost during conversion. If, for example, an accounting file with VAT/Sales tax is converted into an accounting file without VAT/Sales tax, during conversion all data in the VAT columns will be lost.

3.10.4 Merge file


The user can merge files that belong to the same group. To merge the data of two different files, proceed as follows:

- Open the file which will contain the data of both files

- Select the **Merge File** command from the **Tools** menu
- Select the path and the name of the file to be merged
- Confirm the merge operation
- If the files are not the same, even though they belong to the same group, (for example, accounting with VAT/Sales tax and accounting without VAT/Sales tax), a message will appear advising the probable loss of data.

3.10.5 Program options

In the Program options window, several technical options are possible for the accounting file.



Program language

The Program Language is the language used by the program. Use this drop-down menu to select a language if the user wants to use a language different from the default or if the default is not available.

Font type

This drop-down menu allows the user to select the desired font. If the selected printer doesn't print all the fonts, change the font with this menu.

Zoom %

If the user wants the data on the table to be shown in another size, adjust the percentage of Zoom here.

Height of info-window (in rows)

Insert the number of rows to be shown in the Information window. As soon as the number of rows has been changed, the height of the Information window is automatically adapted.

Smart fill rows limit

When inserting data, the program reads the data that has already been entered and tries to suggest how to complete an entry. In cases where there are many rows, this function could slow down the process. The user can define a limit for the number of rows, above which the smart fill will not be used. If there is no value entered or zero, smart fill will always be used.

Maximum number of undo operations

Insert the maximum number of undo operations (one at a time) when using the **Undo** command from the **Edit** menu.

Autosave (in minutes)

This option allows saving the file automatically according to the desired frequency (in minutes). The program saves the data in a file called auto backup + file name. If the program or the computer crashes, the data can be recuperated by opening this file and saving it with a name (**Save as...**) from the **File** menu.

Create backup copy (.bak)

When the user saves to disk using the same name, the version of the file that already existed is renamed with a .BAK extension.

Document Directory

This is where the user inputs the name of the path (directory) in which the new files will be saved.

Add up during selection

By activating this cell, the program will add up the selected amounts. Deactivate this function if this instantaneous addition slows certain operations down.

Show recently used files

In the **File** menu, all the most recently used files are listed.

Caret always on

The Caret is an indicator of the position of the mouse. It is generally used by programs that facilitate activity for the blind or partially blind.

Extensions of files considered secure

The program automatically inserts file extensions that are usually harmless. Nevertheless, they can be modified or integrated by the user. This option is useful when the DocLink column is made visible in the Transactions table. This column is used there to insert links to digital documents. When the user double-clicks on the link, the corresponding document will pop up only if its format is considered secure.

Associate ac2 files to this program

This function allows the user to associate ac2 files with the program if they had not been previously associated, thus allowing them to be opened. This command is normally used when previous versions of Banana Accounting are uninstalled or when the program has not been installed from a CD but copied or moved from one place to another (for example when the PC is connected to a network).

3.11 Cash1/Simple1/Account1 Menu

Cash1	Cash2	Window	Help
Account/Category Cards...			
Journal by period...			
Recalculate balance and totals F9			
Recheck accounting Shift+F9			
Search for transaction difference			
Enhanced statement...			
Calculate balance by period...			
VAT/Sales tax report...			
Import to accounting...			

Simple1	Simple2	Window	Help
Account/Category Cards...			
Journal by period...			
Recalculate balance and totals F9			
Recheck accounting Shift+F9			
Search for transaction difference			
Enhanced statement...			
Calculate balance by period...			
VAT/Sales tax report...			
Import to accounting...			

Account1	Account2	Window	Help
Account cards...			
Journal by period...			
Recalculate group totals F9			
Recheck accounting Shift+F9			
Search for transaction difference			
Enhanced balance sheet...			
Calculate balance by period...			
Accounts with balance only			
Balance sheet by classes			
External accounting report...			
VAT/Sales tax report...			
Import to accounting...			

The **Cash1**, **Simple1**, and **Account1** menus are the menus responsible for the main accounting operations. Below only the commands in common to all three types will be dealt with.

3.11.1 Account/Category cards

The account card gives a complete list of the accounting transactions for an account listed on the Chart of accounts.

There are two ways to open an account or a category card:

- Double click on a cell containing an account number or a category number.
- Select the **Account/Category Cards** command (Cash book and Simple accounting) or **Account Cards** command (Double-entry Accounting) from the **Cash1**, **Simple1** or **Account1** menu, respectively.

3.11.2 Account/Category cards characteristics

Account card attributes

On the account card, the title bar gives the account number and the account description. Just like all the other tables, the account card table also has views that can be edited (see the **Set up fields** and **Select field view** commands, para. [3.8.15](#) and [3.8.22](#))

Always recalculate the account card


The account card table is temporary and it is calculated when the command is given to do so. If transactions are altered or added, they are not automatically updated on the account card – the user needs to select the Account Cards command again.

Go back to the transaction row

From the account card, double-click on the row number to go back to the original line on the Transactions table.

The Account/Category card window has four distinct tabs: Account/Category, Period, Options and Sort Fields.

Accounts/Categories tab



Select Accounts/Categories

If the user clicks on this button, all the accounts or the categories are automatically selected, excluding Cost centers.

Select Cost centers

If the user clicks on this button, only the Cost center accounts are automatically selected.

Select All


If the user clicks on this button, everything is automatically selected.

Deselect all

If the user clicks on this button, all previous selections are cancelled.

Alphabetic sequence

By activating this option, the accounts/categories are displayed in alphabetical order.

Period tab

The screenshot shows a dialog box titled "Account/Category cards" with a blue title bar containing a question mark icon and a close button. The dialog has four tabs: "Account/Category", "Period", "Options", and "Sort Fields". The "Period" tab is selected. Inside the tab, there are two radio buttons. The first radio button is selected and is labeled "All 03.01.2007\01.02.2007". The second radio button is labeled "Period selected". Below the radio buttons, there are two text input fields. The first field is labeled "Start date (inclusive)" and contains the text "03.01.2007". The second field is labeled "End date (inclusive)" and contains the text "01.02.2007". At the bottom of the dialog, there are three buttons: "OK", "Cancel", and a button with a question mark icon.

All

All the transactions will be included on the account card if this option is activated.

Period selected


Only transactions for a specified period will be included if this option is activated.

Start date (inclusive)

Insert the start date of the period.

End date (inclusive)

Insert the end date of the period.

Options tab**Lines before end of page**

This function was created in order to avoid printing an account partially

on one page and partially on the following. If the account card to be printed doesn't have at least a number of lines correspondent to the number input in this field, printing the whole card will be moved to the next page.

One account per page

By activating this function, each card will be printed on a separate page (even those with few transactions).


Repeat column's headers

By activating this function, the column headers will be repeated for each account, within the page.

Include accounts with no transactions

By activating this function, cards without transactions will be printed as well.

Sort Fields tab



Transactions can be sorted according to different date criteria. If no criterion is specified, the exact order that exists for the transactions will be maintained.

3.11.3 Journal by period

This option allows the user to print the journals for a specified period of time.

Period tab

By activating the **All** option it is possible to print the whole period. By choosing the **Period selected** option, and by selecting a period (month, quarter, semestre or year), the program will automatically insert the correspondent dates.

The 'Journal by period' dialog box has a blue title bar with a close button. It contains two tabs: 'Period' and 'Sort Fields'. The 'Period' tab is active. It features two radio buttons: 'All 03.01.2007\01.02.2007' and 'Period selected'. The 'Period selected' option is chosen. Below it are two text boxes for 'Start date (inclusive)' (03.01.2007) and 'End date (inclusive)' (01.02.2007). At the bottom, there are three dropdown menus for selecting a period, with a list box showing options: 1. Quarter, 2. Quarter, 3. Quarter, 4. Quarter, 1. Semester, 2. Semester, and Year. At the bottom right, there is a year dropdown menu set to 2007. At the bottom are three buttons: OK, Cancel, and a help button (?).

Sort Fields tab

This tab allows the user to select the order in which to list transactions.

The 'Journal by period' dialog box has a blue title bar with a help button (?) and a close button (X). It contains two tabs: 'Period' and 'Sort Fields'. The 'Sort Fields' tab is active. It features a list box with the following items: None, Date, DateDoc, DateExp, DatePay, DateValue, Date, Document date, Expiration Date, Payment Date, and Date Value. The 'Date' item is selected. At the bottom are three buttons: OK, Cancel, and a help button (?).

3.11.4 Recalculate balance and totals/Recalculate group totals (F9)

When an entry is added or edited, the program executes automatically the **Recalculate balance and totals/ Recalculate group totals** command which updates:

- o the group totals of the Accounts and Categories table
- o the Balance column of the Transactions table (Cash book)
- o the exchange rate differences (Multi-currency accounting)
- o the Calculated balance column (Multi-currency accounting)

If there are errors on the Categories table or on the Chart of Accounts (e.g.: group not found, infinite recurrence), error messages will be shown.

Error: group not found

A group not previously defined has been inserted in the Gr column. Find more information about groupings in para. [3.4](#).

Error: infinite recurrence

A group has been totaled in a group at a lower level. Find more information about groupings in para. [3.4](#).

If, in the **Options** tab of the **File and accounting properties**, the **Recalculate totals manually (F9)** option is activated, the recalculation operation has to be executed manually by means of the **Recalculate balance and totals/ Recalculate group totals** command.

Note: if the **Recalculate balance and totals/ Recalculate group totals command** is automatically executed, error messages will not be shown, but errors will only be indicated in the information window in the lower part of the screen.

For more detailed information about the structure of the Categories table or the Chart of Accounts, see the individual chapters dedicated to the Cash book (chapter [4](#)), Simple accounting (chapter [5](#)) and Double-entry Accounting (chapter [6](#)).

3.11.5 Recheck accounting (Shift + F9)

By selecting the **Recheck Accounting** command from the **Cash1** (Cash book), **Simple1** (Simple accounting) or **Account1** (Double-entry) menus, or simply by hitting the **Shift+F9** keys on the keyboard, all accounting will be rechecked and recalculated to ensure there are no errors or omissions. The program sets the totals at zero, recalculates and verifies the accounting, entry by entry, just as though the whole thing were to be rewritten. It even recalculates the VAT/Sales tax percentages (except for locked transactions). If there are many errors, click on the **Don't warn** option. This way the messages will be saved in a message window and can be seen afterwards.

3.11.6 Search for transaction differences

The program always updates the total of all the Income/Expenses transactions (Cash book and Simple accounting) or Debit/Credit transactions (Double-entry Accounting) and signals any possible differences, usually due to incomplete transactions. The **Search for transaction differences** command finds the first entry in which the Income/Expenses transactions totals or the Debit/Credit transactions totals no longer match. As a precaution, whenever it is difficult to find the precise incorrect transaction, it is advisable to use the **Recheck accounting** command (Cash1/Simple1/Account1 menu, or Shift+F9 keys).

3.11.7 Enhanced statement

Banana Accounting offers a schematic statement of the estate situation and the operating result of income and expenses using the **Enhanced statement** command from the **Cash1** and **Simple1** menus.

***Note:** in Double-entry Accounting, the **Enhanced statement** command is replaced by the **Enhanced balance sheet** command (para.[6.8.5](#))*

It is possible to choose from various options in the window that opens:

Base tab

The screenshot shows the 'Enhanced statement' dialog box with the 'Base' tab selected. The dialog has a blue title bar with a close button. Below the title bar are four tabs: 'Base', 'Period', 'Margins', and 'Texts'. The 'Base' tab is active and contains several sections:

- Page header:** Four rows labeled 'Row 1', 'Row 2', 'Row 3', and 'Row 4', each with an adjacent text input field.
- Column header:** Three labels 'Initial date', 'Final date', and 'Previous year', each with an adjacent text input field.
- Print pages:** A section with four checkboxes: 'Accounts' (checked), 'Initial page' (checked), 'Categories' (checked), and 'End of page after Accounts' (unchecked).
- Include in printout:** A section with six checkboxes: 'Account number' (unchecked), 'Percentages' (checked), 'Accounts with Zero balance' (unchecked), 'Previous year balances' (unchecked), and 'Accounts with transactions' (unchecked).

At the bottom of the dialog, there is a 'Printer' button on the left and a row of four buttons: 'Print', 'Preview' (highlighted with a black border), 'Cancel', and '?'.

Page header

Rows 1-4

In these Rows, the user can freely define the Statement headers.

*Column header***Initial date**

Insert the initial date of the accounting.

Final date

Insert the final date of the accounting.

Previous year

Insert the final date of the previous accounting year.

Print pages

Activate any of the following boxes to define different options that will appear in the statement printout:

Accounts

Checking this box the accounts will be printed.

Initial page

Checking this box an initial page with the file headers will be printed.

Categories

Checking this box the categories will be printed.

End of page after Accounts

Checking this box the accounts and the categories will be printed on two different pages.

Include in printout

Check the different cells to decide which data should be included in the printout.

Printer, Print, Preview,

With these buttons it is possible to edit the Print Setup, to preview the printout and to start printing.

Period, Margins and Texts tabs

These tabs are explained in the Enhanced balance sheet section (para. [6.8.5](#)).

3.11.8 Calculate balance by period

The **Calculate balance by period** command activated from the **Cash1** (Cash book), **Simple1** (Simple accounting) or **Account1** (Double-entry Accounting) menus, lets the user calculate the transactions on all the accounts for a specified period. If the “1. Quarter...., 1. Semester...., Year” option is selected, the program automatically inserts the initial and final date of the chosen period.

Partial balances calculated in this way are inserted in the appropriate columns on the Categories or the Accounts table.

Accounts		Transactions		Totals				A
Account	Description	Period Begin 01.01.2007	Debit Per. 01.01.2007\31.01.2007	Credit Per. 01.01.2007\31.01.2007	Total Per. 31.01.2007	Period End 31.01.2007		
1								
2	ASSETS							
3	1000 Cash	1000.00	8350.00	80.00	8270.00	9270.00		
4	1010 Post office current account	2500.00		350.00	-350.00	2150.00		
5	1020 Bank 1	35000.00		1500.00	-1500.00	33500.00		
Base	Transaction Budget Previous	Period	Other	Print				

Select the **Period view** from the Chart of Accounts and the columns will be headed with the date for the period specified:

Period Begin

The balances at the start of the period.

Debit Per. / Credit Per.

The credit and debit transactions during the period.

Total Per.

The difference between the debit and credit transactions for the period.

Period End

The balances at the end of the period. Those balances are obtained by adding the Period Begin column and the Debit Per. / Credit Per. columns together.

***Note:** for the Cash book and Simple accounting, the Credit Per. and Debit Per. columns are replaced by the Income Per. and Expenses Per. columns.*

Once period balances are calculated, they are only recalculated if the command is selected again. If new transactions are inserted, the user will need to select the command again in order to update the file.

3.11.9 VAT/Sales tax Report

The **VAT/Sales tax Report** command creates a summary of the VAT/Sales tax transactions and groups the totals on the basis of the options selected. The data has to be manually carried over to the VAT/Sales tax Report that needs to be completed periodically. Using the **VAT/Sales tax Report** command (Cash1, Simple1 and Account1 menus), a window is opened that gives various options:

Period tab

The screenshot shows a dialog box titled "VAT/Sales tax report" with a close button (X) in the top right corner. The "Period" tab is selected, and the "VAT/Sales tax" sub-tab is active. There are two radio buttons: "All 03.01.2007\01.02.2007" and "Period selected". The "Period selected" option is chosen. Below the radio buttons, there are two text boxes for "Start date (inclusive)" and "End date (inclusive)", both containing the dates "03.01.2007" and "01.02.2007" respectively. Below these, there are three dropdown menus. The first dropdown is open, showing a list of options: "1. Quarter", "2. Quarter", "3. Quarter", "4. Quarter", "1. Semester", "2. Semester", and "Year". The second dropdown is empty, and the third dropdown contains the year "2007". At the bottom of the dialog, there are three buttons: "OK", "Annulla", and "?".

If the user selects **All**, a VAT/Sales tax summary will be compiled for the entire accounting period; activate **Period selected** to process just the determined period by inputting the start and end dates desired.

If the "1. Quarter...., 1. Semester...., Year" option is selected, the program automatically inserts the initial and final date of the chosen period.

VAT/Sales tax Tab

The screenshot shows a dialog box titled "VAT/Sales tax report" with a blue title bar and a red close button. It has two tabs: "Period" and "VAT/Sales tax", with the latter being selected. The dialog contains several checkboxes for report options: "Include transactions" (checked), "Include totals by Account" (unchecked), "Include totals by Code" (checked), "Include totals by Percentage" (checked), "Include unused codes" (unchecked), and "Use own (Group, Gr) grouping scheme" (unchecked). Below these is a "Sort transactions by" label followed by a dropdown menu. A "Partial report" section contains a "Code or group" text box and two checkboxes: "Only code specified" (unchecked) and "Only group specified" (unchecked). At the bottom are "OK", "Cancel", and "Help" buttons.

Include transactions

By activating this cell, all the transactions with VAT/Sales tax will be shown.

Include totals by Account

Activate this cell to show the totals relating to VAT/Sales tax transactions for each account.

Include totals by Code

By activating this cell, the VAT/Sales tax summary will include the totals for each code.

Include totals by Percentage

Select this option to get the totals for each VAT/Sales tax by percentage.

Include unused codes

By activating this option, also the unused codes of the VAT Codes table will be listed.

Use own (Group, Gr) grouping scheme

Activate this option to have the transactions grouped on the basis of Group or Gr (purchases and sales). If this is not done, the groups and recoverable totals will be created automatically.

Sort transactions by

By activating this cell, the transactions are sorted on the basis of a preselected option (Date, Doc., Description, etc....).

Partial report

By specifying a code or a group in this field, and by activating the necessary options, the software calculates the total of the operations with VAT/Sales tax included only for the code or group specified.

3.11.10 VAT Report table

Operations subject to sales tax are totaled on the **VAT Report** table. This table is nothing less than an extract from the Transactions table where the columns specific to VAT/Sales tax totals are shown.

Accounts		Transactions		Totals		VAT codes		VAT report		
	Description	VAT Code	%VAT	Taxable	%Exempt	VAT Acc	Recoverable	Due	Balance	Due
28										
29	Office supplies	P5	5.00	76.19		3.81	3.81		3.81	
30	Total code: P5 Purchase goods at 5%			76.19		3.81	3.81		3.81	
31										
32	Total code: I5 Purchases for investment or use 5%									
33										
34	Percentage total:5.00%			76.19		3.81	3.81		3.81	
35										
36	Total code: SD10 Discount on sales at 10%									
37										
38	Purchase goods by Company 1	P10	10.00	1'363.64		136.36	136.36		136.36	
39	Total code: P10 Purchase goods at 10%			1'363.64		136.36	136.36		136.36	
40										
41	Total code: I10 Purchases for investment or use 10%									
42										
43	Percentage total:10.00%			1'363.64		136.36	136.36		136.36	
44										
45	Total recoverable:			1'439.83		140.17	140.17		140.17	
46										
47	Overall total (Recoverable - Due):			8'712.56		-587.10	140.17	727.27	-587.10	27.27

Description

This column gives a detailed description for each code.

Taxable

This column shows the amount on which the sales tax is calculated.

Recoverable

This column shows the VAT/Sales tax amount that can be recovered.

Due

This column shows the VAT/Sales tax amount due to tax authorities.

Balance


This column contains the sum of the amounts for each by code and by group.

Note: to show the VAT ID number column on the VAT/Sales tax report, consult the chapter on VAT/Sales tax (para. [3.16](#)).

3.11.11 Import to accounting

There are various possibilities for importing data into the accounting file.

Import transactions




This option imports the transactions from various types of file, either from Simple accounting, Double-entry accounting or Cash book, in *.ac2 (Banana files extension) or *.txt format (text format). The user can also import a summary from the bank in MT 940 format (standard format), the receipt/payment transactions in a *.txt format, and text files with column headers.

Browse


Click on this button to indicate the name of the file the data will be imported from.

Import accounts



This option imports accounts from a Double-entry or Simple accounting file (*.ac2) or a text file (*.txt), automatically integrating them on the current Chart of Accounts.

Import exchange rates



This option is only present in Double-entry accounting with multi-currencies. It lets the user import the exchange rates from the Exchange rate table of another file or from an Exchange rate history file (*.ac2 format) or to import a text file with the column heading.

Note: Exchange rate history files only show the Foreign exchange rate table and keep a record of past exchange rates.

3.11.12 Import Cash book

Sometimes the cash account is managed apart from the accounting and the transfer of the transactions from the cash book, grouped by category, executed in the accounting from time to time.

Before starting to import data, it is necessary to set the Cash book file in the proper way: the codes on the Categories table must be equal to the accounts or categories in the Double-entry accounting or Simple accounting, or else it is necessary to view the “Category2” column and enter accounts or the categories codes to which the income and expenses of the Cash book refer to.

For further information, consult para. [4.8](#) of the Cash book.

To import data:

- o Activate the **Import to accounting** command (Simple1, Account1)
- o Activate the **Import transactions** option
- o Select **Cash book (*.ac2)**
- o Indicate the file from which to take the data and confirm.

Import cash/bank transactions

In accounting

Destination account: 1000

Document number: 7

Select transactions

Start date (inclusive): 31.01.2007

End date (inclusive): 31.12.2007

Group Transactions

☒ All transactions

☐ Monthly

☐ Quarterly

☐ By Semester

☐ Yearly

☐ One transaction per account

OK Cancel ?

In accounting

Destination account

This is the Double-entry or Simple Accounting account number to which the data will be carried over.

Document number

This is the document number given to the transactions carried over.

Select transactions

Start date / End date

These drop-down menus specify the start and end dates of the period in which to import data.

Group Transactions

In this section the user specifies how the transactions of the period must be grouped: monthly, quarterly, by semester or yearly.

***Note:** when the user is working on an accounting file with VAT, the calculations of the VAT may result slightly different. If the transaction amounts have been inserted as net amounts, the balance of the cash account may also be different because of rounding differences.*

One transaction per account


If more than one category is grouped on a single account but the user needs separate transactions for each category, this cell must be activated; then the program will create transactions for each category. When VAT codes are used, transactions will be created not only by category, but also for each different VAT code in the same category.

3.11.13 Import Simple accounting transactions

This command imports the transactions from a simple accounting file (*.ac2) in the current accounting:

- o Activate the **Import to accounting** command (Simple1, Account1 menus)
- o Activate the **Import transactions** option
- o Select **Simple accounting transactions** (*.ac2)
- o Indicate the file from which to take the data and confirm.

In the window that appears, insert the desired data and choose the appropriate options:



The image shows a Windows-style dialog box titled "Import transactions" with a blue title bar and a red close button. The main area is light beige. At the top, it shows the file path "C:\BANANA\accounting". Below that, "Number of rows" is set to "4". There are two sections: "Select transactions" and "Complete the transactions with". The "Select transactions" section has "Start date (inclusive)" and "End date (inclusive)" both set to "05.01.2007", and a checked checkbox for "Autocomplete values". The "Complete the transactions with" section has two empty text boxes for "Initial document number" and "Destination account". At the bottom are three buttons: "OK", "Cancel", and "?".

Select transactions

Insert the start and end dates of the period related to the transfer of the transactions.

Autocomplete values

The option is only necessary with accounting with VAT/Sales tax and multi-currency. If activated, it allows the automatic completion of the values that are missing in the imported data (for example, the exchange rate in the exchange rate table or the VAT code for the transactions with VAT/Sales tax).

Complete the transactions with

These options automatically activate when data from bank statements in MT940 format or receipt and payment transactions of an account in test format are imported.

Initial document number

This is the document number assigned to the first imported transaction.

Destination account

Insert the bank account number of the chart of accounts related to the imported extract.

3.11.14 Import Double-entry accounting transactions

This command imports the transactions from a double-entry (*.ac2) accounting file to the current accounting file.


The procedure and the windows that appear are the same as para. [3.11.13](#), the only difference being the selection of “Import double-entry transactions.”

3.11.15 Import bank customer's statement (MT 940)

This command automatically imports the transactions from clientele's bank statements, so long as the bank provides the statements in the standard MT 940 format:

- o Activate the **Import to accounting** command (Cash1, Simple1, Account1 menus)
- o Activate the **Import transactions** option
- o Select **Bank customer's statement (MT 940)**
- o Indicate the file from which to take the data and confirm.

In the window that appears, insert the desired data and choose the appropriate option.



Import transactions

C:\mt_940.txt

Number of rows: 10

Select transactions

Start date (inclusive): 06.02.2007

End date (inclusive): 06.02.2007

☒ Autocomplete values

Complete the transactions with

Initial document number:

Destination account:

OK Cancel ?

The description of this window is the same as the description in para. [3.11.13](#), the only difference being that the “Complete the transactions with” section is active and allows the insertion of the initial document number and the destination account. The only thing missing from all the data imported is the balancing entry account that must be inserted manually.

3.11.16 Import Receipt/payment transactions

This allows the importation of data included in the columns in text format, relating to the receipts and payments of an account.

The procedure and the informative windows that appear are the same as para. [3.11.13](#), the only difference being the selection of “Import Receipt/payment transactions.”

3.11.17 Import Text file with column headers

This allows the importation of the data of a file in text format. The condition to succeed in this operation is that the file columns to be imported should be given the same name used in the program for the Xml fields' headers.

The procedure and the informative windows that appear are the same as para [3.11.13](#), the only difference being the selection of "Text file with column headers."

3.11.18 Import accounts

By activating the **Import accounts** option from the **Import to accounting** command (Account1 menu), the program will take the accounts or the categories in the current accounting file, allowing to select from the options indicated in the following window:



Options

Include Cost Centers

Add new accounts

When this option is activated, all new accounts are added to the accounting plan.

Replace text description

If already existing accounts are imported, but with different descriptions, the existing descriptions are replaced by the imported ones when this option is activated.

Replace opening balance

If already existing accounts are imported with different opening balances, the existing opening balances are replaced by the imported ones when this option is activated.

3.11.19 Import exchange rates

The **Import exchange rates** option from the **Import to accounting** command (**Account1** menu) is available only for multi-currency accounting. The program automatically imports, in the exchange rate table, the exchange rates from a multi-currency accounting file, from an exchange rate history file (in *.ac2 format), or from a text file. Once one of the options has been chosen and the name of the file to take the information from has been indicated, the following window opens:



Substitute exchange rates

The imported exchange rates will substitute the existing ones if this cell is activated.

Add rows

If this cell is activated, all the exchange rates in the source file will be imported and, if necessary, the program will add new rows.

3.12 Cash2/Simple2/Account2 Menu

Cash2	Window	Help	Simple2	Window	Help	Account2	Window	Help
Sort transactions by date			Sort transactions by date			Sort transactions by date		
Show expiry dates			Show expiry dates			Show expiry dates		
Recurring transactions			Recurring transactions			Recurring transactions		
Add link...			Add link...			Add link...		
Open link			Open link			Open link		
Remove link			Remove link			Remove link		
Lock transactions...			Lock transactions...			Lock transactions...		
Unlock transactions...			Unlock transactions...			Unlock transactions...		
Create New Year...			Create New Year...			Create transaction for exchange rate variation...		
Update opening balances...			Update opening balances...			Create New Year...		
						Update opening balances...		

3.12.1 Sort transactions by date

By selecting the **Sort transactions by date** command, all transactions on the Transactions table will automatically be sorted by date and the empty rows present in the Transactions table will be eliminated.

3.12.2 Show expiry dates

When invoices sent or received are entered, in the **Expiry date** view (on the Transactions table) the unpaid invoices will be visible if this command is selected.

Accounts			Transactions		Totals		VAT Codes			A					
	Date	Doc	Description	Debit A/C	Credit	Amount	Doc Date	Date Exp.	Date Pay.						
6	10.02.2007	20	Invoice from customer Smith	3000	2000	5'000.00	01.02.2007	01.03.2007							
7															
Base		Complete VAT		Cost Centers	Expiry Date	Lock						Z			
3000		Purchases			5'000.00	10'330.00									
2000		Suppliers			-5'000.00	-17'000.00									
6/7															
												CAPS	NUM	SCRL	QVR

In the **Doc Date** column, enter the invoice date.

In the **Date Exp.** column, enter the payment deadline.

Once the invoice has been paid, input the date paid on the same row in the **Date Pay.** column.

Accounts		Transactions	Totals		VAT Codes			
	Doc	Description	Debit A/C	Credit	Amount	Doc Date	Date Exp.	Date Pay.
6	20	Invoice from customer Smith	3000	2000	5000.00	01.02.2007	01.03.2007	01.03.2007
7	21	Invoice telephone	3410	2000	150.00	02.02.2007	02.03.2007	
8	22	Invoice rent	3100	2000	2000.00	05.02.2007	07.03.2007	
9	23	Invoice petrol	3210	2000	750.00	07.02.2007	07.03.2007	
Base		Complete VAT	Cost Centers	Expiry Date	Lock			
3210		Petrol costs		750.00	750.00			
2000		Suppliers		-750.00	-19'900.00			
9/9								
		CAPS NUM SCRL OVR						

The **Show expiry dates** command gives a list of pending invoices. According to the program, invoices are pending where there is an expiry date but no payment date.

Accounts		Transactions	Totals		VAT Codes			
	Date	Doc	Description	Debit A/C	Credit	Amount	Doc Date	Date Exp.
1	11.02.2007	21	Invoice telephone	3410	2000	150.00	02.02.2007	02.03.2007
2	12.02.2007	22	Invoice rent	3100	2000	2000.00	05.02.2007	07.03.2007
3	13.02.2007	23	Invoice petrol	3210	2000	750.00	07.02.2007	07.03.2007
Base		Complete VAT	Cost Centers	Expiry Date	Lock			

*Note: the **Show expiry dates** command cannot be used if a transaction lock has been done.*

3.12.3 Recurring transactions

In accounting there are transactions that repeat themselves from time to time. In order to avoid writing the same texts every time, one can recall these contents automatically, with the **Recurring transactions** command from the **Cash2, Simple2, Account2** menu (that opens the Memorized text table) and in this way accelerate the work. When needed, select and copy the rows that are concerned in the Memorized text table.

To copy rows to and from the **Memorized text table** use the **Copy rows** and **Paste rows** command in the **Edit** menu.

Copy rows in the Memorized text table:

- Select the rows to be copied and activate the command **Copy rows**

- Visualize the memorized text table with the **Memorized text table** command
- Activate the **Paste rows** command
- In the Doc column input a code (number or code) that the user will need when recalling the data in the Transaction table (e.g. the code for all transactions regarding the salaries could be sal)

Recalling rows from the Memorized text table:

- Insert in the Doc column the same code previously inserted in the memorized text table (e.g. sal)

Hit the **F6** key (the program will paste the memorized texts)

3.12.4 Add link...

Using this command, a link to a digital document is added in the DocLink column (Transactions table).

Date	Doc	Link	Description	Debit A/C	Credit	Amount
03.01.2007		C:\Banana\doc1.jpg	Withdrawal from post office account	1000	1010	350.00
05.01.2007			Office supplies	3260	1000	80.00
06.01.2007			Sales in cash	1000	4100	8000.00

3.12.5 Open link

This command lets the user view the selected digital document on the basis of the link. Alternatively, the user can open the link simply by double-clicking on the cell containing the link. Only documents with a format considered to be secure will be opened from those placed in the Program **Options** command window from the Tool menu.

3.12.6 Remove link


This removes the link in the open cell.

3.12.7 Lock transactions...

With the **Lock transactions** command, the accounting transactions are blocked and marked with control codes that can certify, over the years, that the transactions have not been modified. This method (US Patent No. 7,020,640), based on electronic signature, guarantees one of the highest levels of data integrity since it can demonstrate with no doubt

that the accounting has not been altered. It conforms to international law standards prescribing that accounting must not be changed.

New Lock Tab



The screenshot shows a window titled "Lock transactions" with a blue border and a red close button in the top right corner. Inside the window, there are two tabs: "New lock" (which is selected) and "Lock info". The "New lock" tab contains three input fields. The first field is labeled "Date of new lock (inclusive)" and contains the text "03.01.2007". The second field is labeled "Lock password (optional)" and contains masked text "xxxxxx". The third field is labeled "Password confirmation" and also contains masked text "xxxxxx". At the bottom of the window, there are three buttons: "OK", "Cancel", and "Help".

Date of new lock (inclusive)

Specify the date up until when the transactions will be locked.

Lock password (optional)

It is possible to insert a password to eventually unlock the transactions or to carry out a new lock in the future.

If the program finds no errors in the transactions included in the lock date, it will lock the transactions, calculate and assign individual numbers and codes to each row of transactions which can be viewed in the **Lock** view on the **Transactions** table:

Accounts			Transactions		Totals		VAT codes		Lock info		A
	Date	Doc	Description	Debit A/C	Credit	Amount	LockNum	LockAmt	LockProgr		
1	03.01.2007		Withdrawal from post office account	1000	1010	350.00	1	350.00	b9d96fad.352eafaf.c699cfec.7d3e8a9		▲
2	05.01.2007		Office supplies	3260	1000	80.00	2	430.00	156c13ae.c6489282.35505cc5.df48b375		
3	06.01.2007		Sales in cash	1000	4100	8000.00	3	3'430.00	75d11d31.4c0a6f2.2b5bd367.855aa185		
4	10.01.2007		Purchase goods by Company 1	3000	SU-001	1'500.00	4	9'930.00	085bb19e.ec62e372.f3bb64a9.9867d0f3		
5	28.01.2007		Payment Company 1 invoice	SU-001	1020	1'500.00	5	1'430.00	cb4031ae.f4bdf24.a9d3ab25.b4c2a035		
6	01.02.2007		Payment Electricity and Phone		1020	300.00	6	1'730.00	37e67422.9ae3f888.2a77137e.b9f2eb29		
7	01.02.2007		Electricity	3250		200.00	7	1'930.00	ee39345f.b483413a.fa14aa02.36a33167		
8	01.02.2007		Telephone	3270		100.00	8	2'030.00	9f224f2c.4e81e0b6.c7c763d7.3935f3e0		▼
Base		Complete VAT	Cost centers	Expiry date	Lock		◀		▶		Z

LockNum

Every row of locked transactions receives a unique number that identifies it. The number is assigned progressively starting from 1.

LockAmt

This column contains the progressive sums of the transaction amounts. The lock amount is ideal for the legislations that require totals at the bottom of each page and the amounts carried forward to the next page.

LockLine

This column contains the hash (control number) calculated on the basis of row content. This column is not seen automatically, but it can be shown by selecting the **Setup fields** command from the **Data** menu.

LockProgr

This column contains the progressive hash, calculated on the basis of the contents of the transactions that precede it. If this hash remains unchanged it means that the accounting data is original.

The control numbers depend on the content of the transactions and their order. If the transactions are not altered, (original transactions), even if the user continues to hit the **Lock transactions** command, the recalculation of the numbers will always give the same result. If, however, any amount or the order of the transactions changes, the progressive hashes will be different.

Note: In the Cash book, the total balance is not considered in the calculation of the progressive hash.

At the end of the procedure, the program shows a report of the lock.

Accounts	Transactions	Totals	VAT codes	Lock info	A
	Description		Value		
1	Date		18.08.2007		
2	Time		14:20:53		
3	File Name				
4	Header Left				
5	Header Right				
6	Transaction lock is used		Yes		
7	Transaction lock is valid		Yes		
8	Actual date of transaction lock		03.01.2007		
9	Last number of transaction lock		1		
10	Last date of transaction lock		03.01.2007		
11	Last amount of transaction lock		350.00		
12	Last progressive hash of transaction lock		b9d96fad.352eafaf.c699cfec.7d3efBa9		
Base		Complete			Z

If this report is printed and kept, it is possible to compare the values with those in the accounting file at any time, so as to be assured that the accounting data has not been modified.

The report can be obtained anytime by accessing the **Lock info** tab from the **Lock transactions** command.

Lock Info Tab

The values of this tab are inserted automatically by the program. The program calculates the control codes (hash) and verifies that they are equal to those linked to the transactions. If the values match, the lock is considered valid; if they do not match, then modifications have been made to the data and the lock is not valid.

Lock transactions

New lock | Lock info

Lock valid	Yes
Date of actual lock	02.02.2007
Last lock number	8
Date of last transaction locked	01.02.2007
Last amount	12030.00
Last progressive hash	ba62158b.c109e56b.7fa53cac.aae64c70

Report

OK Cancel Help

Lock valid

There will be a “Yes” if the lock is valid.

Date of actual lock

The date inserted the last time that the Lock transactions command was executed.

Last lock number

The contents of the LockNum column of the last transaction are locked. If the lock is not valid, the following will be indicated:

- o The last “LockNum” number of the transaction in which the lock was found valid.
- o (-1) if the lock is not valid from the first row.
- o (-2) if there are rows that have the same LockNum.

Date of last transaction locked

This is the date of the last transaction locked.

Last Amount

This is the amount indicated in the “LockAmt” column of the last transaction locked.

Last progressive hash

This is the control code present in the last transaction.

Report

View the report of the locked transactions in a table.

Note: if the transactions are not blocked, no values will be shown.

3.12.8 Other methods

Another method to ensure the integrity of the data is to export the file in Html format (Export file command from the File menu). The user can then provide the file with an electronic signature or else save it on a non rewritable CD.

Any time temporary protection of your data is needed in order to prevent the rows from being altered by mistake, use the **Protect rows** command from the **Edit** menu (para. [3.7.9](#))

3.12.9 Unlock transactions...

The **Unlock transactions** command removes the lock and the control numbers. If the lock was given a password, input the password again to unlock the transactions.

As for locking the accounting again, the control number will be exactly the same as that of the previous lock if the data and the transactions order have not been changed.

3.12.10 Create New Year

Use this command when closing one fiscal year and beginning a new accounting file for the following year. It is possible to begin a new year even before finally closing the previous year.


The **Create New Year** command creates a new file with the same Chart of accounts. The final balances for the previous year are carried over to become the opening balances for the New Year. The program also carries over the final balances to the **Previous** column (**Category/Accounts** table, **Previous** view).

3.12.11 Update opening balances

The **Update opening balances** command is used when a new year begins without closing the previous one.

This command lets the user carry forward the definitive balances updating the opening balance column.


- From the current accounting file (New Year), select the **Update opening balances** command



- On the window that then appears, select through the Browse button the name of the file (*.ac2) of the accounting from the previous year in which the closing balances are given.
- Follow the steps given on screen to share out the profit or the loss.

3.13 Window Menu

It is possible to have more than one accounting file open at the same time and each accounting file will have its own window. The windows can be moved and their sizes changed according to the rules of MS Windows.



3.13.1 New window

This command allows the program to open a new window identical to the one in use.

3.13.2 Hide current table

This command closes the table in use; however, it only works with temporary tables (e.g. Selections table, Summary table, etc.).

3.13.3 Tile horizontally

If this command is selected, the windows are tiled horizontally, one on top of the other, using the whole screen. The Message Window, if active, is shown at the bottom of the screen.

3.13.4 Cascade

When this command is selected, the windows appear, one above the other, starting from the top left corner, so that the titles and the left border of the window are visible. If the Message Window is active, it is shown at the bottom of the screen.

3.13.5 Arrange icons

If the windows have been given an icon, they will be tiled, one beside the other, in the lower part of the screen with this command.

3.13.6 Next window

This command takes the cursor to the next window.

3.13.7 Previous window

This command returns the cursor to the previous window.

3.13.8 Warning messages

If this command is activated, when an error occurs, a dialog box automatically appears showing the error message. Every error is also shown in the information window in the lower part of the screen, even if the **Warning messages** command is not activated. If the user doesn't want the error message dialog box to be displayed, click on **Don't Warn**, and the function will be deactivated.

There are two ways to recall the error messages list:

- Click on the **Message Window** command from the **Window** menu
- Click on the **Information** icon from the Toolbar .

From the Message Window, by double-clicking on an error row, the cursor returns to the table and the row where the error was generated.


3.13.9 Message window

This command activates the Message Window.

3.13.10 Clear messages

This command eliminates all the messages contained in the relative window. When the user rechecks the accounting, the program automatically clears the window.

3.14 Help Menu



3.14.1 Index

This command shows the index of the subjects.

3.14.2 Banana.ch home page

This command is a direct link to the Banana.ch SA website.

3.14.3 Online support

This command is a direct link to the Banana.ch SA support page on the website.

3.14.4 Check for updates

This command is a direct link to the Banana.ch SA updates download page on the website.

3.14.5 Registration

This command is a direct link to the Banana.ch SA registration page on the website.


3.14.6 Buy license

This command is a direct link to the Banana.ch SA website where the license can be bought.

3.14.7 Insert license key

This command opens the following window and allows the insertion of all data related to the license key.

License Key Tab



The image shows a Windows-style dialog box titled "License key info" with a blue title bar and a red close button. Inside the dialog, there are two tabs: "License key" (selected) and "Full". Below the tabs, there are five text input fields: "License key", "Registration key", "Product" (containing "Cash book"), "Expiration date", and "Expiration notice (in days)" (containing "7"). Below these fields is a checkbox labeled "Don't show this dialog at startup" which is currently unchecked. At the bottom left of the dialog is a button labeled "Buy/Renew". At the bottom right are three buttons: "OK", "Cancel", and "?".

License key

Insert license key.

Registration key

The registration key will be inserted automatically by the program.

Product

The version of the product is shown.

Expiration date

The expiration date of the product, if one exists, is shown.

Expiration notice (in days)

The frequency of the expiration notice can be personalized.

Don't show this dialog at startup

In demo-versions, by activating this cell, this window is not shown anymore.


Buy/Renew

This button leads directly to the purchase page of www.banana.ch.

Note: if the program is installed in a network, the license key must be inserted on the server.


Full Tab

In this section, the available applications in full version, without restrictions, are listed.



Demo Tab

In this section, the available applications in the demo version are listed.



3.14.8 Copyright and Info...

This command displays an on-screen summary of the copyright information and the program version.

3.15 Currency2


By doing the accounting with the Cash book, Simple accounting or Double-entry accounting, the accounting file can be set up with a second currency. The main function of Currency2 is to be able to have the Balance Sheet, Profit & Loss Statement, Account cards and VAT/Sales tax Report not only in basic currency, but also in another currency.

On each table, there is a view and some columns that relate to Currency2. The program converts the balances in basic currency to Currency2.

Pay attention to the fact that the conversion can generate small rounding differences.

3.15.1 Currency2 for Cash book and Simple accounting

For Cash book and Simple accounting, Currency2 is input in the Currency2 tab of **File and accounting properties** (File menu).



The screenshot shows a dialog box titled "File and accounting properties" with a blue header bar and a red close button. The "Currency 2" tab is selected, showing fields for "Symbol" (set to EUR), "Decimal points" (set to 2), "Multiplier" (empty), and "Exchange rate" (set to 0.68224). The dialog has "OK", "Cancel", and "Help" buttons at the bottom.

Symbol

Insert the initials for Currency2.

Decimal Points

Insert the number of decimal points for Currency2.

Multiplier

The multiplier is a number needed to get the actual exchange rate. Usually the multiplier is 1, 100 or 1000. In fact, there are some currencies that are worth very little as a unit of 1, so in order not to use exchange rates with too many zeros, a multiplier is used. The multiplier


can also be negative (-1). In this case, the program uses the inverse of the exchange rate (exchange rate = 1 / exchange rate).

Foreign Exchange Rate

Insert the exchange rate between the Currency2 and the basic currency. This exchange rate is fixed.

3.15.2 Currency2 for Double-entry accounting

In Double-entry accounting, Currency2 is input under the Foreign currency section of **File Properties** (File menu).



The screenshot shows the 'File and accounting properties' dialog box with the 'Foreign currency' tab selected. The dialog has a blue title bar and a standard Windows-style border. Inside, there are several tabs: 'Accounting', 'Options', 'Address', 'Foreign currency' (active), 'VAT/Sales tax', 'Other', 'Password', and 'Texts'. The 'Foreign currency' tab contains the following fields and controls:

- 'Account for exchange rate profit': A dropdown menu showing '4600 Exchange rate differences'.
- 'Account for exchange rate loss': A dropdown menu showing '4600 Exchange rate differences'.
- 'Currency2': An empty dropdown menu.
- A checked checkbox labeled 'Exchange rate valid even from basic currency'.

At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.

Account for exchange rate profit/loss

Indicate the account numbers destined for exchange rate profit or loss in these drop-down menus.

Currency2

Select the desired Currency2 initials from this drop-down menu.

Exchange rate valid even from basic currency

If an amount is exchanged and then exchanged back to the basic currency, the original amount might not be obtained. For example, if 0.43 is exchanged (with a 2.00 rate) 0.22 will be returned (rounded to 2 decimal points). If this amount is then exchanged back to the original currency at a rate of 2.00, 0.44 will be returned. There will, therefore, be a difference of 0.01 cents. Activate this box to get the original amount and to avoid rounding differences.

For Double-entry accounting, the Currency2 exchange rate is defined on the Exchange Rate table. The program will always use the exchange rate from this table when it calculates amounts in currency2.


Accounts		Transactions		Totals		Foreign Exchange Rate			A
	Currency Ref.	Currency	Text	Fixed	Mult.	Exchange rate	Opening Exchange	Decimal Points	
1	USD	EUR	Euro		1.00	0.869870	0.869870	2	
2	USD	CHF	Swiss Francs		1.00	1.344800	1.344800	2	
Base		Complete							Z

Each time a new exchange rate is inserted during the course of a year, the totals must be recalculated and the account card in order to get the amounts in Currency2 updated according to the new exchange rate.

3.16 VAT/Sales tax

3.16.1 Select accounting with VAT/Sales tax

- Select the **New...** command from the **File** menu.
- From the window that appears, select the desired type of accounting and the template with VAT/Sales tax.
- Confirm by clicking on **OK**



When working on an accounting file with VAT/Sales tax, in the Categories table (Cash book and Simple accounting) or in the Chart of accounts (Double-entry accounting), the user must have the corresponding VAT/Sales tax accounts.

3.16.2 VAT Codes table

Using the VAT Codes table, it is possible to define codes with different options for each code, so that working out VAT/Sales tax and making VAT/Sales tax reports will be carried out automatically by the program.

The VAT Codes table has two views:

- o The Base view – where only the most used columns are shown
- o The Complete view – where all possible columns are shown

Accounts			Transactions	Totals		VAT Codes						
	Group	Code	Description	Gr	Ext. Group	Due	Amount type	%VAT	VAT% on Gross	VAT account	Round Min	Don't Warn
1		S0	VAT exempt sales	1		Yes				2070		
2		SE	Foreign sales exempt	1		Yes				2070		
3		S5	Sales at 5%	1		Yes		5.00		2070		
4		S10	Sales at 10%	1		Yes		10.00		2070		
5												
6		SD5	Discount on sales at 5%	1				5.00		2070		
7		SD10	Discount on sales at 10%	1				10.00		2070		
8												
9	1		VAT due	00								
10												
11		P0	Foreign purchases	2			2	100.00		2070		
12		P5	Purchase goods at 5%	2				5.00		2070		
13		P10	Purchase goods at 10%	2				10.00		2070		
14												
15		PD5	Discount on purchases at 5%	2		Yes		5.00		2070		
16		PD10	Discount on purchases at 10%	2		Yes		10.00		2070		
17												
18		I5	Purchases for investment or use 5%	2				5.00		2070		
19		I10	Purchases for investment or use 10%	2				10.00		2070		
20												
21		ID5	Discount on purchases 5%	2		Yes		5.00		2070		
22		ID10	Discount on purchases 10%	2		Yes		10.00		2070		
23												
24	2		Recoverable VAT	00								
25												
26	00		Total									
Base			Complete									

The following columns are included in the VAT Codes table (Complete view):

Group

Enter the Group code. If there is a Group, a code cannot be present.

Code

Enter the code for the tax rate.

Description

Enter a description for the code or the group.

Gr

Enter the Group code to which the VAT code refers. It has to be an already existing Group.

Ext. Group

When the Xml reports are being used, this column contains the data that the report must use to group the VAT codes. For more information on the values to be input in this column, refer to the description of the Xml format being used.

Due

When Yes is inserted in this column, it indicates VAT/Sales tax to pay.
When the cell is blank, then it is recoverable VAT/Sales tax.

Amount type

In this column, different options are possible for each VAT code:

- o 0 or blank cell = with VAT/Sales tax
- o 1 = without VAT/Sales tax
- o 2 = VAT/Sales tax amount

According to these options, in the Amount columns of the Transaction table, it is necessary to enter the gross amount, the net amount or only the VAT/Sales tax amount.

% VAT

This column indicates the rate as a percentage.

VAT % on Gross

This column is used only in special cases, foreseen by some legislations, where the sales tax percentage refers not to the taxable portion but to the gross amount (the amount including sales tax). In such cases, insert “Yes”.

An example of when the VAT % on Gross column remains empty (in most cases) is as follows:

VAT %	Taxable amt.	VAT amount	Gross amount
10%	1000	100	1100

An example of when to insert “Yes” in the VAT % on Gross (special cases) is as follows:

VAT %	Taxable amt.	VAT amount	Gross amount
10%	990	110	1100

In the above example, the effective sales tax percentage becomes 11.11%.

VAT account

This column indicates on which account VAT/Sales tax will be registered. The account is the one set up on the accounting plan.

Round Min

Insert the number of desired decimal spaces to be rounded in this column.

Don't Warn

There are some transactions that the program might interpret as errors which, in effect, are correct. To avoid the program sending error messages in these cases, insert **Yes** by the relevant codes.

***Note:** when changing a VAT/Sales tax rate, recheck the accounting to have all the transactions updated (if they have not been locked).*

3.16.3 Connect a VAT code to an account or a category

In the accounting plan it is possible to match costs and revenues to an account (Double-entry accounting) or a determined VAT code to income/expense categories (Cash book and Simple accounting). With this operation, the program will automatically complete the transactions with the VAT/Sales tax as soon as the account (to which a specific VAT code has been linked) is typed in.

To link the VAT codes to the accounting plan:

- Make the “VAT code” column visible in the Accounts table
- Insert the appropriate VAT/Sales tax codes to the desired accounts or categories.

Accounts			Transactions		Totals		VAT codes		A
	Group	Account	VAT code	Description	BClass	Gr	Opening	Balance	
35				EXPENSES					
36		3000	P10	Purchase goods for resale	3	3		1363.64	
37		3100		Salaries	3	3			
38		3110		Social contributions	3	3			
39		3120		Pension fund	3	3			
40		3130		Accident insurance	3	3			
41		3140		Health insurance	3	3			
42		3200		Rent	3	3			
43		3210		Upkeep machinery and appliances	3	3			
44		3220		Car expenses	3	3			
45		3230		Other insurances	3	3			
46		3240		Fees	3	3			
47		3250		Electricity	3	3		200.00	
48		3260	P5	Office supplies	3	3		76.19	
49		3270		Telephone, Fax	3	3		100.00	
Base			Transaction	Budget	Previous	Period	Other	Print	Z

3.16.4 Transactions with VAT/Sales tax

If an accounting file with VAT/Sales tax is chosen, on the Transactions table there are some additional columns for working out VAT/Sales tax. Before enter accounting operations, the VAT Codes table must be set up correctly.

Accounts			Transactions			Totals			VAT Codes								
	Date	Doc	Description	Debit A/C	Credit A/C	Amount	VATCode	%VAT	%Eff.	%CC	Comm. CC	Taxable	Amt.VAT	VAT A/C	%Exempt	VAT Acc	VAT Number
1	15.01	1	Withdrawal	1000	1010	500.00											
2	17.01	2	Purchase	3000	2000	2500.00	P10	10.00	10.00			2272.73	227.27	1170		227.27	
Base			Complete VAT		Cost Centers		Expiry Date		Lock								

Amount

In this column the user may insert the gross amount (the most common choice), the net amount, or just the VAT/Sales tax amount according to what was previously input on the VAT Codes Table (see also para. [3.16.2](#)):

- 0 or blank cell = VAT included – insert the gross amount in the Transactions table;
- 1 = VAT excluded – insert the net amount in the Transaction table;
- 2 = VAT amount – insert only the VAT/Sales tax amount in the Transactions table

VAT Code

For each transaction input a code that already exists on the VAT Code table in this column.

%VAT

This column shows the VAT/Sales tax percentage. The program automatically picks up the rate from the VAT Codes table, according to the code inserted.

%Eff.

This column shows the program's calculation of the percentage with reference to the net amount. This differs from the normal percentage when it refers to the gross amount.

%CC

This column shows the credit card percentage. This function is valid only for the accounting files created with older versions and should not be used anymore. In cases where there is a net amount for a payment made by credit card, insert the percentage that will be withheld by the credit card. The program will automatically calculate the gross and the VAT/Sales tax amounts, keeping record of the amount withheld by the credit card.

Comm. C.C.

This column shows the credit card commission.

Taxable

Once the VAT code has been input, the program will automatically indicate the taxable amount (the amount less VAT/Sales tax).

Amt. VAT

The program automatically indicates the VAT/Sales tax amount in this column.

VAT A/C

This is the column that shows the account where the VAT/Sales tax will be entered. It is automatically picked up from the VAT Codes table.

When the VAT code is inserted for sales (S10), the program automatically fills in all the other columns.

***Note:** If the parameters of the VAT codes (VAT codes table) are changed, the transactions will not change immediately, but only after the accounting has been recalculated. However, the VAT/Sales tax values of the rows that were locked are not recalculated.*

3.16.5 Reverse VAT/Sales tax transactions

When there is a balancing entry subject to VAT/Sales tax, in order to reverse a previously-made transaction, invert the accounts from the previously-made entry or enter them as the fiscal authorities suggest. For the VAT code, use the same code but it must be preceded by a minus sign (instead of S10 key in –S10).

The program will correct the VAT/Sales tax in the VAT/Sales tax Report.

3.16.6 Discounts and Reductions

Discounts and reductions on invoices must usually be shown separately on the VAT/Sales tax declaration. Therefore, the user should not use the minus sign before the VAT code but rather create a specific VAT code for discounts and reductions.

3.16.7 VAT/Sales tax not completely deductible

In accounting files with VAT/Sales tax, in the **Transactions** table there is also the **Non Ded.%** column (non deductible percentage).

There are cases where the VAT/Sales tax on purchases or on other costs is not completely deductible, so from the VAT/Sales tax amount actually paid, only a part can be taken into account. For this kind of problem, insert the percentage that is not deductible in the **Non Ded.%** column. The program will then automatically input the VAT/Sales tax amount that can actually be deducted in the **Accountable VAT/Sales tax** column.

Example of a transaction:

Accounts		Transactions		Totals		VAT Codes				A
	Date	Doc	Description	Debit A/C	Credit	Amount	ATCod	%VAT	%Exempt	VAT Acc
5	01.02.2007	50	Lunch with custome	3170	1000	320.00	P10	10.00	50.00	14.55
6										
Base		Complete VAT		Cost Centers		Expiry Date		Lock		Z
3170	Other expenses			305.45	305.45					
1000	Cash			-320.00	1'010.00					
1170	Recoverable VAT (previous)			14.55	1'414.55					
P10	Purchase goods at 10%									
5/6								CAPS NUM SCRL OVR		

3.16.8 VAT/Sales tax paid in cash at moment of import

When goods are imported, the VAT/Sales tax is paid directly to customs. In order to transfer the VAT/Sales tax amount to the VAT/Sales tax Report, it is necessary to have a type 2 VAT code in the VAT Code table (in the Amount type column).

Accounts			Transactions		Totals			VAT Codes				A	
	Group	Code	Description	GR	Ext. Group	Due	Amount type	%VAT	%Gross	VAT account	Round Min	Don't Warn	
11		P5	Purchase goods at 5%	2				5.00		1170			
12		P10	Purchase goods at 10%	2				10.00		1170			
13		P0	Purchase goods from abroad	2			2	100.00		1170			
Base			Complete										Z
Transaction amount is 0=inclusive VAT 1=Netto 2=VAT amount													
2 = Transaction amount is VAT amount(VAT 100%)													
13/20													
CAPS NUM SCRL OVR													

3.16.9 VAT/Sales tax Report

Data for the VAT/Sales tax Report elaborated by the program must be entered manually on the VAT/Sales tax Report form that must be handed in to the tax authorities. This report varies from country to country; therefore there is no automatic pick-up for printing the data.

Note: the VAT/Sales tax Report has been covered in para. [3.11.9](#)

3.16.10 VAT/Sales tax Report

Everyone subject to VAT/Sales tax has to present to the authorities a VAT/Sales tax Report at regular intervals (usually every three months). This is an official form where the data relating to sales, purchases and VAT/Sales tax amounts are shown. The purpose of the report is to show and declare the VAT/Sales tax to the debit and credit of the taxpayer.

The ways to present this information vary not only from country to country but also on the basis of the size and type of the company.

For the presentation, appropriate forms are used which very often differ.

For each country, there are some common rules that apply to each VAT/Sales tax declaration:

- The subdivision between VAT/Sales tax due and deductible VAT/Sales tax
- The subdivision by VAT/Sales tax group percentages
- The subdivision by type of VAT/Sales tax transaction
- The need to print a journal of all transactions subject to VAT/Sales tax
- The need to have a report by period.

3.16.11 Credit card transactions

This function is only valid for compatibility with older versions and should not be used anymore.

When the **Complete VAT** view is activated in the Transactions table, both the **CC%** and the **C.C.Comm.** columns are visible.

An explanation of how this works is given below but it is important to check whether the user's regulations don't foresee a different treatment for sales cashed in via a credit card payment.

Example:

A sale for 1100 (an amount with VAT/Sales tax included) and subject to VAT/Sales tax at 10% is paid for by credit card. The credit card commission foreseen is 5%.

Accounts		Transactions	Totals		VAT Codes											
	Date	Doc	Description	Debit A/C	Credit A/C	Amount	VAT Code	%VAT	%Ex	Taxable	Amt.VAT	VAT A/C	% Exempt	VAT Acc	VAT Number	
7	03.02.2	61	Gross income sales paid w/ credit card	1020	4200	1045.00	S10	-10.00	-10.00	1000.00	-100.00	2070		-100.00		
8	03.02.2	61	Credit card commission	3170	4200	55.00										

Base **Complete VAT** Cost Centers Expiry Date Lock

The transaction at the time of the net payment (sale including VAT/Sales tax, net of any commission withheld by the bank) is made in the following way:

- Enter the amount including VAT/Sales tax and net of the credit card commission (1045) and apply the VAT code in the usual way
- In the CC% column, insert the 5% rate. In the CC. Comm. column, the program will automatically insert the amount of the commission. The VAT/Sales tax amount is calculated on a taxable amount of 1000 (amount of the sale net of VAT/Sales tax but including the commission).
- Enter on a new line the commission cost as a debit, equivalent to the amount indicated in the C.C.Comm. column on the preceding line.

3.17 Centers of cost and profit

In accounting terminology, there are centers of cost and/or profit when, alongside the accounting, it is necessary to manage some separate activities without altering the basic accounting plan.

A cost center is outside the accounting because, in the case of Double-entry accounting, it is not included in the defined classes (Assets, Liabilities, Expenses, Revenue).

Below we shall discuss cost centers and profit centers. From an accounting point of view, there is no difference between cost and profit centers.

Example:

All the expenses for running automobiles are entered on the “Auto Costs” account (insurance, gas, garage bills, etc.). When the user wants to know exactly how much is spent on gas without altering the Chart of accounts or the Categories table, add a cost center called “Gas” and, alongside all the transactions that relate to the purchase of gas, insert the initials that identify this new account. To see exactly how much the user has spent, open the Gas cost center by double clicking on the account code.

3.17.1 How to create cost centers

Cost center accounts must be inserted on the Chart of accounts or on the Categories table. In order to avoid confusion with other accounts, it is best to structure them at the end, after all the other accounts. The Cost centers accounts are added just like any other sort of account.

It is possible to create up to three types of cost centers: cost center 1 (CC1), where the account initials are preceded by a full stop; cost center 2 (CC2) where the account initials are preceded by a comma, and cost center 3 (CC3) where the account initials are preceded by a semi-colon.

Accounts		Transactions	Totals	Foreign Exchange		
	Group	Account	Description	BClass	Gr	Currency
83			COST CENTERS			
84		,PA	Purchases yard A		CA	USD
85		,WA	Worker's wages yard A		CA	USD
86	CA		Total Costs Yard A			
87						
88		,PB	Purchases yard B		CB	USD
89		,WB	Worker's wages yard B		CB	USD
90	CB		Total Costs Yard B			
91						
92			PROFIT CENTERS			
93		.LA	Works yard A		PA	USD
94		.SA	Sales yard A		PA	USD
95	PA		Total Profits Yard A			

Warning: do not total the cost centers in the groups used for the accounting or the amounts will be doubled and the accounting will be incorrect.

3.17.2 How to enter cost centers

On the Transactions table, in the **Cost Centers** view, input the initials of the cost center in the appropriate column, without any punctuation.

Accounts			Transactions	Totals	Foreign Exchange						A		
	Date	Doc	Description	Debit A/C	Credit	Currency Amount	Currency	CC1	CC2	CC3			
1	14.02.2007	45	Purchase yard equipment	3000	1020	1000.00	USD		PA		▲		
2	15.02.2007	46	Sales	1020	4100	2000.00	USD	SA			▼		
Base			Cost Centers	Expiry Date	Lock						↩ Z		
F6 key = calculate exchange rate and amount													
3000			USD Purchase goods	1'000.00	1'000.00	1'000.00							
1020			USD Bank current account	-1'000.00	36'000.00	36'000.00							
PA			USD Purchases yard A	1'000.00	1'000.00	1'000.00							
1/2													
										CAPS	NUM	SCRL	QVR

1/2

CAPS NUM SCRL OVR

On the cost and profit center accounts it is possible to enter in **plus** (debit) or in **minus** (credit). The program usually enters any amount


specified as a **plus**. If a **minus** is desired then the cost center account initials must be preceded with a minus sign (example: -CC).

For the Cash Book and Simple accounting it is possible to activate the **Records (+/-) cost centers according to the category** option (File and Accounting properties, Options tab); in this case, the program enters the amount in the cost center according to how it is entered in the category.

***Note:** for Double-entry accounting, cost centers can also be used to process a supplier and client ledger when it does not have to show up on the Chart of accounts.*

4 Cash book

To create a new Cash book file, startup the program and from the **New** command (File menu) select one of the existing accounting types.



Various types of Cash book:

- Cash book
- Cash book with VAT/Sales tax
- Cash book with a second currency
- Cash book with a second currency and VAT/Sales tax

4.1 Cash book tables

The Cash book is made up of the following main tables:

Accounts	Categories	Transactions	VAT Codes
----------	------------	--------------	-----------

Accounts

In this table, insert the account to be managed (e.g. cash, bank a/c, post a/c, etc.)

Categories

This table shows a list of all categories of income and expenses.

Transactions

This is the table where all the accounting transactions are input.

VAT Code (when selecting the VAT/Sales tax option)

This is the table where the various VAT codes are defined, but it is available only if a Cash book with VAT/Sales tax is selected.

There are also secondary tables used to view the data:

Account card/Category card

This is the table shows the transactions of the predefined account, a single category or a cost center.

VAT/Sales tax Report (when selecting VAT/Sales tax option)

In this table, the user can view the sales tax report, but it is available only if a Cash book with VAT/Sales tax is selected.

4.2 Accounts table

In this table, enter the data of the account to be managed.

Accounts		Categories		Transactions		VAT Codes		
	Account	Description		Opening	Income	Expenses	Balance	
1								
2	AAAA	account						
3								
Base		Currency2	Budget	Previous	Other	Period		

Account

In this column, enter the code/number for the account to be managed. The predefined text can be changed. Only one account can be inserted.

Description

Enter the account description.

Opening

When starting a new accounting file, enter the opening balance for the account to be managed.

Income

This column shows the total income for the account.

Expenses

This column shows the total expenses for the account.

Balance

This column indicates the difference between income and expenses for the account.

4.3 Categories table

Accounts		Categories	Transactions		VAT codes		A
Group	Category	Description	Gr	Income	Expenses	Balance	
10	3000	Payments to post office account	2		215.00	-215.00	
11	3005	Purchase stamps	2				
12	3010	Mail letters and packages	2		10.00	-10.00	
13	3015	Mailing supplies	2				
Base		Budget	Previous	Other	Period		Z

Group

This column shows the group number/initial for totaling categories and groups. If there is a group number a category number cannot be inserted at the same time.

Category

This column shows the category number/initial to be used for transactions. If a category number is inserted, a group number cannot be inserted as well.

Description

Insert a free text to describe the group or category.

Gr

In this column, insert the number/initial of a group to which the account is to be totaled. It must be an already existing **Group**.

Income

The amount of the transactions being credited (income).

Expenses

The amount of the transactions being debited (expenses).

Balance

This column shows the difference between income and expenses.

***Note:** other columns may exist, depending on the type of view being worked on.*

4.4 Transactions table

Accounts		Categories		Transactions	VAT codes			A
	Date	Doc	Description	Income	Expenses	Category	Balance	VAT
1	03.01.2007	2	Sale products	4000.00		4000	4000.00	S10
2	04.01.2007	3	Pay rent		500.00	3025	3500.00	
3	04.01.2007	4	Pay window dresser		700.00	3040	2800.00	
4	04.01.2007	5	Salary: Mark		1000.00	3060	1800.00	
Base		Complete VAT	Cost centers	Expiry date	Lock			Z

Date

This column shows the date relating to the current transaction.

Doc

This column shows the name or number of the accounting document.

Description

In this column, insert free text to describe the current transaction.

Income

This column shows the amount being credited.

Expenses

This column shows the amount being debited.

Category

In this column, insert a category number from those defined on the Chart of accounts.

Balance

This column shows the difference between income and expenses. The amounts are automatically updated by using the **Recalculate balance and totals (F9 key)** command.

4.5 Creating a Cash book file by using an existing template

The program has pre-set templates and examples which can be changed according to the user's specific needs.

In order to personalize the Accounts table, enter the code, the description and the opening balance for the desired account to be managed (cash or bank a/c or post a/c, etc...).

In order to personalize the Categories table:

- Eliminate some categories and/or add new ones
- Change the categories codes
- Change the description
- Add or delete groupings

To delete a category, click on the row number, select the **Edit** menu, and then the **Delete rows...** command.

To add a new category, insert a new row, and then key in the category code, description and the group it belongs to.

To alter the code for a category, place the cursor on the category code to be changed, click, and key in the new code. Proceed to alter the description in the same way.

To add or delete any sub-groups on the Categories table, it is necessary to understand the grouping and totaling system used by the program, explained in para. [3.4](#).

4.6 Creating a new Cash book file

To create a new Cash book file starting from zero, select the **New** command in the **File** menu, then select the desired type of file and the New blank file template (without data, without chart of accounts, etc.).

- Input the basic accounting data and save it (Save as...)
- Go to the Accounts table and enter the code, the description and the opening balance for the account to be managed (cash or bank a/c or post a/c, etc...).

Accounts		Categories		Transactions			
	Account	Description		Opening	Income	Expenses	Balance
1							
2	1000	Cash		1'500.00			1'500.00
3							
Base		Budget	Previous	Other	Period		

- Go to the Categories table and enter the categories; it is advised to begin with the main groups:

Accounts			Categories	Transactions			A
	Group	Category	Description	Gr	Income Basic Currency	Expenses Basic Currency	Balance Basic Currency
1							
2							
3							
4							
5	1		TOTAL INCOME	00			
6							
7							
8							
9							
10							
11	2		TOTAL EXPENSES	00			
12							
13	00		TOTAL				

Base Budget Previous Other Period

00 TOTAL
 This is the '2' group that will be added to the '00' group

11/14 CAPS NUM SCRL OVR

- **Total Income** – where the income is totaled
- **Total Expenses** – where the expenses are totaled (in minus)
- **Total** – where the opening balance, the income total and the expenses are totaled (in minus).

Note: it is possible to insert cost and profit centers; see para. [3.17](#).

Then input the account codes, the descriptions and the Gr which should be equal to the Group in which the accounts will be totaled.

Example:

Accounts		Categories	Transactions	A
	Group	Category	Description	Gr
1			INCOME	
2		4000	Various sales	4
3		4010	Membership payments	4
4		4020	Donations	4
5		4030	Other	4
6				
7	4		TOTAL INCOME	00
8				
9			EXPENSES	
10		3000	Expenses for Project A	3
11		3005	Expenses for Project B	3
12		3010	Expenses for Project C	3
13		3015	...	3
14		3020	...	3
15		3025	Stationery, appliances, cleaning, etc.	3
16		3030	Postal fees	3
17		3035	Rent, electricity, water	3
18		3040	Telephone and fax	3
19		3045	...	3
20		3050	Publicity, flyers, printing	3
21		3055	Refund to volunteers	3
22		3060	Fees and other permits	3
23		3065	Unexpected expenses	3
24		3070	Small unregistered expenses	3
25		3075	Other	3
26				
27	3		TOTAL EXPENSES	00
28				
29	00		TOTAL	
Base		Budget	Previous	Other
		Period		

- The categories from 4000 to 4030 are in Gr 4, meaning Group 4 that adds up the Total Income.
- The categories from 3000 to 3075 are in Gr 3, meaning Group 3 that adds up the Total Expenses.
- The Total Income and Expenses are in Gr 00, meaning Group 00 where the Total Income and Expenses are added together (Total).

4.7 Insert transactions

Before entering any transaction, insert a sufficient number of empty rows.

To make a transaction:

- Input the date, document number and description
- Input the amount in credit or debit depending on the type of transaction.
- Input the category number in the **Category** column

The update of the categories, the balances in the Transactions table and the totals in the Categories table, is immediate and automatic.

Transaction example:

Accounts		Categories		Transactions			
	Date	Doc	Description	Income	Expenses	Category	Balance
1	06.01.2007	2	Purchase stamps		50.00	210	1'450.00
2	07.01.2007	3	Sales	2000.00		110	3'450.00
3	08.01.2007	4	Withdrawals to post office current account		500.00	200	2'950.00
Base		Cost Centers	Expiry Date	Lock			
F6 Key = increase date by a day							
PRACC	Predefined account		-50.00	2'160.00			
210	Mailing supplies and stamps		-50.00	-60.00			
1/8					CAPS	NUM	SCRL

4.7.1 Transactions with a second currency (Currency2)

When a Cash book file with a second currency is selected, enter the symbol for currency2 in the basic accounting data (File menu, File and accounting properties command), and its exchange rate to the basic currency. It is a fixed exchange rate necessary to have an approximate calculation of the accounting in the second currency.

File and accounting properties

Accounting | Options | Address | **Currency 2** | VAT/Sales tax | Other | Password | Texts

Symbol: EUR

Decimal points: 2

Multiplier:

Exchange rate: 0.68224

OK Cancel Help

The amounts in the second currency are shown in the **Currency2** view from the **Categories** or **Accounts** tables.

Accounts		Categories	Transactions			
	Account	Description	Opening EUR*	Income EUR*	Expenses EUR*	Balance EUR*
1						
2	1000	Cash	1'260.00	1'680.00	1'125.60	1'814.40
3						
Base		Currency2	Budget	Previous	Other	Period

Note: in the Accounts table of the Cash book only the predefined account is shown.

Accounts		Categories	Transactions		
	Category	Description	Income EUR*	Expenses EUR*	Balance EUR*
10		EXPENSES			
11	200	Withdrawals to post office current account		420.00	-420.00
12	210	Mailing supplies and stamps		50.40	-50.40
13	213	Stationery, appliances, cleaning, etc.			
14	220	Rent, electricity, water, telephone		319.20	-319.20
15	240	Payment for goods		336.00	-336.00
16	250	Salaries and personal loans			
17	260	Fees and other permits			
18		Total EXPENSES		1'125.60	-1'125.60
Base	Currency2	Budget	Previous	Other	Period

When the user double clicks on an account or category number, the account card in Currency2 is shown.

Accounts			Categories	Transactions	1000 Cash		
	Date	Doc	Description	Category	Amount EUR*	Balance EUR*	
1			Initial balance		1260.00	1260.00	
2						1260.00	
3	06.01.2007	2	Purchase stamps	210	-42.00	1218.00	
4	07.01.2007	3	Sales	110	1680.00	2898.00	
5	08.01.2007	4	Withdrawals to post office current account	200	-420.00	2478.00	
6	09.01.2007	6	Mailing expenses	210	-8.40	2469.60	
7	10.01.2007	7	Purchase goods	240	-336.00	2133.60	
8	11.01.2007	8	Payment of electricity	220	-168.00	1965.60	
9	12.01.2007	9	Payment of telephone	220	-151.20	1814.40	
10			Total transactions			1814.40	
Base		Currency2	Cost Centers	Expiry Date			

4.7.2 Transactions with VAT/Sales tax

Before making any transactions with VAT/Sales tax:

- Enter the categories with VAT/Sales tax on the Categories table
- Enter the VAT codes on the VAT Codes Table
- Enter on the VAT Codes Table, for each code, the relative VAT/Sales tax category.

Entry example:

Accounts			Categories		Transactions		VAT codes				A				
	Date	Doc	Description	Income	Expenses	Category	Balance	VAT	%VAT	%Exempl	VAT Acc				
1	05.01.2007	3	Purchase products		500.00	213	-500.00	P10	10.00		45.45				
2	03.01.2007	2	Sale products	800.00		100	300.00	S10	-10.00		-72.73				
Base		Complete VAT		Cost centers	Expiry date	Lock						Z			
AAAA	account				800.00		300.00								
100	Sales				727.27		727.27								
250	VAT (paid and received)				72.73		27.28								
S10	Sales at 10%														
2/2												CAPS	NUM	SCRL	QVR

To make a transaction:

- Enter the date, document number and description
- Enter the amount of either income or expense, depending on the transaction
- Enter the category number in the **Category** column
- Enter the code relating to the operation in the VAT Code column

The program will signal any possible error in the lower information window.

***Note:** for more information on transactions with VAT/Sales tax, see para. [3.16](#) of the Common functions.*

4.7.3 Transactions with cost centers

For transactions with cost centers, see para. [3.17](#) of the Common functions.

4.8 Link to Double-entry accounting

When the petty cash is managed outside an accounting file, from time to time, it is necessary to carry the various category transactions in double-entry and simple accounting.

To carry out this operation, it is necessary to complete one of the following:

- The Cash book categories must be the same as the accounts (double-entry accounting) or as the categories (simple accounting) of the accounting

- In the Category2 column (Categories table) the user must enter the same accounts (double-entry accounting) or categories (simple accounting) of the accounting. If the Category2 column is not visible, it can be viewed by selecting the **Set up fields** command from the Data menu, then activating the “Visible” cell.

Accounts		Categories		Transactions		A
	Group	Category	Category2	Description	Balance	
5				INCOME		
6		100	1000	Withdrawals from post office current ac		
7		110	4000	Various sales	2'000.00	
8		112	4010	Donations		
9		113	4030	Other		
10	1			Total INCOME	2'000.00	
11						
12				EXPENSES		
13		200	1000	Withdrawals to post office current acco	-500.00	
14		210	3010	Mailing supplies and stamps	-50.00	
15		213	3020	Stationery, appliances, cleaning, etc.		
16		220	3030	Rent, electricity, water, telephone		
17		240	3000	Payment for goods	-750.00	
18		250	3040	Salaries and personal loans		
19		260	3100	Fees and other permits		
20	2			Total EXPENSES	-1'300.00	
Base		Budget	Previous	Other	Period	Z


To carry over the data, proceed as follows:

- Open the double-entry or simple accounting file
- From the **Account1** or **Simple1** menu select the **Import to accounting** command
- Select the **Import transactions – Cash book (*.ac2)** option
- Indicate the Cash book file from which to import the transactions.

Note: for more information see para. [3.11.12](#) of the Common functions.

5 Simple accounting

To open a new Simple accounting file, startup the program and select the **New** command from the **File** menu.



Various kinds of Simple accounting:

- Without VAT/Sales tax
- With VAT/Sales tax
- With a second currency
- With a second currency with VAT/Sales tax

5.1 Simple accounting tables

Simple accounting is made up of the following main tables:

Accounts

This table is where all of the estate accounts are listed.

Categories

This table lists all expenses and income.

Transactions

This table is where all the accounting transactions are entered.

VAT Code (when selecting the VAT/Sales tax option)

This is the table where the various VAT codes are defined, but it is available only if a Simple accounting with VAT/Sales tax is selected.

There are also secondary tables used to view the data:

Account card/Category card

This table is where the transactions of a single category, a cost center or an estate account are shown.

VAT/Sales tax Report (when selecting the VAT/Sales tax option)

This is a table where the sales tax report can be viewed, but it is available only if a Simple accounting with VAT/Sales tax is selected.

5.2 Accounts table

Accounts		Categories		Transactions				A
	Group	Account	Description	Gr	Opening	Income	Expenses	Balance
1		1000	Cash	1	1'000.00	8'350.00	80.00	9'270.00
2		1010	Post office current account	1	2'500.00		350.00	2'150.00
3		1020	Bank 1	1	35'000.00		1'800.00	33'200.00
4	1		TOTAL		86'960.00	9'850.00	3'730.00	93'080.00
Base		Budget	Previous	Other	Period			

Group

This column shows the group number/initial for totaling categories and groups. If a group number is inserted, an account number cannot be inserted as well.

Account

This column shows the account number/initial to be used for transactions. If an account number is inserted, a group number cannot be inserted as well.

Description

In this column, enter free text to describe the group or category.

Gr.

In this column, insert the number/initial of a group in which the account is to be totaled. It must be an already existing Group.

Opening

This column shows the opening balance on the account.

Income

This column shows the amount of the transactions credited to this account.

Expenses

This column shows the amount of the transactions debited to this account.

Balance

This column shows the balance for each account (difference between income and expenses).

Note: other columns may exist, depending on the type of view that is active.

5.3 Categories table

Accounts		Categories	Transactions					A
	Group	Category	Description	Gr	Income	Expenses	Balance	
1			TOTAL EXPENSES					
2		3000	Purchase goods for resale	3		1'500.00	-1'500.00	
3		3100	Salaries	3				
4		3110	Social contributions	3				
Base		Budget	Previous	Other	Period			Z

Group

This column shows the group number/initial for totaling categories and groups. If a group number is inserted, a category number cannot be inserted as well.

Account

This column shows the account number/initial to be used for transactions. If a category number is entered, a group cannot be entered as well.

Description

In this column, enter free text to describe the group or category.

Gr.

In this column, input the number/initial of a group in which the category is to be totaled. It must be an already existing **Group**.

Income

This column shows the amount of the transactions credited to this category.

Expenses

This column shows the amount of the transactions debited to this category.

Balance

This column shows the balance for each account (difference between income and expenses).

***Note:** other columns may exist, depending on the type of view that is active.*

5.4 Transactions table

Accounts		Categories		Transactions				A
	Date	Doc	Description	Income	Expenses	Account	Category	
1	03.01.2008	1	Withdrawal from post office account	350.00		1000	1010	
2	05.01.2008	2	Office supplies		80.00	1000	3260	
3	06.01.2008	3	Sales in cash	8000.00		1000	4100	
4								
Base		Cost centers	Exp. Date	Lock				Z

Date

This column shows the date of the accounting transaction.

Doc

This column shows the number/name of the accounting document.

Description

In this column, enter free text to describe the accounting transaction.

Income

The incoming amount.

Expenses

The amount registered as expenses.

Account

This column shows account numbers defined on the Chart of accounts.

Category

This column shows categories defined on the Categories table.

5.5 Create a Simple accounting file starting from an existing template

The program includes pre-set templates and examples that can be altered on the basis of the user's needs.

To personalize the Account table and the Categories table:

- Eliminate accounts/categories and/or add new accounts/categories
- Change codes for accounts/categories
- Change the description

- Add or delete groupings

To delete an account or a category, click on the row number and select the **Edit** menu, then **Delete rows...** command.

To add a new account or category, insert a new row, key in the account/category code and description, and then finish it by adding the group that it belongs to.

To alter the code for an account or a category, place the mouse on the desired account/category code to be changed, click, and key in the new code. Proceed to alter the description in the same way.

To add or delete any sub-groups on the Categories table, it is necessary to understand the grouping and totaling system used by the program, explained in para. [3.4](#).

5.6 Create a new Simple accounting file

To create a new Simple accounting file starting from zero, select the **New** command from the **File** menu, then select the desired type of file and the New blank file template (without data, without chart of accounts).

- Enter the basic accounting data and save it under a name with the **Save as** command from the **File** menu
- Arrange the Accounts table
- Arrange the Categories table

To input the Accounts table, proceed as follows:

- Input Group 1

Accounts		Categories		Transactions					
	Group	Account	Description	Gr	Opening	Increase	Decrease	Balance	
2									
3									
4									
5	1		Total						
6									
Base		Currency2	Budget	Previous	Other	Period			

- Input the account numbers (in the example 1000, 1010, and 1020) and complete this by giving a description and **Gr1** number (it must be the same as the **Group** in which to total the accounts).

Accounts		Categories		Transactions						A	
	Group	Account	Description		Gr	Opening	Increase	Decrease	Balance	▲	
2		1000	Cash		1						
3		1010	Bank current account		1						
4		1020	Post office current account		1						
5	1	Total								▼	
Base		Currency2	Budget	Previous	Other	Period	◀ ▶				Z
1		Totale									
This is the '1000' account that will be added to the '1' group											
2/6											
							CAPS	NUM	SCRL	QVR	

- Input the opening balances

Accounts		Categories		Transactions		A			
Group	Account	Description	Gr	Opening	Increase	Decrease	Balance		
1									
2	1000	Cash	1	500.00			500.00		
3	1010	Bank current account	1	20'000.00			20'000.00		
4	1020	Post office current account	1	10'000.00			10'000.00		
5	1	Total		30'500.00			30'500.00		
Base	Currency2	Budget	Previous	Other	Period	Z			
1 Totale									
This is the '1000' account that will be added to the '1' group									
2/6									
CAPS NUM SCRL OVR									

To set up the Categories table, it is advised to proceed as follows:

- Input the main groups

Accounts		Categories		Transactions					A
	Group	Category	Description	Gr	Income	Expenses	Balance		
1	1		TOTAL INCOME	00					
2									
3									
4	2		TOTAL EXPENSES	00					
5									
6									
7	00		TOTAL						
Base		Budget	Previous	Other	Period				Z
00		TOTAL							
This is the '1' group that will be added to the '00' group									
1/7									
CAPS NUM SCRL OVR									

- o **Total Income** – where all the Credit (income) transactions will be totaled
- o **Total Expenses** – where all the Debit (expenses) transactions will be totaled (negative)
- o **Total** – on this row, the difference of Income and Expenses are calculated.

- Input the category code, the description and the Gr the account belongs to, which has to be to the same as the Group in which it will be totaled.

Accounts		Categories	Transactions					A
	Group	Category	Description	Gr	Income	Expenses	Balance Basic	
1			INCOME					
2		104	Income from services	100				
3		106	Positive refunds	100				
4		108	Discounts	100				
5		109	Received tips	100				
6		110	Other incomes	100				
7	100		TOTAL INCOME	B				
8								
9			EXPENSES					
10		200	Rent	200				
11		204	Negative discounts	200				
12		205	Electricity, gas, water	200				
13		206	Telephone	200				
14		209	Office supplies	200				
15		210	Travel expenses	200				
16		211	Upkeep and cleaning	200				
17		213	Petrol costs	200				
18		215	Insurances	200				
19		216	Mailing fees	200				
20		218	Taxes	200				
21		219	VAT (automatic)	200				
22		221	Agent expenses	200				
23	200		TOTAL EXPENSES	B				
24								
25	B		TOTAL					
Base		Currency2	Budget	Previous	Other	Period		Z

- The categories from 104 to 110 are in Gr 100, the same as Group 100, which are added into the Total Income.
- The categories 200 to 221 are in Gr 200, to the same as Group 200, which are added into the Total Expenses (negative).
- The total of Income and Expenses are in Gr B, the same as Group B, where they will be added together (Total).

5.7 Input transactions

Example:

The electricity, gas and water bills have been paid through the bank's current account for the month of January.

Accounts		Categories		Transactions				A
	Date	Doc	Description	Income	Expenses	Account	Category	
8	02.02.2008	15	Electricity, gas, water January		210.00	1010	3250	
9								
Base		Cost centers	Exp. Date	Lock				Z
F6 Key = import row values with similar text								
1010		Post office current account		-210.00	1'940.00			
3250		Electricity		-210.00	-210.00			
8/9						CAPS	NUM	SCRL OVR

- After the date has been inserted, the document no. and the description, insert the amount in ther Expenses column.
- In the Account column enter the account from which the bills were paid and in the Category column, enter the category number that corresponds to the type of payment.

5.7.1 Input cash withdrawal/deposit transfers

To enter transfers between different accounts, it is necessary to insert in both **Account** and **Category** column the cash or cash equivalent account numbers involved in the transaction.

Example: Cash withdrawal from post office current account.

Accounts		Categories		Transactions				A
	Date	Doc	Description	Income	Expenses	Account	Category	
1	03.01.2008	1	Withdrawal from post office account		350.00	1010	1000	
2								
Base		Cost centers	Exp. Date	Lock				Z
1010		Post office current account		-350.00	1'940.00			
1000		Cash		350.00	9'270.00			
1/10						CAPS	NUM	SCRL OVR

- After the date, the document number and description have been inserted, insert the amount in the Expenses column.

- In the Account column, indicate the account the amount is taken from (in the example the account 1010, corresponding to the post office account), and in the Category column enter the account being paid into (in the example the account 1000, corresponding to the cash account).

5.7.2 Input transactions with VAT/Sales tax

To enter operations with VAT/Sales tax, first select a type of Simple accounting with VAT/Sales tax, and set up the VAT Code table (para. [3.16.2](#)).

The VAT/Sales tax account also has to be present on the Accounts Table or on the Categories Table:

- If it is present on the Accounts Table, the VAT/Sales tax due will be entered as an expense, whereas recoverable VAT/Sales tax will be entered as income.
- If it is present on the Categories Table, the VAT/Sales tax due will be entered as income, whereas recoverable VAT/Sales tax will be entered as an expense.

Example:

The telephone bill for the month of February has an amount of 120.00 with 10% VAT/Sales tax included, and has been paid from the bank account.

Accounts			Categories		Transactions		VAT codes			A		
	Date	Doc	Description	Income	Expenses	Account	Category	VAT Code	%VAT	NonDec	VAT Acc EUR	
10	22.03.2008	30	Payment phone February		120.00	1020	3270	I10	10.00		10.91	
11												
Base		Complete VAT	Cost centers	Exp. Date	Lock							
1020	Bank 1			-120.00	33'080.00							
3270	Telephone, Fax			-109.09	-209.09							
2050	Automatically calculated VAT			10.91	-576.19							
I10	Purchases for investment or use 10%											
10/14												
CAPS NUM SCRL QV												

To complete the transaction, after entering the amount (usually the gross amount), the account and the category, key in the VAT code.

5.7.3 View amounts in currency2

To see the amounts in the second currency, refer to transactions with second currency in the Cash book chapter, explained in para. [4.7.1](#).


6 Double-entry accounting

This is the type of accounting taught in accounting schools, used by accounting professionals and known to fiscal authorities all over the world. Double-entry accounting includes everything to manage an accounting conforming to international accounting standards:

- Balance sheet and profit and loss statement
- Journal
- Account cards
- VAT/Sales tax statements

Double-entry accounting is mandatory for all companies or entities that need to submit a balance sheet and a profit and loss statement.

6.1 Create a new accounting



To create a new Double-entry accounting file, startup the program and from the **New** command (File menu) select one of the existing accounting types.

Various types of Double-entry accounting

- Double-entry accounting
- Double-entry accounting with VAT/Sales tax. It is ideal for those who **are subject to sales tax** and need to present a VAT/Sales tax declaration.

Once the desired type of accounting has been selected, input the basic data in the new file, save it using the **Save as** command from the **File** menu, then browse through to choose the desired folder and file name for the new Double-entry accounting file. Usually the file name is the same as the name of the business plus the current accounting year (e.g. Company name-2006.ac2).

6.2 Accounts table

To create a Chart of accounts, whether starting from an example or opening a new blank file, it is necessary to understand the structure of the Accounts table.

Accounts			Transactions	Totals		VAT codes		A
	Group	Account	Description	BClass	Gr	Opening	Balance	▲
1								
2			ASSETS					
3		1000	Cash	1	1	1'000.00	9'270.00	
4		1010	Post office current account	1	1	2'500.00	2'150.00	
5		1020	Bank 1	1	1	35'000.00	33'200.00	
6		1100	Clients	1	1			
7	10		Total Clients		1	1'000.00	1'000.00	
8		1150	Prepaid taxes	1	1			
9		1170	Recoverable VAT (previous)	1	1		140.17	
10		1200	Inventory	1	1			
11		1300	Transitory assets	1	1			▼
Base	Transaction	Budget	Previous	Period	Other	Print	◀	▶

Group

In this column, enter the codes for the Groups each line belongs to. The group cannot have an account number or a BClass number.

Account

In this column, enter the account code to be used for the accounting. If there is an account number, there cannot be a Group number as well.

Description

In this column, enter free text to describe the account or the group.

BClass

This column contains obligatory numeration, for all the accounts that the program will use, so as to define what type they belong to:

DESCRIPTION	BCLASS
ASSETS	1
LIABILITIES	2
EXPENSES	3
REVENUE	4
OFF BALANCE SHEET ASSETS	5
OFF BALANCE SHEET LIABILITIES	6

If the BClass is missing from some accounts, then there will be differences and some results will no longer be reliable.

Gr

Enter the code of the Group to which the account refers. It has to be an already existing Group.

Opening

For each account, input the opening balance, which should correspond to the relative closing balance from the previous year. The assets amounts should be entered as a plus, whereas the liabilities amounts should be negative. The opening balances of the total assets and the total liabilities should be equal.


Balance

This column shows the actual balance for each account including the opening balance and all the transactions made on the account. The Balance column cannot be altered since it is automatically calculated by the program.

Note: it is also possible to make visible other columns in the various views or input new ones by using the **Set up fields** command from the **Data** menu.

6.3 Create a Chart of accounts starting from an existing template

The program has some pre-defined templates and examples that can be altered on the basis of the owner's individual needs.



In order to personalize the Chart of accounts:

- Delete accounts and/or add some new accounts
- Change the account codes
- Change the description
- Create sub-groups
- Delete existing groupings

To delete an account, click on the row number with the mouse and select the **Delete rows** command from the **Edit** menu.

To add a new account, insert a new row, key in the account code, its description and complete it with its BClass and the group to which it belongs.

To edit an account code, place the cursor on the account number to be changed and key in the new code. Do the same to alter the description.

The sub-groups can be inserted when a more detailed Chart of accounts that will give more information about the accounting is needed.

Example:

The user wants to create a new subgroup “Liquid assets” that groups the cash, bank, and post office accounts.

Accounts		Transactions	Totals		VAT codes		A
Group	Account	Description	BClass	Gr	Opening	Balance	
2		ASSETS					
3	1000	Cash	1	1	1000.00	9270.00	
4	1010	Post office current account	1	1	2500.00	2150.00	
5	1020	Bank 1	1	1	35000.00	33200.00	
6	1100	Clients	1	1	4000.00	4000.00	
7	10	Total Clients		1	1000.00	1000.00	
8	1150	Prepaid taxes	1	1	6200.00	6200.00	
9	1170	Recoverable VAT (previous)	1	1		140.17	
10	1200	Inventory	1	1	3600.00	3600.00	
11	1300	Transitory assets	1	1	500.00	500.00	
12	1310	Machinery and appliances	1	1	2100.00	2100.00	
13	1320	Office furniture	1	1	8000.00	8000.00	
14	1330	Computer	1	1	1500.00	1500.00	
15	1340	Software	1	1	1000.00	1000.00	
16	1350	Car	1	1	10000.00	10000.00	
17	1360	Real Estate	1	1	40000.00	40000.00	
18	1	Total ASSETS		01	116'400.00	122'660.17	
Base		Transaction Budget	Previous	Period	Other	Print	Z

To create the sub-group “Liquid assets”, it is necessary to insert a few empty rows and, in the Group column, key in the “100” code.

Complete it with the description and with Gr “1”; then change the Gr for the 1000, 1010 and 1020 accounts to 100.

Accounts		Transactions	Totals		VAT Codes		A
Group	Account	Description	BClass	Gr	Opening	Balance	
2		ASSETS					
3	1000	Cash	1	100	9270.00	9270.00	
4	1010	Post office current account	1	100	2500.00	2500.00	
5	1020	Bank current account	1	100	35000.00	35000.00	
6							
7	100	Liquids assets		1	46770.00	46770.00	
Base		Transaction Budget	Previous	Period	Other	Print	Z

If the Chart of accounts has some sub-groups that are no longer needed, it is possible to delete them.

Example:

The user wants to delete the sub-group “Total loans”.

Accounts		Transactions		Totals		VAT Codes		A
Group	Account	Description	BClass	Gr	Opening	Balance		
17		LIABILITIES						
18	2100	Bank loan c/c	2	200	-5'000.00	-5'000.00		
19	2400	Long term bank loan	2	200	-15'000.00	-15'000.00		
20	200	Total loans		2	-20'000.00	-20'000.00		
21	2700	Transitory liabilities	2	2	-3'000.00	-3'000.00		
22	2800	Start-up capital	2	2	-30'000.00	-30'000.00		
23	2900	Brought forward profit or loss	2	2				
24	2	Total LIABILITIES		01	-53'000.00	-53'000.00		
Base		Transaction Budget	Previous	Period	Other	Print		Z

To delete the sub-group “Total loans”, the user must delete row 20 and change the Gr for the 2100 and 2400 accounts from 200 to 2.

Accounts		Transactions		Totals		VAT Codes		A
Group	Account	Description	BClass	Gr	Opening	Balance		
17		LIABILITIES						
18	2000	Suppliers	2	2				
19	2070	VAT due	2	2				
20	2100	Bank loan c/c	2	2				
21	2400	Long term bank loan	2	2				
22								
23	2700	Transitory liabilities	2	2				
24	2800	Start-up capital	2	2				
25	2900	Brought forward profit or loss	2	2				
26	2	Total LIABILITIES		01				
Base		Transaction Budget	Previous	Period	Other	Print		Z
2 Total Liabilities 2 Total LIABILITIES This is the '2400' account that will be added to the '2' group								
21/63						CAPS	NUM	SCRL

6.4 Create a new Chart of accounts

To create a new accounting file starting from zero, chose the **New** command from the **File** menu, then select the desired type of file and the New blank file template (without data, without chart of accounts).

- Input the basic accounting data and save it with a name
- Go to the Accounts table
- Insert the number of rows needed to structure the accounting plan

To set up the Chart of accounts, it is advised to begin by entering the main groups:

Accounts		Transactions	Totals			A
Group	Account	Description	BClass	Gr		
1	1	Total assets				
2						
3	2	Total liabilities				
4						
5	D1	Profit(+) Loss(-) from Balance Sheet				
6						
7						
8	3	Total expenses				
9						
10	4	Total income				
11						
12	02	Profit(-) Loss(+) from Profit & Loss Statement				
13						
14						
15	00	Difference Balance Sheet/Profit & Loss Statement should be = 0 (blank cell)				
16						
Base		Transaction	Budget	Previous	Period	Other
		Print				

- **1 - Total Assets** – where all the Assets are added up
- **2 - Total liabilities** – where all the Liabilities are added up
- **D1 - Profit(+) Loss(-) from Balance Sheet** – the Total assets and Total liabilities (as a negative) are added together on this row. If the difference, automatically calculated by the program, is positive, (assets are greater than liabilities) then there is a profit; if the difference is negative (the liabilities are greater than assets) then there is a loss.
- **3 - Total expenses** – where all the Expenses are added up
- **4 - Total income** – where all the Income is added up
- **D2 - Profit (-) Loss (+) from Profit & Loss Statement** – where the Total expenses are added to the Total income (as a negative). If the amount is negative, then there is a profit, if it is positive, there is a loss.
- **00 – difference should be zero** – where the Profit/Loss from the Balance Sheet and the Profit/Loss from the Profit & Loss Statement are added together. If the amount is not = 0, then there is an imbalance.

Note: it is possible to insert accounts or group of accounts for the Off-balance Assets and Liabilities, external to the accounting or profit and cost centers.

Proceed by entering the account codes, their descriptions, the BClass and the Gr they belong to (the same as the Group in which they need to be totaled).

Example:

Accounts		Transactions		Totals			
Group	Account	Description	BClass	Gr	Opening	Balance	A
1		BALANCE					
2							
3	1000	Cash	1	1			
4	1010	Post office current account	1	1			
5	1020	Bank 1	1	1			
6	1100	Clients	1	1			
7	1150	Prepaid taxes	1	1			
8	1200	Inventory	1	1			
9	1300	Transitory assets	1	1			
10	1310	Machinery and appliances	1	1			
11	1320	Office furniture	1	1			
12	1	TOTAL ASSETS		01			
13							
14	2000	Suppliers	2	2			
15	2100	Bank loan c/c	2	2			
16	2110	Transitory liabilities	2	2			
17	2120	Start-up capital	2	2			
18	2130	Private account	2	2			
19	2300	Profit or loss brought forward	2	2			
20	2	TOTAL LIABILITIES		01			
21							
22	01	Profit(+) Loss(-) from Balance Sheet		00			
23							

- The accounts from 1000 to 1320 are in Gr 1 (Group 1, which adds up the Total assets).
- The accounts from 2000 to 2300 are in Gr 2 (Group 2, which adds up the Total liabilities).
- The Total assets and Total liabilities are in Gr D1, in the Group where they will be added up (Profit/Loss from Balance Sheet).

Accounts		Transactions		Totals				A
	Group	Account	Description	BClass	Gr	Opening		
20			PROFIT & LOSS STATEMENT					
21								
22		3000	Purchases	3	3			
23		3010	Salaries	3	3			
24		3015	Social contributions	3	3			
25		3020	Insurances	3	3			
26		3030	General expenses	3	3			
27		3040	Other costs	3	3			
28	3		Total expenses		D2			
29								
30		4000	Sales	4	4			
31		4010	Honorary	4	4			
32		4020	Positive interests	4	4			
33		4030	Other incomes	4	4			
34	4		Total income		D2			
35								
36	D2		Profit(-) Loss(+) from Profit & Loss Statement		00			
37								
38	00		Difference Balance Sheet/Profit & Loss Statement					
Base		Transacti	Budget	Previous	Period	Other	Print	Z
00 Difference Balance Sheet/Profit_Loss Statement should be = 0 (blank cell) This is the 'D2' group that will be added to the '00' group								
36/39				CAPS	NUM	SCRL	DVR	

- The accounts from 3000 to 3040 are in Gr 3 (Group 3, which adds up the Total expenses).
- The accounts from 4000 to 4030 are in Gr 4 (Group 4, which adds up the Total income).
- The Total expenses and Total income are in Gr D2, in the Group where they will be added up (Profit/Loss from Profit & Loss Statement).
- The Profit/Loss from the Balance Sheet and Profit/Loss from the Profit & Loss Statement are in Gr 00, in Group 00 where they will be added up. The difference must be 0. This group is for checking and balancing; if the accounting is correct, the cells of this row should always be blank.

6.5 Transactions table

This is the table where the accounting transactions are inserted. It is characterized by various columns.

Accounts		Transactions	Totals		A			
	Date	Doc	Description	Debit A/C	Credit	Amount	▲	
1	03.01.2007		Withdrawal from post office account	1000	1010	350.00		
2	05.01.2007		Office supplies	3260	1000	80.00		
3	06.01.2007		Sales in cash	1000	4100	8000.00		
4	10.01.2007		Purchase goods by Company 1	3000	SU-001	1500.00		
5	28.01.2007		Payment Company 1 invoice	SU-001	1020	1500.00		
6	01.02.2007		Payment Electricity and Phone		1020	300.00		
7	01.02.2007		Electricity	3250		200.00		
8	01.02.2007		Telephone	3270		100.00	▼	
Base		Cost centers	Exp. Date	Lock				▶ Z
F6 Key = increase date by a day								
1000	Cash		350.00	9'270.00				
1010	Post office current account		-350.00	2'150.00				
1/9				CAPS	NUM	SCRL	OVR	

Date

In this column, enter the date of the transaction.

Doc

In this column, enter the number or name of the accounting document.

Description

In this column, enter free text to describe the transaction.

Debit A/C

In this column, enter the account to which the amount will be debited.

Credit A/C

In this column, enter the account to which the amount will be credited.

Amount

In this column, enter the amount of the transaction. This amount will be debited to the Debit A/C and credited to the Credit A/C.

6.5.1 Accounting transactions

Each time a new transaction is entered, the accounts are immediately updated.

In the information window at the bottom of the screen, the accounts being used for the transaction are shown together with any possible errors in red and the account balance.

6.5.2 Simple transactions

Simple transactions are entered on a single row with one account debited to the Debit A/C and another credited to the Credit A/C for the same amount.

Example:

Withdrawal in cash from the Bank current account:

Accounts		Transactions	Totals			
	Date	Doc	Description	Debit A/C	Credit	Amount
1	03.01.2007		Withdrawal in cash from bank account	1000	1020	350.00
2						
Base		Cost centers	Exp. Date	Lock		
F6 key = swap debit and credit accounts						
1000	Cash		350.00	9'270.00		
1020	Bank 1		-350.00	32'850.00		
1/10						
				CAPS	NUM	SCRL QV

6.5.3 Compound transactions

Compound transactions are input on more than one row because they affect more accounts.

On each row, enter one account at a time using only the Debit A/C or the Credit A/C and the amount for a single account.

All the rows have the same date and the same document number. What changes is the description, the Debit A/C, the Credit A/C and the amount.

Note: until the whole transaction has been made, the program will keep signaling a difference.

Example:

Payment of various invoices using the bank current account.

Accounts		Transactions		Totals		A
	Date	Doc	Description	Debit A/C	Credit A/C	Amount
2	03.01.2007	2	Various payments through bank		1030	5500.00
3	03.01.2007	2	Car insurance	3020		50.00
4	03.01.2007	2	Telephone invoice	3030		120.00
5	03.01.2007	2	Purchases invoices	3040		5330.00
Base		Cost Centers	Expiry Date	Lock		Z
F6 key = swap debit and credit accounts						
1030		Bank current account		-5500.00	4'000.00	
2/14					CAPS NUM SCRL OVR	

When using an accounting file with VAT/Sales tax, there are all the columns relating to VAT/Sales tax (para. 3.16 on VAT/Sales tax). For a multi-currency accounting, there are columns relating to Exchange rates (para. 7.1).

The table columns can be sorted, viewed or suppressed (except the system columns). If needed, it is possible to insert new columns by selecting the **View fields** command from the **Data** menu.

In the **Cost Centers** view, there are additional columns for entering cost and profit centers (para. 3.17)

6.6 Totals table

The Totals table contains the groupings of the classes from the accounting plan (1 Assets, 2 Liabilities, 3 Expenses, and 4 Revenue) with their relative balances constantly up-to-date.

Accounts		Transactions	Totals		A
	Group	Description	Gr	Opening	Balance
1	1	Total Assets	01	39'500.00	45'620.00
2	2	Total Liabilities	01	-39'500.00	-39'500.00
3	01	Net Profit(+) Loss(-) from Balance Sheet	00		6'120.00
4	3	Total Expenses	02		1'880.00
5	4	Total Revenue	02		-8'000.00
6	02	Loss(-) Profit(+) from Profit & Loss Statement	00		-6'120.00
7	00	Difference should be = 0 (nil)			
8	5	Total off balance sheet: Assets			
9	6	Total off balance sheet: Liabilities			
10	7	Total class 7			
11	8	Total class 8			
12	9	Total class 9			
Base		Complete			Z

This table is automatically created by the program and cannot be altered by the user (only the text in the Description column can be modified). It indicates whether there is a profit or a loss and whether there are accounting imbalances.

6.7 VAT Codes table

In an accounting with sales tax, the VAT Codes table is present which allows the program to automatically separate the VAT/Sales tax according to various percentages and to credit/debit it to the appropriate accounts (see para. [3.16.2](#)).

6.8 Accounting functions

6.8.1 Balance by period

In order to obtain a balance by period, the **Enhanced balance sheet** command, **Account1** menu, needs to be activated. In the **Period** tab the desired period can be entered, after which the program calculates and shows the Balance by period. For more details, see para. [6.8.5](#).

6.8.2 Accounts with a balance only

This command creates the **Accounting report** table where only the accounts that have a balance are shown.

6.8.3 Close current year

Traditionally, to discover the profit, all the Expenses and Revenue accounts were returned to zero. Today the program automatically calculates the profit at any time, without having to close the accounting.

6.8.4 Create New Year

If from the **Account2** menu, the **Create New Year** command is selected, a new accounting file will be created for the following year with the same Chart of accounts. The opening balances will be transferred from the closing balances from the previous year (Assets and Liabilities).

A window opens where it is possible to specify how to allocate the profit or the loss simply by indicating the account or accounts number (for example, profit/loss brought forward...) and the amount to assign to each.

Carry forward new balances

Carry forward account opening balances

- ☒ Balance Sheet
- ☐ Profit and Loss Statement
- ☒ Off balance sheet
- ☐ Cost centers CC1
- ☐ Cost centers CC2
- ☐ Cost centers CC3

Allocation profit/loss

Total to allocate: -5'667.59

Accounts	Amounts
2300 Profit or loss brought forward	-5667.59
2110 Transitory liabilities	
2120 Start-up capital	
2130 Private account	
2200 Reserves	
2300 Profit or loss brought forward	

OK Cancel ?

Carry forward account opening balances

Indicate which accounts are required to have opening balances carried forward. Usually the balances on the Balance Sheet accounts, Off balance sheet accounts and cost centers are carried forward (when they are used to manage debtors/creditors).

Allocation profit/loss

Total to allocate

The program will indicate the profit/loss that needs to be shared between various accounts.

Accounts/Amounts

Indicate to which account(s) the profit or loss should be shared with the relative amount. If three accounts are not sufficient, then it will be necessary to manually correct the amounts on the new accounting in the opening column.

The program will show a warning message if there are any differences between the assets and liabilities totals. If there is a difference, it could be due to:

- Profit/loss has not been allocated
- During the previous year, there were differences/errors
- The exchange rate differences were not entered.

Complete the basic data in the new accounting file, check the opening balances and save the file with a new name.

The program will even carry forward the final balances to the **Previous** view on the **Accounts** table (**Previous** column) of the New Year accounting.

6.8.5 Enhanced balance sheet

This command is activated from the **Account1** menu by selecting **Enhanced balance sheet**. A window for the default printing of the Enhanced balance sheet and Profit & loss statement opens. Grouping of the accounts takes place according to the content of the BClass column. A window with four tabs will show up:

Base Tab

Enhanced balance sheet ✕

Base | Period | Margins | Texts

Page header

Row 1

Row 2

Row 3

Row 4

Column header (Balance / Profit and Loss)

Current

Previous year

Print pages

☒ Assets ☒ Liabilities ☒ Expenses ☒ Revenue

☐ Off Balance Sheet Assets(5) ☐ Off Balance Sheet Liabilities(6)

☒ First page ☐ 2 classes per page

☐ Loss in Liabilities

Include in printout

☐ Account number

☒ Percentages ☒ Previous year balances

☐ Accounts with Zero balance ☒ Accounts with transactions

Printer

Print Preview Cancel ?

Page header

Rows 1 thru 4

In this field, enter texts to use as headers when printing.

Column header (Balance / Profit and Loss)

The first two vertical fields refer to the Balance Sheet, the two second ones refer to the Profit and Loss Statement.

Current year

Insert the final date of the current accounting.

Previous year

In this field, enter the final date of the previous year's accounting.

Print pages

By selecting the appropriate cells, the different class pages (Assets, Liabilities, Expenses, Revenue, Off Balance Sheet Assets, and Off Balance Sheet Liabilities) and the front page will be printed.

By selecting the "2 classes per page" option, the list of accounts will be printed with two classes on each page (e.g. assets and liabilities on one page, income and expenses on another). This works when there is a fairly simple Chart of Accounts.


Include in printout

Decide what data should be included or excluded in the printout.

Printer, Print, Preview

Through these commands, it is possible to alter the printer setup, preview the print-out and start printing.

Period Tab



The image shows a software dialog box titled "Enhanced balance sheet". It has a blue title bar with a close button (X) in the top right corner. Below the title bar is a tabbed interface with four tabs: "Base", "Period", "Margins", and "Texts". The "Period" tab is currently selected. Inside the "Period" tab, there are two radio buttons. The first is labeled "All 03.01.2007\01.02.2007" and is unselected. The second is labeled "Period selected" and is selected. Below the radio buttons, there are two text input fields. The first is labeled "Start date (inclusive)" and contains the date "01.01.2007". The second is labeled "End date (inclusive)" and contains the date "31.03.2007". Below these fields, there are three dropdown menus. The first dropdown is empty. The second dropdown is labeled "1. Quarter". The third dropdown is labeled "2007". At the bottom of the dialog box, there are four buttons: "Print", "Preview", "Cancel", and "?".

All

By activating this option, the balance sheet for the entire accounting period is being calculated and shown.

Period selected

This option allows the user to obtain the balance sheet for a determined period, by inserting the start and the end date. When a specified period is inserted, the field of the current year, in the Base tab, is automatically updated.

Margins Tab

The screenshot shows a software window titled "Enhanced balance sheet" with a standard Windows-style title bar (blue with a close button). Inside the window, there are four tabs: "Base", "Period", "Margins", and "Texts". The "Margins" tab is currently selected. The dialog is divided into three main sections. The first section, titled "Begin to print accounts", contains four rows of margin settings: "Top" (6.50 cm), "Bottom" (3.00 cm), "Left" (3.20 cm), and "Right" (0.00 cm). The second section, titled "Margins", contains two rows: "Header" (2.50 cm) and "Footer" (2.50 cm). The third section, titled "Min space for new section", contains one row: "Min space for new section" (4.00 cm). At the bottom of the dialog, there are four buttons: "Print", "Preview", "Cancel", and a help button represented by a question mark.

Section	Parameter	Value
Begin to print accounts	Top	6.50 cm
	Bottom	3.00 cm
	Left	3.20 cm
	Right	0.00 cm
Margins	Header	2.50 cm
	Footer	2.50 cm
Min space for new section	Min space for new section	4.00 cm

Begin to print accounts

Enter or alter the print margins in this field.

Margins

Enter the space between the page margins and the header or the footer.

Min space for new section

Enter the minimum space required between two sections. If at the bottom of the page there is less space than the number of cm entered in this cell, the program will print each section on a different page.

Texts Tab

This tab is used to alter the texts that the program uses as default headings for print-outs.

Enhanced balance sheet

Base | Period | Margins | **Texts**

Key: ASSETS

Value: ASSETS

Modify

Value = Key

ASSETS	ASSETS
TOTAL ASSETS	TOTAL ASSETS
LIABILITIES	LIABILITIES
TOTAL LIABILITIES	TOTAL LIABILITIES
EXPENSES	EXPENSES
TOTAL EXPENSES	TOTAL EXPENSES
REVENUES	REVENUES
TOTAL REVENUE	TOTAL REVENUE
Profit	Profit

Print Preview Cancel ?

Key

By selecting a text from the list shown, it will then automatically appear in the cell as the key to edit.

Value

Input free text in this cell to alter the key.

Modify

Click on this button to confirm any alteration to the pre-set (default) text.

Value=Key

By clicking on this key, the Key text will be identical to the Value text.

6.8.6 Balance by classes

When there is an accounting plan structured with several sub-groups, the **Balance by classes** command allows the user to rapidly calculate and view all the accounts according to the BClass, with their groups and the Totals table descriptions. Sub-groups totals and the accounts with zero balance will not be shown.

If the user wants to change a description for a group, it has to be done on the Totals table.

Example of an accounting plan with assets grouped into several sub-groups:

Accounts		Transactions		Totals		VAT Codes		A
Group	Account	Description	BClass	Gr	Opening	Balance		
2		ASSETS						
3	1000	Cash	1	100	1'000.00	1'000.00		
4	1010	Post office current account	1	100	15'000.00	15'000.00		
5	1020	Bank current account	1	100	29'000.00	25'542.00		
6	100	Liquid resources		10	90'000.00	86'856.36		
7	1030	Clients	1	100	45'000.00	45'000.00		
8	1040	Recoverable VAT	1	100		314.36		
9	110	Credits		10				
10	1050	Transitory assets	1	10	3'420.00	3'420.00		
11	10	Liquid assets		1	93'420.00	90'276.36		
12								
13	1060	Office furniture	1	11	12'000.00	12'000.00		
14	1070	Office machinery	1	11	32'000.00	32'000.00		
15	1080	Computer/Software	1	11	5'000.00	5'000.00		
16	1090	Vehicles	1	11	32'000.00	32'000.00		
17	11	Fixed assets		1	81'000.00	81'000.00		
18								
19	1	Total ASSETS		01	174'420.00	171'276.36		
Base	Transaction	Budget	Previous	Period	Other	Print		

01 Profit(+) Loss(-) from Balance Sheet
This is the '1' group that will be added to the '01' group

19/67 CAPS NUM SCRL OVR

To obtain the Balance by classes, activate the **Balance by classes** command on the **Account1** menu.

The program will present an **Accounting Report** table where the Balance Sheet and the Profit & Loss Statement are grouped by classes.

Accounts		Transactions		Totals		VAT Codes		Accounting Report	
	Group	Account	Description	BClass	Gr	Opening	Balance		
1		1000	Cash	1	1	1'000.00	1'000.00		
2		1010	Post office current account	1	1	15'000.00	15'000.00		
3		1020	Bank current account	1	1	29'000.00	25'542.00		
4		1030	Clients	1	1	45'000.00	45'000.00		
5		1040	Recoverable VAT	1	1		314.36		
6		1050	Transitory assets	1	1	3'420.00	3'420.00		
7		1060	Office furniture	1	1	12'000.00	12'000.00		
8		1070	Office machinery	1	1	32'000.00	32'000.00		
9		1080	Computer/Software	1	1	5'000.00	5'000.00		
10		1090	Vehicles	1	1	32'000.00	32'000.00		
11	1		Total Assets		01	174'420.00	171'276.36		
Base		Transaction	Budget	Previous	Period	Other	Print		

Note: *only the assets are shown in the example.*

To get an updated Balance by classes after making some alterations, activate the command again.

7 Multi-currency accounting

Multi-currency accounting is a form of double-entry accounting that manages accounts and transactions in different currencies.

Compared to double-entry accounting, multi-currency accounting presents:

- The **Exchange rates** table
- The basic currency that must be indicated in the **File and accounting properties** (File menu)
- The exchange rate profit/loss accounts that should be indicated in the **Foreign currency** tab (see also [3.5.8](#)) from the **File and accounting properties** command (File menu).

Multi-currency accounting conforms to international accounting standards.

Multi-currency accounting is a professional instrument created for advanced users. For correct use, it is necessary to read the “Practical Guide to Multi-currency Accounting” (available on www.banana.ch) thoroughly.

There are two types of multi-currency accounting:

- Double-entry with foreign currencies
- Double-entry with foreign currencies and VAT/Sales tax

7.1 Foreign exchange rate table

This table is present only for accounting with multi-currencies. The symbols for the various currencies are defined on this table. Each currency has its own symbol and exchange rate to the basic accounting currency.

Accounts		Transactions		Totals	Exchange rates		A
	Currency ref	Currency	Text	Mult.	Exchange rate	Rate Opening	▲
1	USD	EUR	Euro	1.00	0.682240	0.691240	
2	USD	CHF	Swiss Francs	1.00	1.123190	1.122590	▼
Base		Complete		◀ ▶		Z	

Date

This is the date when the exchange rate was used. The program only uses exchange rates with no date. The date column is only used for historical exchange rates.

Warning: *if a date is entered, the exchange rate will not be used by the program and an error message will be received declaring: currency symbol does not exist.*

Currency Ref.

This column shows the symbol/currency to which the exchange rate refers.

Currency

This column shows the foreign currency symbol.

Text

This column shows text to identify the currency being used.

Fixed

If there is a fixed exchange rate, enter Yes in this column. In this case, the exchange rate used will not be the opening one but the rate specified in the Exchange Rate column.

Mult.

The multiplier is usually 1, 100 or 1000 and is used to obtain the effective exchange rate. The multiplier is used for currencies which have a very low unit value in order to avoid having to insert exchange rates with many zeros. The multiplier can also be negative (-1). In this case, the program will use an inverted exchange rate or else it will act as if the currencies inserted in the Currency and Reference Currency columns had actually been inverted (exchange rate = 1/exchange rate).

Warning: *do not alter the multiplier once there are already transactions in the same currency. The program will signal a transaction error due to erroneous exchange rates.*

Exchange rate

This column shows the actual exchange rate for the currency with respect to the reference currency.

Opening Exchange rate

This is the exchange rate at the moment the accounting is opened. It is used to convert the opening amount of the currency into the opening amount of the accounting basic currency. Insert it only once when the exchange rates are input because the program will then pick it up automatically at the beginning of a new year.

Minimum

This column shows the minimum exchange rate accepted. If a lesser exchange rate is used during the entry, there will be a warning.

Maximum

This column shows the maximum exchange rate accepted. If a greater exchange rate is used during the entry, there will be a warning.

Decimal Points

This column shows the number of decimal points to be used when rounding the amounts in currency2.

7.2 Operating multi-currency accounting

In the transactions table, there are specific columns for multi-currency:

Accounts			Transactions	Totals		Exchange rates			A
	Date	Doc	Description	Debit A/C	Credit A/C	Currency Amount	Currency	Exchange Rate	Amount USD
6	02.02.2007	2	Purchase of goods by Company 1	3000	SU-001	1500.00	EUR	0.682240	2'198.64
Base		Cost centers		Exp. Date	Lock				
F6 key = calculate exchange rate and amount in basic currency									
3000 Purchase goods for resale				2'198.64	2'198.64				
SU-001 Company 1				-2'198.64	-4'662.12 EUR		-1'500.00	-4'750.00	
6/21							CAPS	NUM	SCRL

Currency Amount

Enter the currency amount.

Currency

Enter the currency symbol for the Currency Amount. During the insertion of the transaction, if this field is empty, the program will use the currency from the debit or credit account.

Exchange Rate

This is the specific exchange rate for this transaction. During the insertion of the transaction, if this field is empty, the program will automatically use the exchange rate in the exchange rate table.

Amount (basic currency)

This is the amount converted in the basic currency. During the insertion, if the currency amount is modified, the program will automatically calculate the amount in basic currency.

The values automatically completed by the program (Currency, Exchange Rate, Amount in basic currency) can be modified at any time.

7.2.1 Transactions with foreign currency

When transactions on accounts are inserted in foreign currency, there can be three types of transaction:

- Transactions between two accounts in basic currency; in this case, it is a normal transaction of double-entry accounting
- Transactions between an account in basic currency and another in foreign currency
- Transactions between two accounts with different currencies, neither of them the basic currency

7.2.2 Transactions between one account in basic currency and one in a foreign currency

Before beginning to make accounting transactions on the Transactions table, it is necessary to update the **Exchange Rate** column in the **Foreign exchange rate** table with the day's exchange rate. If this operation is not carried out, the program will automatically pick up the exchange rate that it finds on the Foreign exchange rate table. Proceed as follows:

Accounts			Transactions	Totals		Exchange rates				A	
	Date	Doc	Description	Debit A/C	Credit A/C	Currency Amount	Currency	Exchange Rate	Amount USD		
6	02.02.2007	2	Purchase of goods by Company 1	3000	SU-001	1'500.00	EUR	0.682240	2'198.64		
Base		Cost centers		Exp. Date	Lock						Z
F6 key = calculate exchange rate and amount in basic currency											
3000	Purchase goods for resale			2'198.64	2'198.64						
SU-001	Company 1			-2'198.64	-4'662.12	EUR	-1'500.00	-4'750.00			
6/21							CAPS	NUM	SCRL	OVR	

- Enter the debit account, the credit account and the amount in foreign currency

The program will automatically calculate the amount in basic currency on the basis of the exchange rate on the Foreign exchange rate table.

Obtaining an exchange rate when the amounts in basic currency and in the foreign currency are already known

When the amounts in foreign currency and basic currency are already known (for example when the amount in basic currency is given on the bank statement), proceed as follows to automatically calculate the exchange rate:

- Enter the debit account, credit account and the amounts
- Go to the Amount USD column (basic currency)

Accounts			Transactions	Totals		Exchange rates			A	
	Date	Doc	Description	Debit A/C	Credit A/C	Currency Amount	Currency	Exchange Rate	Amount USD	
13	03.01.2007	1	Sales	1025	4000	300.00	EUR		439.00	
Base		Cost centers	Exp. Date	Lock						
The exchange rate input is not the one actually calculated										
F6 key = calculate exchange rate										
1025	Bank EUR			439.00	-167.06	EUR	300.00	-7.00		
4000	Income from services			-439.00	-949.00					
13/21							CAPS	NUM	SCRL	OVR

Note: it is normal that an error message shows up since the exchange rate is missing.

- Hit the **F6** key to calculate the exchange rate.

Accounts			Transactions	Totals		Exchange rates			A
	Date	Doc	Description	Debit A/C	Credit A/C	Currency Amount	Currency	Exchange Rate	Amount USD
13	03.01.2007	1	Sales	1025	4000	300.00	EUR	0.683371	439.00
Base		Cost centers		Exp. Date	Lock				
F6 key = calculate exchange rate									
1025	Bank EUR			439.00	-167.06 EUR		300.00		-7.00
4000	Income from services			-439.00	-949.00				
13/21									
CAPS NUM SCRL OVR									

Using an exchange rate different from the one present on the Foreign exchange rate table

- Enter the debit account, credit account and the amount in foreign currency
- Go to the Exchange Rate column and key in the desired exchange rate.
- Hit the **F6** key in order to calculate the amount in basic currency.

7.2.3 Transactions between two accounts with different currencies, neither of them the basic currency

It is not possible to have, in only one row, a transaction between two accounts with different currencies; neither of them being the basic currency. To enter these operations, it is necessary to make a transaction on more than one row.

Accounts			Transactions	Totals		Exchange rates				A
	Date	Doc	Description	Debit A/C	Credit A/C	Currency Amount	Currency	Exchange Rate	Amount USD	
15	03.02.2007	9	Transfer from EUR to CHF	1030		1000.00	CHF	1.123190	890.32	
16	03.02.2007	9	Transfer from EUR to CHF		1025	607.00	EUR	0.681777	890.32	
Base		Cost centers		Exp. Date	Lock					Z
F6 key = calculate exchange rate										
1025		Bank EUR			-890.32	-346.06	EUR	-607.00	-7.00	
16/21										CAPS NUM SCRL OVR

- On the first line, enter the debit account and the amount in foreign currency (CHF in the example)
- On the second line, enter the credit account and the second amount in foreign currency (EUR in the example). At this point, the program will signal a difference since the amounts automatically calculated in basic currency are different.

- Then copy the amount in basic currency from the preceding line (USD 890.32 in the example) and hit the **F6** key to calculate the exchange rate. At this point, the transaction is finished and there are no accounting imbalances.

Note: it is also possible to enter these operations by passing through a second account (transfer account) instead of leaving the debit and credit accounts blank.

7.2.4 Enter exchange rate differences

When there are accounts in foreign currency, there are always exchange rate differences because the amount in foreign currency is converted into domestic currency and, since the exchange rates alter, differences are created. When an accounting file is closed, update the Exchange rates table with the official closure exchange rates, which will then become the opening rates for the following year.

In order to have a correct accounting, enter the exchange rate differences using the **Create transaction for exchange rate variation** command from the **Account2** menu (in the window that opens, indicate the date of the transactions for the exchange rate differences, usually December 31st of the current year).

By clicking **OK**, the program will automatically create the requested transactions on the Transactions table, using as accounts those indicated in the **File and accounting properties** command (**File** menu), **Foreign currency** tab.

Accounts			Transactions	Totals		VAT Codes		Foreign Exchange Rate		A
	Date	Doc	Description	Debit A/C	Credit	Currency	Amount	Currency	Exchange Rate	Amount USD
18	31.12.2007		Exchange rate profit Bank EUR	1025	4600			USD		14.26
19	31.12.2007		Exchange rate loss Bank CHF	4600	1030			USD		4.12
VAT			Complete VAT	Cost Centers	Expiry Date	Lock				
F6 key = swap debit and credit accounts										
1025	EUR Bank EUR			14.26	1'306.79	1'450.00				
4600	USD Exchange rate differences			-14.26	-10.14	-10.14				
18/19										
							CAPS	NUM	SCRL	QVR

Entering these exchange rate differences transactions only alters the balance of the basic currency account.

The balance on the foreign currency account remains unchanged.

7.2.5 Closing a multi-currency accounting

To close a multi-currency accounting file:

- Update the Foreign exchange rate table by inputting, in the Exchange rate column, the rates for the closure that will become the opening exchange rates for the New Year;
- Enter the exchange rate and rounding differences, otherwise the differences will be carried forward to the New Year). If, subsequently, more transactions are made, check whether there are accounting differences again.

8 Accounting report and Exchange rate history


In order to get the accounting report and the exchange rate history, from the **Create new file** window (File menu, New... command), select, in the Group field, the **Other** option.

8.1 Accounting report

Through the creation of external accounting reports, it is possible to regroup the Chart of accounts according to various outlines and requirements. The user can, for example, regroup on the basis of a European or an American Balance Sheet outline.

8.1.1 Create an Accounting report file

From the **New** command (File menu), select the **Other** group and the **Accounting report** file.



Enter the basic data for the file and save it with a name.

8.1.2 The columns of an Accounting Report

Accounting report						A
	Group	Description	Gr	Tot	Keep	With trans
1		ASSETS			Yes	
2	CA	Current Assets	1	Yes		
3	FA	Fixed Assets	1	Yes		
4	1	Total ASSETS	01		Yes	
						Z

Group

In this column, a number/symbol that groups together one or more accounts is entered.

Description

In this column, a text that describes each group is entered.

Gr

In this column, a number/symbol that totals one or more groups is entered. It has to be an already existing Group.

Tot

Enter 'Yes' when it is only necessary to see the group total and not all the accounts, otherwise leave blank.

Keep

Enter 'Yes' when it is necessary to keep the row, otherwise leave blank.

With trans

When 'Yes' is entered in this column, the program will not include the accounts with zero transactions in the report.

8.1.3 Create the desired grouping layout

Accounting report						A
	Group	Description	Gr	Tot	Keep	With trans
1					Yes	
2		ASSETS			Yes	
3	CA	Current Assets	1	Yes		
4	FA	Fixed Assets	1	Yes		
5	1	Total ASSETS	01		Yes	
6					Yes	
7		LIABILITIES			Yes	
8	LTD	Long-term debts	2	Yes		
9	OE	Owners' equity	2	Yes		
10	2	Total LIABILITIES	01		Yes	
11					Yes	
12	01	Profit (-Loss)	00		Yes	

Create a table with the desired groupings (those groupings the user wishes to use for the external accounting report). In the example four simple groups have been made:

- CA Group – Current Assets Group
- FA Group – Fixed Assets Group
- The CA and FA groups are in Gr 1, which is equal to Group 1 that totals the Total Assets
- LTD Group – Long-term Debts Group
- OE Group – Owner's Equity Group
- The LTD and OE groups are in Gr 2, which is equal to Group 2 that totals the Total Liabilities
- The Total Assets and Total Liabilities groups are in Gr 01, which is equal to Group 01 where they are added together (Profit/Loss).

Save the groupings layout just created.


8.1.4 Link the accounting report to the accounting file

Accounts		Transactions		Totals		Report		A
Group	Account	Description	BClass	Gr	Gr1	Opening	Balance	
1		BALANCE						
2		ASSETS						
3	1000	Cash	1	1	CA	785.75	1'285.75	
4	1010	Post current account	1	1	CA	10'900.00	10'400.00	
5	1020	Bank Current Account	1	1	CA	20'660.00	11'501.90	
6	1090	Clients	1	1	CA	13'000.00	26'080.00	
7	1510	Office furniture	1	1	FA	8'000.00	8'000.00	
8	1520	Office machinery	1	1	FA	25'000.00	25'000.00	
9	1530	Vehicles	1	1	FA	7'000.00	7'000.00	
10	1	Total ASSETS		01		85'345.75	89'267.65	
11								
12		LIABILITIES						
13	2000	Bank loan c/c	2	2	LTD	-18'045.75	-20'545.75	
14	2050	VAT due	2	2	LTD			
15	2800	Start-up capital/business capital	2	2	OE	-90'000.00	-90'000.00	
16	2850	Private account	2	2	OE	-34'000.00	-34'000.00	
17	2990	Brought forward profit or loss	2	2	OE	56'700.00	56'700.00	
18	2	Total Liabilities		01		-85'345.75	-87'845.75	
19								
20	01	Profit(+) Loss(-) from Balance Sheet		00			1'421.90	
Base	Transaction	Budget	Previous	Period	Other	Print		Z

- Open the accounting file
- On the **Accounts** table make visible, if it does not show up on the accounting plan, the column to be linked as the grouping: BClass, Gr, Gr1, Gr2 (View fields command from the Data menu); in the example, the Gr1 column has been made visible as the column where the groupings have been created.
- For each account enter the corresponding group code for the external accounting report to which each account should be totaled.

8.1.5 Calculate the External accounting report

By selecting the **External accounting report** command, from the **Account1** menu the following window will appear:

**Browse**

This button lets the user search for and select the accounting report file with the outline and the grouping previously created.

Accounting report file

In this drop-down menu is the name of the external accounting report. If the file has already been selected using the Browse button, it will be input automatically.

Grouping column

Specify which column on the Accounts table (**BClass**, **Gr**, **Gr1**, **Gr2**) should be used to calculate the External accounting report in this drop-down menu.

Options:

Include accounts with no transactions

Include accounts with 0 balances

Show group totals only

Signal missing grouping

An error will be signaled if an account either has the wrong group or no group at all when this cell is activated.

Calculate

Click on this button to start the External accounting report calculation.

Add item

It is possible to memorize various external accounting report layouts. With this button the program saves the current layout and allows the user to open another one.

Delete item

Click on this button to delete a memorized layout.

8.1.6 Calculated external accounting report

Accounts		Transactions		Totals		Accounting Report		A
Group	Account	Description	BClass	Gr	Gr1	Opening	Balance	
1								
2		ASSETS						
3	CA	Current Assets		1		45'345.75	49'267.65	
4	FA	Fixed Assets		1		40'000.00	40'000.00	
5	1	Total ASSETS		01		85'345.75	89'267.65	
6								
7		LIABILITIES						
8	LD	Long-term debts		2		-18'045.75	-20'545.75	
9	LO	Owners' equity		2		-67'300.00	-67'300.00	
10	2	Total LIABILITIES		01		-85'345.75	-87'845.75	
11								
12	01	Profit (-Loss)		00			1'421.90	
Base		Transaction Budget	Previous	Period	Other	Print		Z

In order to have an updated balance, recalculate the report each time.

8.2 Exchange rate history

Exchange rate history is a file that simply shows the Exchange Rate table where all the exchange rates relevant to specific dates are filed:

To create an Exchange rate history, proceed as follows:

- From the **File** menu click on the **New** command
- Select **Other** as the group
- Select **Exchange rate history** as the file

Exchange rates							A
	Date	Currency ref	Currency	Text	Mult.	Exchange rate	▲
1	01.01.2007	USD	EUR	US Dollar		0.757990	
2	01.01.2007	USD	CHF	Swiss Franc		1.219800	
3	01.01.2007	USD	JPY	Japanese Yen		119.116000	
4	01.01.2007	USD	GBP	British Pound		0.510690	
5	01.02.2007	USD	EUR	US Dollar		0.771320	
6	01.02.2007	USD	CHF	Swiss Franc		1.251680	
7	01.02.2007	USD	JPY	Japanese Yen		121.434000	
8	01.02.2007	USD	GBP	British Pound		0.510420	
9	01.03.2007	USD	EUR	US Dollar		0.756630	
10	01.03.2007	USD	CHF	Swiss Franc		1.220000	
11	01.03.2007	USD	JPY	Japanese Yen		118.367000	
12	01.03.2007	USD	GBP	British Pound		0.514150	▼
Base		Complete					Z

Once the data pertinent to the exchange rates has been inserted, save the file with a name using the **Save As** command (File menu).

9 Instructions for labels

The labels application is a simple table where it is possible to insert addresses or other data in order to print labels.


A list of addresses can be made from scratch, setting up all the fields needed to create a made-to-measure database.

Even label printing can be personalized.

The advantage of this program is that it lets the user print labels very rapidly, and, if the text is too long, the program will use a smaller font when printing so that the text remains contained within the label.

9.1 Create a new label file

By selecting the **New** command from the **File** menu, three different files can be selected from the label group:



Labels with progressive fields (1,2,3...)

New fields are created (field 1, 2, etc.) where it is mandatory to insert the label header (ex. name, address, country, telephone, etc.).

Address labels

Fields corresponding to an already defined address database are being created.

Labels to be composed

It is an empty database that allows the user to alter all existing fields or create new ones through the Set up fields command from the Data menu (for more information on how to set up fields see para. [3.8.15](#)).

9.2 The Print label 1... and Print label 2... commands

By using the **Print label 1...** and **Print label 2...** commands from the **Label1** menu, the user will have access to the definition and the printing of labels.

There are two separate commands because two print set-ups can be saved for labels; otherwise the two commands are the same.

When one of these two commands is activated in order to print labels, a window with three tabs opens:

Print tab

The screenshot shows a 'Label printing' dialog box with a blue title bar and a close button (X) in the top right corner. The 'Print' tab is selected, indicated by a blue underline. The dialog contains the following elements:

- First label starting position:** A group box containing two text input fields. The 'Horizontal' field contains the number '1' and the 'Vertical' field also contains the number '1'.
- No. copies of each label:** A text input field containing the number '1'.
- Selected lines only:** An unchecked checkbox.
- Warn if text exceeds label:** A checked checkbox.
- Set printer...:** A button located below the checkboxes.
- Bottom buttons:** A row of four buttons: 'Print', 'Preview' (which is highlighted with a black border), 'Cancel', and a help button with a question mark '?'.

First label starting position

Decide on the position of the first label. For example, if “1” is entered in the horizontal and vertical fields, it refers to the upper left-hand corner of the page.

Nr. copies of each label

The value of “1”, in this field, means only one copy of each label is wanted.


Selected lines only

If this cell is activated, only the selected rows will be printed.

Warn if text exceeds label

If the text goes beyond the margins for the label, the program will warn the user by sending an error message if this cell is activated.

Page settings tab



Label printing

Print | Page settings | Compose label

Page

Left margin: 0.00 cm Right margin: 0.00 cm

Top margin: 0.00 cm Bottom margin: 0.00 cm

Number horizontal labels: 3 Number vertical labels: 8

☐ Print Landscape

Label

Left margin: 0.10 cm Right margin: 0.10 cm

Top margin: 0.10 cm Bottom margin: 0.10 cm

☒ Center text horizontally ☒ Center text vertically

Font size

Base size: 12

☒ Reduce to fit, but no less than: 8

Print Preview Cancel ?

Page

Margins

Input the size in centimeters; if no size is entered, the margin sizes will be zero.

Number of horizontal labels

Input the number of horizontal labels there are on the page.

Number of vertical labels

Input the number of vertical labels there are on the page.

Print landscape

The page will be printed horizontally if this cell is activated.

*Label***Margins**

It is possible to input a margin for each label; the values for the label margins must be input in centimeters.

Center text horizontally

Select this option to horizontally center the text for each label in the cell.

Center text vertically

Select this option to vertically center the text for each label in the cell.

*Font size***Base size**


This field shows the default font size.

Reduce to fit, but not less than

The program calculates the maximum font size possible for a given label, starting from 14 points all the way down to 8 points. The calculation is made taking into account both the height and width of the label. If a label has a line that is too long (or has too many rows) to be printed, then an error message will appear in the message window. Even if it is incomplete, the label will still be printed.

Note: the printers will not print on the whole surface of a page because they need minimum margins. The program tries to adapt the single labels to the margin values required by the printer.

Compose label tab



The window shows three distinct areas: **Field list** to select the fields, **Divider list** to select the dividers and **View labels** to view the result of the field and divider composition.

Field list

This is a list of all label possible fields; to select a field, it is possible to work in two ways:

- Double-click on a field name.
- Click on an field name from the list and hit the **Add Field** key

The field selected will be shown in the View labels area.

Divider list

Between two fields there must be a divider. Choose from the following:

- <space>** This serves to separate two fields set on the same line, e.g. Name<space>Last name
- <return>** This must always be entered at the end of each line for the labels, e.g. Courtesy <return>. If the previous field contains no data, the label row will not be printed.
- <always return>** Select this divider to print the label row even if the field preceding it contains no data, e.g., Courtesy <always return>: if the cell corresponding to Courtesy is blank, then a blank row will be printed.

View labels

This shows how the fields and dividers will show up on the printed label: each row in this area corresponds to a row on the label.

Naturally, the symbols used here for the dividers <space> <return> <always return> are not printed.

Delete last field

This button deletes the last divider or field input.

Delete all

This button deletes the whole label structure

.

To save any changes made, click on the **OK** button.

***Note:** When new fields that must be shown in the label print-outs are added, the print format must be changed.*

9.2.1 Print merge

In order to use the Print merge command in Word using the data from the Banana Labels application, export the data by selecting **Export Rows in txt...** from the **Export Rows** command on the **Data** menu, making sure that the **Column header** option is selected in the **Export Rows in txt** window.

In this way not only the data is exported, but the headers as well which can then be read by the program when printing a series of letters.

10 Error Messages

Error messages can either show up immediately or be listed in a message window. The table name and the row number where the error occurred will be shown as well as the text. Double-click on the error to be immediately transferred to the row that caused the error.

If the user clicks on the **Don't warn** button, immediate presentation will be deactivated. To reactivate it, use the **Warning messages** command in the **Window** menu.

The text of the messages and an explanation of their meaning are listed in the electronic version of the manual.

11 Short-cut Keys

The short-cut keys can be used to carry out various functions without using the mouse. The main functions are for moving around, editing and selecting:

Moving Keys	Description
Esc	Cancel operation by closing open window.
Backspace	Delete preceding character by moving cursor backwards.
Delete	Delete subsequent characters.
PgUp	Scroll up one screen page.
PgDown	Scroll down one screen page.
Right Arrow	Scroll towards right.
Left Arrow	Scroll towards left.
Up Arrow	Scroll up.
Down Arrow	Scroll down.
Home	Scroll to beginning of row.
End	Scroll to end of row.
Ctrl+Home	Scroll to top-left angle of table.
Ctrl+End	Scroll to bottom-right angle of table.
Ctrl+Down	Scroll to end of table.
Ctrl+Up	Scroll to top of table.
Enter	Advance one cell, confirming keyed-in text.
Ctrl+F4	Close active window.
Alt+F4	Exit program.
Tab	Has the same function as Enter but only when the window for editing has not been opened (Shift+F2).

Moving Keys	Description
Shift+Tab	Return to previous cell, confirming keyed-in text.
Ctrl+Tab	Go from one window to another according to their order
Ctrl+F6	Next window.
Ctrl+PgDown	Next table.
Ctrl+PgUp	Previous table.
Alt+PgDown	Next view.
Alt+PgUp	Previous view.
F3	Find next command in Data menu.
Shift+F3	Find command in Data menu.
F5	Scroll to desired row by keying in row number in active window.
Shift+F5	Go to original row command on Data menu.

Editing Keys	Description
Ctrl+Enter	Add row below position of cursor.
Ctrl+Ins	Copy selected text.
Shift+Ins	Paste copied text in selected cell.
Ctrl+Delete	Delete content of selected cells.
F2	Edit content of cell.
Shift+F2	Open window to enter longer texts.
F4	Copy previous cell from same column.
Shift+F4	Copy previous cell and advance.
F6	This key executes different functions depending on the column the user is working on. The functions are explained in the information window.
Shift+F6	Add row and copy transaction from previous row.

F9	Perform simple recheck.
Shift+F9	Perform global recheck.

Selection Keys	Description
Shift+PgUp	Select column moving upwards, page by page.
Shift+PgDown	Select column moving downwards, page by page.
Shift+Right	Select row to right.
Shift+Left	Select row to left.
Shift+Up	Select upper column.
Shift+Down	Select lower column.
Shift+ Home	Select back to start of row.
Shift+End	Select forward to end of row.
Shift+Ctrl+ Home	Select back to top of table.
Shift+Ctrl+ End	Select forward to end of table.
Ctrl+Space	Select entire column.
Shift+Space	Select entire row.
Ctrl+Space and Shift+Space	Select entire table.

Other Keys	Description
Ctrl+N	New file.
Ctrl+S	Save.
Ctrl+O	Open.
Ctrl+P	Print.
Ctrl+Z	Undo operation.
Ctrl+Y	Redo operation.

Ctrl+Delete

Delete text from the cursor point to the end of the cell.

Index

Account card	84		
Account card by period	88		
Accounting functions			
Accounting report	199		
Balance by classes	188, 189, 190		
Balance by period	179		
Close current year	179		
Create New Year	20, 120, 179		
Enhanced balance sheet	34, 93, 95, 179, 181		
Enhanced statement	93		
External accounting report	202		
Accounting report	199		
Alignment			
Column	71		
Autosave	27, 82		
Backup copy	27		
Balance by period	96		
Balance sheet			
Balance sheet by classes	188		
Balance sheet by period	179		
Enhanced balance sheet	34, 93, 95, 179, 181		
Enhanced statement	93		
Journal by period	90		
Banana.ch SA			
Copyright and info	127		
Home page	124		
Online support	124		
Updates	124		
Cash book	144		
Accounts table	145		
Cash book with second currency	152		
Categories table	146		
Create a Cash book file by using an existing template	148		
Create a new file	149		
Insert transactions	152		
Link to double-entry accounting	155		
Transactions table	147		
Category card	84		
Centers of cost and profit	141		
CC1	141		
CC2	141		
CC3	141		
How to create cost centers	141		
		How to enter cost centers	142
Close			
Close current year	179		
Column			
Alignment	71		
Header	71		
Protection	71		
Visible	71		
Width	71		
Compatibility with previous versions	28		
Copy/paste	20		
Credit cards			
Credit card commissions	136		
Credit card entries	136		
Currency			
Basic currency	29		
Currency2	32, 127, 128, 129, 130, 152, 153, 154		
Currency2 for Cash book	128		
Currency2 for Double-entry accounting	129		
Currency2 for Simple accounting	128		
Foreign currency	32		
Cut	20		
Data			
Copy/Paste	67		
Edit data	52		
Go to	60		
Import rows	67		
Integrity of data	115		
Replace	59		
Search	58		
Date of opening/closing	28		
DDE			
DDE connection	69		
Decimals			
Configuration of decimals for the second currency	128		
Configuration of decimals in the Foreign exchange rate table	191		
Number format	73		
Default style	78		
This style as default	78, 79		

Double-entry accounting	167	Export file in MS Excel	37
Accounting functions	179	Export file in Xml	45, 66
Accounts table	168	File properties	28
Create a file starting from an existing template	170	Formats considered secure	83
Create a new file	172	Merge	80
Import Cash book transactions	105	New	24
Totals table	178	Open a file	26
Transactions table	176	Pass from one to the other	26
VAT Codes table	179	Rename	27
Edit date, hour, number format	73	Save a file	27
Edit long texts	53	Save automatically	27
Enhanced statement	93	Send by Email	52
Errors		File Info	80
Error Messages	214	Format	
Verification	93	Calculate all row heights	79
Excel		Calculate row height	79
Export file in MS Excel	37	Default style	78
Export rows in MS Excel	64	Page format	47
Exchange rate		This style as default	78
Calculated balance	92	Group	
Currency2	127	Create groups in Cash book	149
Exchange rate differences	197	Create groups in Double-entry accounting	172
Exchange rate history	204	Create groups in Simple accounting	162
Exchange rate loss	129	Totaling system	21
Exchange rate profit	129	Groupings	21
Import exchange rates	104, 112	Help	124
Exchange rate history	104, 199, 204, 205	Html	
Expiry dates		Export file in Html	42
Show expiry dates	113	Export rows in Html	65
Export		Import	
Export file in Html	42	Import accounts	103, 111
Export file in MS Excel	37	Import Cash book transactions	105
Export file in Xml	45	Import Double-entry transactions	109
Field		Import exchange rates	104, 112
Add field	70, 76	Import Receipt/payment transactions	110
Delete field	71, 76	Import rows	67
Edit attributes	71	Import Simple accounting transactions	107
Edit data	70, 74	Import Text file with column headers	111
Edit date, hour, number format	73	Import to accounting	102
Select field views	76	Import transactions from bank customer's statement (MT 940)	109
Set up fields	69	Installing more than one language	13
File		Introduction	9
Autosave	27		
Basic data file	28		
Close a file	28		
Compatibility with previous versions	28		
Export by period	41		
Export file in Html	42, 46, 65		

Journal	
Journal by period	90
Print journal	90
Labels	
Create a new label file	206
Instructions for Labels	206
Print labels	207
Print merge	212
Language	
Creation language	34
Current language	34
Installation	13
License	
Buy license	124
Insert license key	125
Link	
Add link...	115
Open link	115
Remove link	115
Margins	47
Memorized text table	56
Menu	
Account1	84
Account2	113
Cash1	84
Cash2	113
Data	58
Edit	54
File	23
Format	78
Help	124
Simple1	84
Simple2	113
Tools	80
Window	121
Menubar	17
Message window	123
Messages	
Clear messages	123
Message window	123
Warning messages	123
Multi-currency accounting	191
Close multi-currency accounting	198
Enter exchange rate differences	197
Exchange rate history	104, 199, 204, 205
Foreign exchange rate table	191
Transactions with foreign currency	194
New Year	
Create New Year	120
Update opening balances	121
Page break	47, 79
Insert a page break	79
Remove a page break	79
Password	35
Print	51
Print preview	52, 95, 183
Print setup	47
Printer setup	52
Printing	47
Program options	
Autosave	27, 82
Backup copy	82
Edit date, hour, number format	73
Font type	81
Height of info-window (in rows)	82
Language	81
Maximum number of undo operations	82
Zoom	82
Program structure	16
Columns	18
Information window	18
Menubar	17
Tables	17
Text input area	17
Toolbar	17, 47, 123
Views	18
Recalculate balance and totals	92
Recalculate group totals	92
Recalculate totals manually	30, 92
Recheck accounting	93
Recurring transactions	114
Redo operation	
Redo	54
Repeated operations	56
Rounding	
VAT rounding	33
Rows	
Add rows	55, 56, 113
Calculate all row heights	79
Calculate row height	79
Copy rows	56, 114
Delete rows	56, 148, 162, 170
Duplicate rows	56

- Export rows 64, 65, 67
- Export rows in Html 65
- Export rows in MS Excel 64
- Export rows in txt 67
- Export rows in Xml 65
- Extract rows 60, 62
- Import rows 67
- Insert rows 55
- Memorized text table 56
- Paste rows 56, 114, 115
- Protect/Unprotect rows 57
- Rows with long texts 53
- Selections table 62
- Sort rows 63
- Wrap text 73, 79
- Sales tax**
 - Connect a VAT code to an account or a category 134
 - Credit card commissions 136
 - Credit card percentages 136
 - Credit card transactions 140
 - Discounts and reductions 138
 - Reverse VAT transactions 138
 - Sales tax (VAT) Report 139
 - Select accounting with VAT 130
 - Transactions with VAT 135
 - VAT Codes table 131
 - VAT not completely deductible 138
 - VAT paid in cash at moment of import 139
 - VAT Report 139
 - VAT Report table 139
 - VAT rounding 33
- Save**
 - Save 27
 - Save as... 27
- Search for transaction differences** 93
- Selections table** 62
- Short-cut Keys** 215
- Show accounts with balance only** 179
- Simple accounting** 157
 - Accounts table 158
 - Categories table 159
 - Create a file starting from an existing template 161
 - Create a new file 162
 - Input transactions 165
 - Simple accounting with second currency 166
 - Transactions table 161
- Smart fill** 17
- Smart fill with transactions from previous year** 30
- Software installation** 13
- Startup**
 - How to begin 15
- Text**
 - Replace text 59
 - Search text 58
- Toolbar** 17, 47, 123
- Totaling system** 21
- Totals**
 - Recalculate totals manually 30, 92
- Transaction date required** 30
- Transactions**
 - Lock transactions 115
 - Sort transactions by date 113
 - Unlock transactions 120
- Txt**
 - Export rows in txt 67
- Undo operation**
 - Maximum number of undo operations 82
 - Undo 54
- Uninstalling of the program** 13
- Window**
 - Arrange icons 122
 - Cascade 122
 - Hide current table 122
 - New window 122
 - Next window 123, 216
 - Previous window 123
 - Tile horizontally 122
- Work rapidly** 19
- Wrap text** 73, 79
- Xml**
 - Export file in Xml 45
 - Export rows in Xml 65
- Year**
 - Close current year 179
 - Create a New Year 179
 - Update opening balances 121
- Zoom** 50